

WHAT IT TAKES TO BUILD GREAT ROAD CARS

The dedicated people at Pontiac would like you to know what it takes to build great road cars. Because it is as much an art, as it is a science. As much human touch and evaluation, as it is computer modeling and laboratory tests. As much a test of day-to-day realities, as it is an adventure in engineering future think. Only when all of these elements are brought together, do the truly great road cars emerge.

The 1984 Pontiacs are such cars, built with innovative styling and engineering, offering the kind of excellent performance and roadability Pontiac has been famous for.

These truly are distinctive American cars. Like the magnificent Firebird Trans Am. The sophisticated 6000 STE, heir to the Pontiac tradition of grand touring. Or the technically advanced 2000 Sunbird Turbo, Pontiac's newest world-class performer. And, the most dramatic Pontiac of them all, the sensational Fiero.

Within this brochure, you will discover why the 1984 Pontiacs are the most exciting and innovative line of cars we've ever offered.

Pontiac...automobiles that capture the spirit and excitement of American innovation. We build excitement!

IMPORTANT: A WORD ABOUT THIS CATALOG.

We have tried to make this catalog as comprehensive and factual as possible. Since the time of printing however, some of the information may have been updated. Some of the equipment shown or described is available at extra cost. Your dealer has details and before ordering, you should ask him to bring you up to date. Pontiac Motor Division reserves the right to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Pontiac dealer for complete information.



THE 1984 PONTIACS: INNOVATION, PERFORMANCE AND EXCITEMENT

FIERO

Some automotive publications are already calling it the most innovative Pontiac ever. Find out why it's the most exciting Pontiac in history. (Page 4)

FIREBIRD

This American performance legend grows even stronger in '84. (Page 20)

PONTIAC 6000

One of the most distinctive and technically advanced front-wheel-drive cars built in America. (Page 29)

PONTIAC 2000 SUNBIRD

Performance refinements and newly available Turbo power for Pontiac's world-class compact car. (Page 40)

PONTIAC WAGONS

From 2000 Sunbird to Parisienne, Pontiac has a wagon to fit your needs. (Pages 36, 46 & 58)

GRAND PRIX

Sporty luxury and available V-8 performance in one of America's classic automobiles. (Page 48)

BONNEVILLE

Exemplifying the Pontiac luxury tradition with style, comfort and sophisticated performance. (Page 52)

PARISIENNE

Six-passenger room, comfort and luxury in Pontiac's full-size sedan and wagon. (Page 56)

PHOENIX

High output V-6 performance is available in sportycoupe or practical 5-door hatchback models. (Page 60)

PONTIAC 1000

Even our most affordable Pontiac sports overhead cam performance! (Page 64)





FIERO: DRIVING EXCITEMENT FOR THE '80s

Fiero can be described as an economy car. It can also be considered a practical and durable car. And by its technical specifications alone, Fiero may legitimately be called a sports car. The beauty of Fiero is that it's all of these cars, presented in a dramatic, functionally beautiful Pontiac design.

FIERO SPORT COUPE AND FIERO SE SPORT COUPE. The overall look of Fiero (in white) and Fiero SE (in red) emphasizes its clean, uncluttered shape, a calculated departure from the sharp edges of the "folded paper" school of automotive design.


A long list of standard exterior features maximizes the exciting look of Fiero, including retractable halogen headlamps. Flush-mounted windshield glass. Black, full-width reflex lens tail lamps. Soft fascia front and rear bumpers. Locking fuel filler door with remote release. And a black-finished front air dam. Black is used on all other Fiero body accents, including the dual sport mirrors (left hand remote control). The Fiero SE (shown with available sunroof) is equipped with a black rear deck luggage rack with integral spoiler (may be deleted for credit).


Fiero is powered by a mid-mounted 2.5 liter 4-cylinder engine with electronic fuel injection. This willing performer features "swirl-port" technology for a smoother, faster burning combustion process. A performance-geared 4-speed manual transmission is standard. A 3-speed automatic is available.


Fiero handling performance starts with its fully independent suspension, rack and pinion steering, power four-wheel vented disc brakes with aluminum calipers, and a 23mm front stabilizer bar, all standard. Rally steel wheels with P185/80R13 steel-belted all-season radials come standard on Fiero. 13" turbo-finned cast aluminum wheels are available (shown, left). A WS6 performance handling package including special springs and shocks, and 14" hitech cast aluminum wheels with P215/60R14 steel-belted radials is standard on Fiero SE (shown with available white-lettered tires).†

All of these exciting ingredients add up to what driving Fiero is all about: pure unabridged fun!

15ee Facts & Figures page for complete details.







AN INSIDE LOOK AT THE MOST INNOVATIVE PONTIAC IN HISTORY

The Pontiac Fiero is a proud new American car unlike anything else in the world, and here's why:

- Fiero is the very first 2-seat American production car to exploit the advantages of a mid-mounted engine, resulting in excellent front-to-rear weight distribution.
- Fiero's innovative space-frame chassis uses principles gleaned from modern racing car design, giving it strength without the penalties of excess weight.
- Fiero is equipped with 4-wheel fully independent suspension, rack and pinion steering, power 4-wheel vented disc brakes with aluminum calipers and a 23mm front stabilizer bar.
- Fiero offers an available WS6 performance handling package that includes special front and rear springs and shocks, 14" hi-tech cast aluminum wheels and P215/60R14 Goodyear Eagle GT steel-belted radials. (Standard on Fiero SE, shown.)
- Fiero is powered by a 2.5 liter, transverse-mounted 4-cylinder engine with electronic fuel injection and 9.0:1 compression ratio. This engine employs "swirl-port" technology, which means the intake passages of the cylinder head are shaped in a spiral path to "swirl" the air/fuel mixture for a smoother and faster burning combustion process.
- Fiero transmissions include a standard, performance-geared 4-speed manual (3.32 overall top gear ratio), and an available 3-speed automatic (3.18 overall top gear ratio). A 4-speed manual geared for more economy (2.42 overall top gear ratio), is standard on Fiero Coupe only.
- Fiero's innovative Enduraflex™ panels will never rust, the front fenders, door panels, and lower quarter panels "give" on minor impacts, and all panels resist minor dents and dings.
- Fiero's space-frame is milled and drilled to an accuracy of ± 1/2mm on each body panel mount. The Fiero is obviously much more than a new Pontiac. The Fiero's basic concept, engineering execution, materials usage and assembly technology represent, in many ways, what lies in store for the future of the automotive industry. The Pontiac Fiero is the leading edge of innovative automotive design!









PONTIAC FIREBIRD: AERODYNAMICS FOR THE REAL WORLD


In recent years, automobile companies all over the world have "discovered" aerodynamics. And while many others nervously wrestle with its mysteries, Pontiac has been quietly refining the art for 14 years. In fact, Pontiac has been on the leading edge of aerodynamic design since the introduction of the 1970 Firebird Trans Am.

By learning to control the flow of air over, under and around the car, Pontiac designers have cut vehicle wind resistance to the bare minimum.

The result of all this exhaustive research is majestically evident to the left: the 1984 Firebird aero Trans Am. This is a very special option package available only on Trans Am. And while its vibrant color accents and slick body modifications make Trans Am even more exciting to look at, the real purpose of the aero package is purely functional. The solid, wind cheating front fascia, special door

The solid, wind cheating front fascia, special door and rocker panel extensions, smooth aero wheels and larger front air dam help the aero Trans Am slip through the wind with the best aerodynamics of any production car GM has ever tested. In fact, its .299 coefficient of drag is one of the lowest of any production car in the world.

The Trans Am is what aerodynamics is really all about. It means going beyond the sterile environment of the wind tunnel and making aerodynamics work for you in the real world.



Enhanced stability and improved engine cooling are achieved by controlling the pressure zones that form around Trans Am's aero shape.



24


FIREBIRD S/E

To say that the Firebird S/E (shown at far left) is exciting to look at is to state the obvious. Yet beyond its aerodynamic aesthetics, Firebird S/E possesses a subtle sophistication you're sure to appreciate. Slip inside and you'll find S/E's seats have been engineered for improved comfort and support. The reclining front buckets also feature new headrests that adjust at a touch.

Now grip the new leather-wrapped steering wheel, check the full complement of gages and you're off. If the elements should try to intrude on your fun, new all-season radial tires will help get you through.

But if the day is perfect and you spot a particularly challenging road ahead, go for it. Because Firebird S/E sports a vigorous High Output V-6 engine, 5-speed manual transmission* or available automatic and Pontiac's famous Rally Tuned suspension.

FIREBIRD. Solid value and pure driving excitement are what make Firebird (shown with newly available two-tone paint and rear deck spoiler at near left) so appealing. Under that sculptured hood is a refined 2.5 liter 4-cylinder engine with electronic fuel injection and new "swirl-port" cylinder head. And nestled between the front bucket seats is an available 5-speed fitted out with a new hydraulic clutch. Together, these advancements give Firebird improved performance and fuel economy.**




This sophisticated 2.8 liter High Output V-6 charges Firebird S/E with 125 eager horses.

^{*5-}speed not available in California.

[&]quot;See Facts & Figures pages for EPA estimates.








PONTIAC 6000 STE: ENGINEERED FOR THE BUSINESS OF DRIVING

The 6000 STE is the most thoroughly equipped car in Pontiac history. A partial list of standard features includes a high-performance AM/FM stereo cassette with a graphic equalizer,* power windows, cruise control, side and rear window defoggers, electronically controlled twin outside mirrors and a remote trunk release.

On the subject of trunks, it should be noted that the STE's is more than just a barren steel storage bin. It's fully carpeted, holds a compact spare tire, an accessory kit and a unique device called an inflator, that does just that to items like tires and sports equipment. This unit works off the STE's Electronic Ride Control, another standard feature that's a bit spectacular itself (below, right).

However, these wonderments alone do not make a driver's car. The nuts and bolts which combine to make the Pontiac 6000 STE a precise driving machine include finely tuned shock absorbers, springs and bushings. Front-wheel drive. Stabilizer bars both front and rear. MacPherson strut front suspension. Power rack and pinion steering. Power four-wheel disc brakes. A three-speed automatic transmission. And specially selected P195/70R14 Goodyear Eagle GT's mounted on ventilated cast aluminum wheels.

All of this technological finery is powered by a smooth, responsive 2.8 liter High Output V-6 engine.



The 6000 STE's suspension system has Electronic Ride Control, which keeps comfort and ride attitude consistent at all load levels.



ERC

A digital speedometer and analog tachometer are new features on the STE's all-electronic instrument panel.



The STE's new neutral-density taillight includes amber lens turn signals.



Power four-wheel disc brakes are standard on the STE.



An important part of the STE's instrument panel is the Driver Information Center, which keeps track of important mechanical functions, fluid levels and maintenance intervals.



The STE's handy accessory kit includes a 12v utility spotlight, flare, raincoat, a first aid kit and other useful items.



A unique feature of the STE is the inflator mounted in the trunk, working off the air-pressure system for the Electronic Ride Control.



Advanced electronics are used in the STE's heating, ventilation and air conditioning (HVAC) unit. The AM/FM stereo cassette with graphic equalizer may be deleted for credit.









An available landau roof gives the Pontiac 6000 LE Coupe a more formal look.



The Pontiac 6000's slim, easy-to-read instrument panel is bathed in an optically soothing orange light. A new tachometer and rally gages are available.



Power windows and power locks are available for added convenience.



Dual electric power mirrors are available on all 6000 models.



Add to the harmony of the Pontiac 6000's interior by ordering the available Delco-GM ETR AM/FM stereo cassette with 5-band graphic equalizer.





PONTIAC 2000 SUNBIRD LE CONVERTIBLE

For sheer driving fun, it's hard to beat spending a bright sunny day behind the wheel of a 2000 Sunbird LE Convertible.

You'll feel the excitement the moment you see its clean aerodynamic lines. That raked-back windshield. And the dual black sport mirrors with left-hand remote control. They're standard, by the way.

Inside, you'll find Sunbird LE Convertible is very civilized. With a carefully laid out instrument panel to help monitor vital engine functions. Reclining front bucket seats that support you firmly, yet very comfortably. A Formula 3-spoke steering wheel that fits snugly in your hands. And such amenities as power steering, power windows and special sound deadening acoustics. All to help make driving fun. And all standard.

Ready to start chasing the sun? Then turn the key and bring the electronically fuel-injected 1.8 liter overhead cam 4-cylinder engine to life. Flick a switch and watch the power convertible top fold neatly into place. Drop the 5-speed manual transmission into gear and hit the road. This is open-air fun in the sun at its driving best. And it's all yours to enjoy in the new 2000 Sunbird LE Convertible.

And when the sun goes down and the top comes up, the excitement keeps going. That's because 2000 Sunbird LE Convertible is first and foremost a driver's car. Ready for any road and any conditions with the kind of performance, handling and practicality you want.



2000 Sunbird LE Convertible comes equipped with a power vinyl top that makes open-air excitement a breeze to experience.







GRAND PRIX

Grand Prix has always had a knack for creating excitement. And in '84, Grand Prix is doing it again with three exciting models: Grand Prix, Grand Prix LE and Grand Prix Brougham.

Its dual rectangular headlamps are tucked neatly alongside its sparkling grille. Its roofline is formal. Its tail lamps handsomely tailored. Every way you look at it, Grand Prix says "excitement."

Underneath it all, Grand Prix offers you an automatic transmission, power steering, power brakes and a full coil suspension system. Plus, your choice of the standard 3.8 liter V-6 engine, available 5.0 liter V-8 or 5.7 liter V-8 diesel engine.

GRAND PRIX BROUGHAM. Settle into the comfortable 55/45 notchback front seat and fold down the armrest. Now, pull the luxury-trimmed door closed. Feel the luxurious carpeting. As acoustical insulation buffers you from outside noises, Brougham's interior is hushed in luxury.

Brougham's standard features also include an attractive instrument panel with electric clock, a luxury cushion steering wheel and power windows. If you wish, you can wrap all its elegance in the tasteful, extra cost Brougham Landau Package which includes a padded landau top, opera lamps, a formal window, luxury acoustical package and more.

GRAND PRIX LE. Sport mirrors and available hatch roof, turbo-finned cast aluminum wheels, special two-tone paint and sport striping give the LE Coupe (shown left) an extra sporty look.

The new electronic tri-mode cruise control, available on all Grand Prix models has accelerate, resume and tap-up/tap-down features. 49









PARISIENNE

The full-size Pontiac is back! And it's every bit as comfortable, every touch as elegant as you remember. Only now, it's called Parisienne.

Parisienne's full coil suspension rides on a long, 116" wheelbase for smoothness. Its steel-belted radials are set 60" apart for stability. Upstairs, a five foot wide expanse seats six adults. There's 21 cubic feet of trunk space out back. Plus your choice of standard V-6, available diesel V-8 or gasoline V-8 power up front.

Outside, Parisienne's distinctive two-tone paint treatment accentuates its crisp styling and fluid

The 1984 Parisienne. It's everything you need in a full-size car...and everything you expect in a Pontiac.

PARISIENNE BROUGHAM. For an added measure of comfort and elegance, we suggest the Parisienne Brougham. Its unique 55/45 split seat has thick, cross-hatched padding covered with rich cloth. A center armrest is standard, of course. As well as bright script insignia on the front quarter panels. And the passenger seat reclines for those long trips you'll be wanting to take.


To enhance your driving pleasure Parisienne is available with a full complement of luxury accessories, including a tilt steering wheel, air conditioning and a four-speaker AM/FM stereo radio with cassette.



Parisienne's full-length cabin seats six full-size adults in comfort and style.












A five-speed manual transmission is available on the 3-door hatchback. (Not available in California.)

Pontiac 1000's instrument panel features optically soothing orange lighting and new graphics.



The standard reclining front bucket seats put you in a great position for the excitement ahead (shown in available cloth).

Pontiac 1000's 1.6 liter overhead cam 4-cylinder engine delivers smooth, responsive performance.

ENGINE PERFORMANCE

From the 1.6 liter Pontiac 1000 to the 5.0 liter High Output Firebird Trans Am, the 1984 Pontiacs are equipped with engines that deliver excellent performance and drivability. The following is a partial listing of the 1984 Pontiac engine/drivetrain combinations:

	SPECIFICATIONS	ORDERING CODE	MODEL(S)	STD. TRANSMISSION	STD. EFFECTIV AXLE RATIO
1.8 liter overhead com (OHC) 4-cylinder	Horsepower: 84 @ 5200 RPM Torque: 102 lbsft. @ 2800 RPM Compression ratio: 9.0:1 Bore x stroke: 3.34 x 3.12 Cylinder block: Cast iron Cylinder hacd: Aluminum Intake manifold: Aluminum Crankshaft: Nodular cast iron Exhaust manifold: Nodular cast iron	LH8	Pontiac 2000 Sunbird	5-speed manual	3.45
engine with electronic fuel injection	Exhaust system: Single, with catalytic converter				
	Horsepower: 150 @ 5600 RPM Torque: 150 lbsft. @ 2800 RPM Compression ratio: 8.0:1 Bore x stroke: 3.34 x 3.12 Oylinder block: Cast iron Oylinder had: Aluminum Intake manifold: One piece aluminum/tuned runner Crankshaft: Nodular cast iron Sphaust monifold: Strainless steel	LA5	Pontiac 2000 Sunbird S/E	4-speed manual	3.65
1.8 liter overhead cam turbocharged 4-cylinder engine with electronic multi-port fuel injection	Exhaust system: Single, with catalytic converter Turbo-charger: AiResearch T2				
	Horsepower: 92 @ 4400 RPM	LR8	Fiero	4-speed manual	3.32
RES SO	Torque: 132 lbsft. @ 2800 RPM Compression ratio: 9.0:1 Bore x stroke: 4.00 x 3.00	LQ9	Firebird	4-speed manual	3.42
	Cylinder block and head: Cast iron Cylinder head: Swirl-port	LR8	Phoenix	4-speed manual	3.32
	Intake manifold: Aluminum	LR8	Pontiac 6000	3-speed automatic	2.39
2.5 liter 4-cylinder engine with electronic fuel injection	Crankshaft: Nodular cast iron Exhaust manifold: Stainless steel Exhaust system: Single, with catalytic converter	LQ9	Firebird S/E (Opt.)	5-speed manual	3.73
	Horsepower: 130 @ 5400 RPM (LH7)	LH7	Pontiac 6000 STE	3-speed automatic	3.33
	125 @ 5400 RPM (LL1) Torque: 145 lbsft. @ 2400 RPM	LH7	Phoenix SE	4-speed manual	3.32
	Compression ratio: 8.9:1 Bore x stroke: 3.50 x 2.99 Cylinder block and head: Cast iron Intake manifold: Aluminum Crankshaft: Nodular cast iron Exhaust manifold: Cast iron	ш	Firebird S/E	5-speed manual	3.73
2.8 liter High Output V-6 engine	Exhaust system: Single, with catalytic converter				

	SPECIFICATIONS	ORDERING CODE	MODEL(S)	STD. TRANSMISSION	STD. EFFECTIV AXLE RATIO
	Horsepower: 110 @ 3800 RPM Torque: 190 lbsft. @ 1600 RPM	LD5	Grand Prix	3-speed automatic	2.41
	Compression ratio: 8.0:1 Bore x stroke: 3.8 x 3.4	LD5	Bonneville	3-speed automatic	2.41
3.8 liter V-6 engine	Oflinder block and head: Cast iron Intoke manifold: Aluminum Crankshaft: Nodular cast iron Exhaust manifold: Cast iron Exhaust system: Single, with catalytic converter	LD5	Parisienne	3-speed automatic	2.73
5.5 lifet 4-0 eligilie					
	Horsepower: 150 @ 4000 RPM Torque: 240 lbsft. @ 2400 RPM	LG4	Trans Am	5-speed manual	3.23
	Compression ratio: 8.6:1	LG4	Firebird S/E	5-speed manual	3.23
	Bore x stroke: 3.74 x 3.48		(Opt.)		
	Cylinder block and head: Cast iron Intake manifold: Aluminum Crankshaft: Nodular cast iron	LG4	Parisienne (Wagon)	4-speed automatic	2.73
	Exhaust manifold: Cast iron	LG4	Bonneville (Opt.)	3-speed automatic	2.29
5.0 liter V-8 engine with 4-bbl.	Exhaust system: Single, with catalytic converter (Trans Am: dual with catalytic converter)	LG4	Grand Prix (Opt.)	3-speed automatic	2.29
	Horsepower: 190 @ 4800 RPM Torque: 240 lbsft. @ 3600 RPM Compression ratio: 9.5:1 Bore x stroke: 3.74 x 3.48 Cylinder block and head: Cast iron Intake manifold: Aluminum Crankshaft: Nodulor cast iron Exhaust manifold: Cast iron Exhaust system: Single, with catalytic converter	L69	Trans Am (Opt.)	5-speed manual	3.73
5.0 liter High Output V-8 engine with 4-bbl.					
	Horsepower: 105 @ 3200 RPM Torque: 200 lbsft. @ 1600 RPM	LF9	Parisienne Sedan (Opt.)	3-speed automatic	2.41
0.	Compression ratio: 22.5:1 Bore x stroke: 4.06 x 3.39 Cylinder block and head: Cast iron Intoke manifold: Aluminum	LF9	Parisienne Wagon (Opt.)	4-speed automatic	2.93
	Crankshaft: Nodular cast iron Exhaust manifold: Cast iron	LF9	Grand Prix (Opt.)	3-speed automatic	2.29
5.7 liter diesel V-8 engine with mechanical fuel injection	EXHAUSI MUMINING: CUSI IION	LF9	Bonneville (Opt.)	3-speed automatic	2.29

1984 PONTIAC CUSTOMER SATISFACTION

CPS Customer satisfaction starts even before you become a customer. It begins the moment you cross the threshold into a Pontiac dealership, by having a trained, knowledgeable staff on hand to answer your questions—all your questions—no matter how technical. And that's what our Certified Product Specialist (CPS) Program is all about. Pontiac salespeople from all across the country are constantly being trained in Engine Technology, Transmissions, Drivetrains, Brakes, Electrical Systems, even Body Design and Construction. Only when they have demonstrated a comprehensive knowledge of the Pontiac product are they awarded the title Certified Product Specialist. This program is available to all Pontiac dealers and salespeople.

VIP Customer satisfaction also means delivering Pontiacs that are as problem-free as is humanly possible. Toward that end we have instituted a Vehicle Inspection Procedure (VIP) at all Pontiac dealerships. Under this system, every Pontiac must be triple-checked before it is delivered. First by the Service Department when the car arrives from the factory. By the salesman as the vehicle is being "prepped" for delivery. And finally by you—the customer—during a test drive with the salesman. Then, when your new Pontiac has passed all these inspections the salesman will turn the keys over to you.

STAT Customer satisfaction doesn't end in the showrooms. It extends all the way to the service bays, where Pontiac is installing a new STAT (Service Technical Assistance by Telephone) Hotline to help our service technicians. Suppose a Pontiac technician is working on your car, and he needs expert assistance. Now, all he will have to do is call the STAT

Hotline, which will connect him with the experts at Pontiac Service Engineering. Together, starting with your car's symptoms, and with the help of a comprehensive data base, they will diagnose the problem and recommend corrective action. The result? Improved service...the first time in.



GMCPP Of course,

every new Pontiac comes with a comprehensive New Car Limited Warranty. But if you want additional coverage, the GM Continuous Protection Plan may be for you. This available coverage (standard on the Pontiac 6000 STE) provides additional protection against the cost of UNEXPECTED REPAIRS plus an allowance for towing expenses during and after the GM New Vehicle Limited Warranty period. The plan covers ten major component assemblies, plus most seals and gaskets. All you pay is a small deductible charge per visit. And it's transferable.

The plan offers an allowance toward the cost of a RENTAL VEHICLE should your car be inoperable and kept overnight for repairs covered by the GM new car limited warranty or the Continuous Protection Plan. See your Pontiac dealer for complete details. (Available in United States and Canada only.)

FIERO FACTS & FIGURES

There's plenty of excitement in <u>every</u> new Pontiac. Take time to study Pontiac's long list of standard and available features. Then see your dealer about the exciting Premium Option Packages available on selected 1984 Pontiacs.

Della de la companya		Fiero	2500
EXTERIOR FEATURES:	Fiero	Course	Fiero SE Coupe
Air deflector, black finish	COOpe	S	coope
	S	S	S
Antenna-fixed mast			
Bumper, soft fascia system front/rear	S	S	S
Door handles, black finish	S	S	S
Door lock cylinders, black finish	S	S	S
Flush glass windshield	S	S	S
Fuel filler door, locking, with remote release	S	S	S
Headlamps, halogen with retracting feature	S	S	S
Luggage compartment trim	S	S	
Luggage compartment frim, deluxe	_	-	S
Mirrors, LH remote control, RH manual convex	S	S	S
Moldings: Body side—black finish	S	S	S
Compact spare tire	S	S	S
Storage compartment:			
Front—provisions for storing sunroof	S	S	S
Rear	S	S	S
Tires (radial) blackwalls:			
P185/80R13 blackwall steel-beited (included in WS9)	S	S	-
P215/60R14 blackwall steel-betted (included in WS6)			
(UPC QPU)	-	A	S
Wheels: Rally 13"	S	S	-
Turbo-finned 13"	A	A	
INTERIOR FEATURES:			
Ash fravs	S	S	S
Carpeting, Hobnail:	-	-	-
Floor and rear area behind seats	S	S	S
Cigar lighter	S	S	S
	S	S	S
Custom seat/shoulder beits (color-coordinated)			
Dome lamp	S	S	S
Door panels with soft frim upper and carpeted lower area		S	S
Dual map lights	S	\$	S
Full length console (two-tone color on S/E)	S	S	S
Instrument panel with freestanding instrument cluster			
(two-tone on S/E)	S	S	S
Instrumentation: Including electric speedometer/			
odometer/trip odometer, tachometer, fuel, coolant,			
temperature and volt meter gages	S	S	S
Courtesy instrumentation: Including door ajar, rear			
compartment lid ajar, seat belt warning, low oil			
pressure warning, engine warning and upshift light (manual transmission)	S		S
	\$	S	S
Map packet			
Multi-function control lever	S	\$	S
Parking brake lever	S	S	S
Rearview mirror with day/night adjustment	S	S	S
Remote compartment release:			
Front compartment/cable	\$	S	S
Rear compartment/electric	A	A	\$
Seats: Reclining bucket seats*	S	S	S
Side window defogger	S	S	S
Steering wheels:	2.5%	777	272
3-spoke, Formula, leather-wrapped	A	A	A
S=STANDARD A=AVAILABLE -=NOT AVAILABLE	988	1660	232

INTERIOR FEATURES (CONT.):	Fiero Coupe	Fiero Sport Coupe	Fiero S Coupe
3-spoke, Formula	A	A	S
4-spoke vinyl, deluxe	\$	S	2-
Tone generator	- 5	S	S
Washer/wiper with dual fluidic system (black finish)	5	S	S
MECHANICAL:	388		335
2.5 liter 4-cylinder engine with electronic fuel injection.	See.	25.30	555
mid-engine, transverse mounted	S	S	S
Battery, lightweight Delco-GM Freedom' II	\$	5	S
Color coat/clear coat paint	S	S	S
Disc brakes, power—all four wheels w/aluminum calipers	5	S	S
Extensive anti-corrosion protection	S	S	S
Generator, 66 amp	S	S	S
"Mill and drill" construction (to insure superior fit and			
finish of body skin panels)	S	S	\$
"Enduraflex" body panels	S	S	S
Rack and pinion steering	S	5	S
Space frame body construction	\$	S	\$
Stabilizer bar, front	S	S	S
Suspension, independent front/rear	S	S	S
Transmission—4-speed manual	S	\$	S
MAJOR OPTIONS:			
Air conditioning, custom	-	A	A
Battery, heavy-duty	A	A	A
Cruise control with resume speed feature	A	A	A
Defogger, electric rear window	A	A	A
Door locks, power	A	A	A
Door map packet (available only with power windows)	A	A	A
Engine block heater	A	A	A
Lamp group includes:	100	C ST	550
Front compartment lamp, instrument panel courtesy			
lamp, rear compartment lamps	A	A	A
License plate bracket, front	A	A	A
Luggage carrier, decklid mounted?	A	A	S
Mats. carpeted	A	A	A
Mirror, visor vanity	- A	A	A
Mirrors, dual electric sport (4-way control on console)	A	A	- A
Radio equipment:			
Delco-GM AM monaural radio with clock [†]	A	A	S
Delco-GM AM monaural radio without clock11	A	S	-
Delco-GM AM/FM stereo ETR with cassette	A	A	A
Delco-GM AM/FM stereo ETR with cassette, graphic	26		75/2
equalizer and seek and scan feature	A	A	A
Delco-GM AM/FM stereo ETR with clock	A	A	A
Delco-GM AM/FM stereo ETR	A	A	-
Seats, reclining bucket with fleece/suede covering (Carnel Tan only)			A
Speakers, dual front with Delco-GM AM only	S	S	S
Soft Ray glass	A	A	S
JOHN MAY GROSS		- 11	0

rear shock absorbers and springs, 14" hi-fech wheels and P215/60R14 blackwall steel-belted tires)

MAJOR	OPTIONS (CONT.):					Fiero Coupe		Fiero SE Coupe
Tit stee	ring wheel	950		86	200	A	A	A
Tires (ro		95%	1500		923	22	223	
P185	/80R13 white-letter	red ster	belled-le	096	See	A	A	-
P185	80R13 blackwall:	steel-be	elfed			S	S	-
P215	60R14 white-letter	ed ster	belled-le			-	A	A
P215	60R14 blackwall s	steel-be	elled		349	-	A	S
Transm 3-spe	ission: eed automatic	28	T man			-	A	A
4-spe	ed manual (Perfo	mano	e)			-	S	S
4-spe	eed manual (Econ	iomy)			200	S	-	-
Visto ve	ent, hinged/remov	able st	unroof	776	C-537/	A	A	A
Wheels	urbo-finned cast o	e uminu	m			A	A	
14" h	i-tech cast alumin	um (inc	cluded in I	WS61	- 30	1	A	S
_	lockina package		_	_	nord	- 3	200	
	hi-tech wheels)	tarono	Coo mar so		~~	A	A	A
Windov	vs. power					A	A	A
Windsh	ield wipers, contro	offed cy	cle	-0.00	200	A	A	A
tCan be	speckers located in e a deleted for credit or se deleted for credit o	SE		hen stere	eo radio i	s circlere	sd.	
	TRANSMISSIONS		1000					500
Engine Ordering Code	Engine	Avail	Trans.	Hwy. Est.	EPA Est. MPG	Fiero	Sport Coupe	Fiero Si Coupe
LR8(1)	2.5 liter (151 CID)	Fed./	4-Man	- t/t	1/1	5"		-
	4-cyl. with electronic	Calif.	4-Man.	40/1	(26/26)		A	A

DIMENSIONS	Hero Mm. (in.)
oderior: Wheelbase	2372 (93.4)
Overall length.	4072 (160.7)
Width	1750 (68.9)
Overall height	1191 (46.9)
Tread, front	1468 (57.8)
Tread, rear	1492 (58.7)
nterior— Head room	942 (37.0)
Leg room	1105 (43.5)
Shoulderroom	1395 (54.9)
Hip room	1360 (53.5)
Trunk capacity (liters/cu. ft.)	165.6 (5.851)
Fuel tank capacity (liters/gallons)	38.6(10.2)

15.7 illers (0.20 cu. ft.) is in front compartment, remainder to rear of engine.

Produced by GM (1) Pontiac. Use estimated mpg for comparison. Your mileage may differ depending on speed, distance, weather Actual highway misege lower.

Not available at time of printing, See dealer for defails.

"Without pariable or conditioning, power sleening, auto transmission and WS6 pkg.

Auto. 40/t 27/t - A A

FIREBIRD FACTS & FIGURES

EXTERIOR FEATURES:	Firebird	Trans Am	Firebire 5/E
Black-finished grilles	S	-	S
Black full-width tail lamps	-	S	S
Body-color body side moldings	-	-	S
Front air dam	S	S	S
Front fender air extractors		S	
Locking fuel filler door	A	- A	S
Lower accent paint with striping	200	S	S
Mirrors:		23.2	2300
Sport, LH remote control, RH manual convex	A	S	S
Rear deck spoiler	A	S	A
Rear wheel opening flares	-	S	7
Rectangular quartz halogen headlamps	S	S	S
Sport hood with functional air induction	-	S	3
Tims (racials)			
P195/75R14 steel-belted blackwalls	S		1
P205/70R14 steel-beited blackwalls	A	S	S
Wheels:	777	1000	1200
Aero turbo cast aluminum with center cap	3 -	S	S
INTERIOR FEATURES:			
Custom seat/shoulder belts (color-keyed)	A	A	S
Deck lid release	A	A	S
Folding split back rear seat	A	A	S
Full-length front console	S	S	S
Gages, (including tachometer and trip odometer)	A	S	S
Inside hood release	S	S	S
	5	S	S
Lockable storage compartment	\$	5	5
Reclining front bucket seats		S	S
Side window defoggers	S	-	
Steering wheet Formula (color-keyed—on S/E)	S	5	S
Vinyl map pocket	A	A	S
MECHANICAL:			
2.5 liter overhead valve 4-cylinder engine			
with electronic fuel injection	S		A
2.8 liter High Output 2-bbl. V-6 engine	-	-	S
5.0 liter 4-bbt. V-8 engine	A	S	A
5-speed manual transmission	A	S	S
4-speed manual transmission	S	-	-
Delco-GM Freedom* II battery	S	S	S
GM Computer Command Control	S	S	S
MacPherson strut front suspension	S	S	S
Power front disc/rear drum brake system	S	S	S
Power steering .	S	S	S
Rally Tuned suspension includes P205/70R14 tires.			200
14" x 7" turbo aluminum wheels, larger front			
and added rear stabilizer bars	A	S	S
Torque arm/track bar rear suspension	S	S	S
S=STANDARD A=AVAILABLE=NOT AVAILABLE	200	256	353
A PARTIAL LIST OF MAJOR OPTIONS; SEE YOUR DEALER FOR DETA	ULS		-
Air conditioning, custom (requires Soft Ray glass)	A	A	A
Axie, limited slip differential (1)	A	A	A
OPT performance ade ratio	-	A	A
	A	A	A
	-	A	A
Battery, heavy-duty Brakes, power 4-wheel discs.			
Brakes, power 4-wheel discs	Α.	Δ.	- 1
	A	A	A

A PARTIAL LIST OF MAJOR OPTIONS; SEE YOUR DEALER FOR DETAILS (CONT.):	Firebird	Trans Am	Firebird \$/E
Custom exterior group. Includes bright moldings and			
body-color door handle tape inserts and sport			
mirrors (LH remote, RH manual)	A	-	-
Defogger electric rear window	A	A	Α_
Engines: 2.8 liter 2-bbl. V-6	A	-	-
5.0 liter H.O. 4-bbl V-8	-	A	-
Generator heavy-duty (85 amp)	A	A	A
Glass, Soft Ray all windows, (except liftback)	A	A	A
Hatch roof with removable glass panels (locking)	A	A	A
Lamps: Dome reading	A	A	A
Lamp group. Includes instrument panel courtesy		-	5000
lamp, luggage compartment lamp, console			
lamp, tone generator warning (seat belts,			
keys, headiamps on)	A	A	A
Leather Appointment group. Includes leather-			
wrapped Formula 3-spoke steering wheel, leather shift knob and parking brake handle			
(color-keyed on S/E)	A	A	S
Mirrors:	-	-	
Sport, dual electric-operated	A	A	A
Visor vanity mirror RH	A	A	A
Moldinas:	-	-	-
Door edge moldings, black	A	A	A
Roof drip, black	A	A	A
Power antenna, automatic	A	A	A
	A	A	A
Power door locks Power seat: driver, 6-way	A	A	A
Power windows	A	A	A
Radio equipment:	-		
Delco-GM AM	A	A	A
Delco-GM AM mono push-button with digital clock	A	A	A
Delco-GM ETR AM/FM stereo radio (A)	A	A	A
Delco-GM ETR AM/FM stereo with cassette tape	1000	To Said	Real Control
player and digital clock (A)	A	A	A
Delco-GM ETR AM/FM stereo radio with cassette			
tape player, digital clock, seek and scan and	A	A	A
5-band graphic equalizer (A)	A .	A	A
Speakers, dual front and rear (available with	A	A	A
Delco-GM AM radio with digital clock only) (A)	^	-	
Extended frequency response Subwooter Six- Speaker System	A	A	A
Rear hatch washer/wiper (N/A sunshield)	A	A	A
	A	A	A
Seats. Lear Siegler adjustable custom bucket	A	A	A
Special performance package: (WS6) See your		500	-
dealer for details		A	A
Special Edition (Recaro) Trans Am package:		2	
(See your dealer for details)	-	A	-
Special black appearance package:	100		
(See your dealer for details)	A	-	-
Steering wheel: Tilt	A	A	A
Sunshield, louvered rear window (not available with	3	3	
rear wiper)	A	A	A
Tires (radials):			
P195/75R14 steel-belled whilewalls	A	-	-
P205/70R14 steel-belted white-lettered	A	A	A
P215/65R15 steel-betted blackwalls (with			
special performance package only)	-	A	A
P215/65R15 steel-belled white-lettered (with			

special performance package only)

- A A

A PARTIAL LIST OF MAJOR OPTIONS; SEE YOUR DEALER FOR DETAILS (CONT.):	Firebird	Trans Am	Firebire 5/E
Transmissions: Automatic, 4-speed with torque converter clutch	A	A	A
Two-tone paint; custom	A	-	-
Wheels: Custom wheel covers	A	-	-
Turbo-finned cast aluminum in gold or silver/ charcoal 44x 2; 145 x 7 with special performance package only, 14 x 7 available on Firebird with Raily Tuned suspension, 14 x 6 on Firebird, silver (charcoal or gold)	A	A	A
Hi-Tech cast aluminum wheel (45") (available with special performance packages)		A	A
Wheel trim rings	A		
Wheel locking package	. A	A	A
Wire wheel covers	A	-	-
Windshield wipers, controlled cycle	A	A	A

Engine Ordering Code	Engine	Avail	Trons.	Hwy. Est.	Est. MPG	Firebird	Trons Am	Firebit
LQ9(1)	2.5 liter (151 CID)	Fed./Calif.	4-Man.	35	(24)	S	2	
	4-cyl with elec-	Fed /Colf.	5-Man.	40	24 25	A	300	A*
	tronic fuel injection	Fed/Calif.	4-Spd. Auto.	38	24	A		A.
LC1(2)	28 lter (173 CID)	Fed./Calif.	5-Man.	31	(20)	A	-	3
	V-62-00L	Fed./Calf.	4-Spd. Auto.	34	20	A		
L1(2)	2.8 liter (173 CID) High Output.	Fed	5-Man	31	20		3	S
	V-62-bbl	Fed./Calif.	4-Spd. Auto.	34	(20)		-	A
LG4(2)	5.0 liter (305 CID)	Fed./Calif.	5-Man.	28/27	16/16	1000	S	A
	V-8 4-001	Fed./Calif.	4-Spd. Auto.	29	(18)	A	A	A
L69(3)	5.0 liter (305 CID) High Output	Fed./Colf.	5-Man	28/27	16/16		A	
	V8466	Fed./Colif.	4-Spd. Auto.	1/29	(1/18)	-	A	-

Thet available of time of printing, See dealer for details.

Roduced by GM £1] Portion: (2) Chevotels (3) Chevotels GM Canada;
the estimated map for composition, but mileage may differ depending on speed, distance, weather, Achus highway mileage lower.

Chadil delete option.

DIMENSIONS	Firebird (MM. (in.)
Exterior: Wheelbase	2566 (101.0)
Overall length	4823 (189.9)
Width	1838 (72.4)
Overall height	1262 (49.7)
Tread, front	1541 (60.7)
Tread, rear	1564 (61.6)
Interior-front: Head room	940 (37.0)
Leginoom	1092 (43.0)
Shoulderroom	1466 (57.7)
Hip room	1430 [56.3]
Interior-rear: Head room	905 (35.6)
Leg room	756 (29.8)
Shoulderroom	1430 (56.3)
Hip room	1087 (42.8)
Cargo index volume w/rear seat up (liters/cu. ft.)	292 [10.3]
Cargo index volume w/rear seat down (liters/cu. ft.)	884 (31.2)
Fuel tank capacity (liters/gallons)	61.0 [16.1]

result in a minor change in these dimensions.

PONTIAC 6000 STE FACTS & FIGURES

EXTERIOR FEATURES:	STI
Air dams: Front	\$
Lower black-finished	S
Assist straps, overhead, three	S
Bumpers, soft fascia, front/rear with integral mini-awards and black rub strips	s
Door window frames, black-finished	S
Door handles: Black tape inserts	S
Lock cylinders, black	S
Fuel filler door, locking	S
Grille, specific six-lamp with fog lamps	S
Headlamps, halogen dual rectangular	S
Moldings: Pillar, black-finished	S
Rocker panel, black-finished	S
Body side with black vinyl insert, wide	S
Roof drip, bright on black	S
Windowsill, bright on black	S
Paint, two-tone	S
Tires (radials): P195/70R14 steel-belted blackwall	S
Compact spare fire	S
Wheel, cast aluminum (14" size), with wheel locks	5
INTERIOR FEATURES:	
Accessory kit (flare, raincoat, first aid kit)	S
Air conditioning with electronic controls	S
Antenna, power, rear mounted	S
Belts, seat/shoulder, custom, color-keyed	S
Carpeting: Floor mats, front/rear	S
Door panels, lower	S
Cigar lighter	5
Console with specific trim plate	S
Control lever multi-function, with flash to pass	\$
Cruise control, electronic, with resume speed and accelerate feature	s

INTERIOR FEATURES (CONT.)	STE
Defoggers: Electric rear window	S
Side window	S
Door locks, power key activated	S
Driver Information Message Center with fluorescent display	S
Electronic instrument panel with analog fachometer	S
Gages, rally with trip adometer	S
Glass, Soft Ray all windows	S
Glove compartment with lock	S
Headliner, deluxe foam backed	S
Headrest, rear seat	S
Hood refease, Inside	S
Horns, dual	S
Inflator, spare tire	S
Insulation, deluxe acoustical	S
Lamps: Door switches, front	S
Dome and reading	S
Lamp group	- 5
Luggage compartment trim	S
Map pockets:	
Back of front seafbacks	S
Door	S
Mirrors: Day/night rearview	S
Electric-operated LH, RH	S
Visorvanity	S
Radio, Delco-GM ETR AM/FM stereo w/cassette, digital clock,	
seek and scan and 5-band graphic equalizer (may be deleted for credit)	s
Seats: 45/45 reclining front seats with six-way manual	2
odiustment, lumbar support and headrest	S
Rear seat with fold-down center armsest	S

Steering wheel, sport four-spoke, leather, with filt feature

Trim, luxury cloth

Trunk release, electric

INTERIOR FEATURES (CONT.):	STE
Windows, power	S
Windshield wipers, controlled cycle	S
MECHANICAL:	
2.8 lifer High Output V-6 2-bbl.	S
Anti-corrosion protection, extensive	\$
Battery, Delco-GM Freedom* II	S
Brake system, power, four-wheel disc	\$
Engine coolant recovery system	S
Exhausts, dual outlet	S
Front-wheel drive	\$
General Motors Continuous Protection Plan	S
Generator, heavy-duty	S
GM Computer Command Control	S
Steering, power rack and pinion with increased steering ratio	S
Suspensions: Electronic ride control	5
MacPherson strut front suspension	S
Rally Tuned suspension	- \$
Trailing arm and beam rear suspension with ride stabilizer bar	S
OPTIONS:	
Seating surfaces, leather	A
Vent roof, vista	A
S=STANDARD A=AVAILABLE	

Note: All Pontiac 6000 STE models are equipped with standard automatic transmission with

forque conventer culicin.

Produced by GM. (1) Chevrolet. Use estimated mpg for comparison. Your mileage may differ depending on speed, distance, weather. Actual highway mileage lower.

2.8 liter (173 CID) High Output V-6 2-bbl

PONTIAC 6000 FACTS & FIGURES

(available with Rally Tuned suspension only) A A - A A -

2 8 8 0 mg uoda

	9	9	00	8		3	1			dno	9	8	8	Deg II	3
EXTERIOR FEATURES:	0	X	3	3		_	3		JOR OPTIONS (CONT.):	0	3	2	=	3	-
Black-finished door window frames		S	S	S			5		uise control, electronic, with resume	6			5	2	3
Black-finished rocker panel area		S	S	S	X.		S					A			
Antenna, fixed mast		S	S	\$	2		S		oggot discillation and an incident	A	A	A	A	A	A
Front air dam (black-finished)		S	S	S			S		gines: 28 liter V-6	2					-
Locking fuel filler door	A	A	A	S	8	S	S					A			
Moldings:										A	A	A	A	^	
Pillar applique with medallion	-	-	-	S		_	S		iges: includes resettable trip adometer, voltmeter and oil pressure gages	4	Δ.	A	4	A	4
Body side with black vinyl insert	S	S	S	S			S		iges: with tachometer includes resettable trip	-	-	-	-	_	
Lower door edge	-	-	-	S			S			A	A	A	A	A	A
Wheel opening	A	A	A	S	3	\$	S				A	A	A	A	A
Tires (radials):										A	A	A	A	A	A
P185/75R14 blackwall steel-belted			S	S	3		S.				A	A		A	
Compact spare fire	S	S	S	S	9	S	5					A	A	A	A
Wheels: Custom wheel covers		-					25		The second secon		A		A	A	
Cusiom wheel covers	A	^	^	2	9	3	2		tots.		-	-	-	_	-
INTERIOR FEATURES:										A	A	A	A	A	A
Cigar lighter	S	S	S	S	39	S	S	-	H remote control. RH manual (black-finished)	A	A	A	A	A	A
Custom seat/shoulder belts (color-keyed)	A	A	A	S	-	S	S	E	lectric operated LH, RH (black-finished)	A	A	A	A	A	A
Delco-GM AM radio with dual front speakers"	S	S	S	S			S	-				-	A	A	è
Dual horns			A	S			S				A	A	A	A	A
Inside hood release			S	S			S			-	A	A	A	A	
Instrument panel lighting, image orange		S	S	S	-51	-	S		dio equipment		-				É
Map pocket on door	_	-	Ť	S	7		S			A	A	A	A	A	A
Map pocket on back of front seatbacks			2	S			S					A			
Multi-function control lever	S	S	S	S	3		S		Delco-GM ETR AM/FM stereo radio with auto				558		
Side window defoggers			S	S			S		reverse cassette tape player digital clock						
Split folding second seat	3	3	S	3	-		-			A	A	A	A	A	A
Steering wheels: Deluxe 4-spake vinyl	S	S	S			_		C	Pelco-GM ETR AM/FM stereo with cassette and						
Sport 4-spoke	_	-	A	S			S					A			
Tailgate release, remote control	_		A	-			A	0		A		A			
Trims: Cloth	-		A	S	-		S	5	peakers, dual front/rear	A	A	A	A	A	A
WEIS CIOIN	-	^	^	2	-	2	-		ly package: includes front bucket seats, sport						
MECHANICAL									our-spoke steering wheel, wheel trim rings,						
2.5 liter overhead valve 4-cylinder engine	000		2		6		322	Sec		^	A	-	_	=	-
with electronic fuel injection	S	S	S	S	-	S	S			28		60	A	Δ	A
Automatic transmission with torque converter clutch	S	S	S	S	2	S	S				A		-		-
Delco-GM Freedom* II battery	S	5	S	S		S	S					A		A	-
Engine block heater (req. with V10)	A	A	A	A	1	4	Ā				A			A	
Extensive anti-corrosion protection	S	S	S	5	8	S	S				_				A
Fluidic windshield washer system with dual nozzles	S	S	S	S	-	S	S				_	A	A	A	
Front-wheel drive	S	S	S	S	-	5	5			A	A	A	A	A	A
Generator, heavy-duty (66, 78 and 94 amp)	A	A	A	A	1	4	A		pension: lectronic ride control	3	4		^		-
GM Computer Command Control (gas engines only	S	S	S	S	-	S	\$		ally suspension (Not available with diesel	-	^	A	A	^	
MacPherson strut front suspension	S	S	S	S		9	S		engine. Includes special ride and handling						
Power front disc/rear drum brake system	S	S-	S	S	-	S	5		suspension, larger front stabilizer bax.						
Power rack and pinion steering		S	S	S	-		\$		specific steering gear effort, P195/70R14						
Trailing arm and beam rear suspension with	100			0								-			
ride stabilizer bar	S	S	S	S	-	S	\$	S	uperlift shocks (rear only)	A	A	A	A	A	A
S-STANDARD A-AMALABLE NOT AVAILABLE	Arrive.		35	20		98			s: (radials)						
"Standard Deico-GM AM radio and dual front speakers may be	delet	ed fo	OF C	rectit.		CE	58		185/75R14 whitewall steel-belled (not			-	-		-
A PARTIAL LIST OF MAJOR OPTIONS; SEE YOUR DEALER FOR DETAI	LS							-		A .	A	A	A	A	_^
Air conditioning, custom	A	A	A	A	1	A ,	A .	9-3	195/70R14 blackwall steel-belled (available with Rally Tuned suspension only)	A	A		Δ	-	S
Battery, heavy-duty (included with opt. diesel)				A			A	-	195/70R14 white-lettered steel-belted	-	^		-	-	-
			-				-	-	TO THE POST OF STREET						

AAAAAA

Cold climate package

2 5 5 5 6

	edino	ndon	uoda	Coupe	Sedon	Manager
MAJOR OPTIONS (CONT.):	0	S.	3	=	=	
P195/75R14 blackwall steel-beited (available with diesel engine only)	A	A	A	A	A	1
P195/75R14 whitewall steel-belted (available with optional diesel engine only)	A	A	A	A	A	1
Wheels: Aluminum sport	A	A	A	A	Ā	-
Wheel frim rings (included with Rally package)	A	A	A	=	-	3
Wheel locking package (only with aluminum sport wheels)	A	A	A	A	A	1
Wire wheel covers with locking package	A.	A	A	A	A	1
Windshield wipers, controlled cycle	A	A	-A	A	A	

Engine Ordering Code	Engine	Std./Opt. Engine	Avail.	Trans.	Hwy.	ESA. Est. MPG
LR8 (1)	2.5 liter (151 CID) 4-cyl. w/electronic fuel injection	Std.	Fed. Calif.	Auto.	39	29
LE2 (2)	2.8 liter (173 CID) V-6.2-bbl.	Opt	Fed. Calif.	Auto.	32 31	21)
LT7 (3)	4.3 liter (260 CID) Diesel V-6	Opt.	Fed. Calif.	Auto.	43	27

Note: All Pontiac 6000 models are equipped with standard automatic transmission with tarque converter culation. Thich available of time of printing See dealer for details. Produced by GM: (1) Pontiac; (2) Chevotet (3) Oldsmobile.

Use estimated mpg for comparison Your mileage may differ depending on speed, distance, weather Actual Nativary mileage lower.

DIMENSIONS	Coupe Mm. (in.)	Sedan Mm. (in.)	Wagon Mm. (in.)
Exterior: Wheelbase	2664 (104.9)	2664 (104.9)	2664 (104.9)
Overall length	4796 (188.1)	4796 (188.1)	4857 (191.2)
Width	1828 (72.0)	1828 [72.0]	1828 [72.0]
Overall height	1355 (53.3)	1364 (53.8)	1354 [53.4]
Tread, front	1492 (58.7)	1492 (58.7)	1492 (58.7)
Tread, rear	1447 (57.0)	1447 (57.0)	1447 (56.9)
Interior-front: Head room	980 (38.6)	980 (38.6)	980[386]
Legioom	1070 (42.1)	1070 (42.1)	1070 [42.1]
Shoulder room	1428 (56.2)	1427 (56.2)	1427 [56.2]
Hip room	1340 (52.8)	1338 [52.7]	1338 [52.7]
Interior—rear: (second seat) Head room	963 (37.9)	965 (38.0)	987 [38.9]
Leg room	910 (35.8)	910 (35.8)	830 (32.6
Shoulder room	1447 (57.0)	1427 [56.2]	1427 (56.2)
Hip room	1362 (53.6)	1346 [53.0]	1346 [53.0
Interior—rear (third seat) Head room			928 (36.3
Leg room			736 [29.0
Trunk capacity (liters/cu. ft.)	460 (16.2)	460 (16.2)	
Cargo index volume			2106*

Published dimensions are for a base Pontios 6000 without optional equipment or accessories. Additional accessories or equipment ordered at the austromati apilion can result in a minor-chalogy in these attendances. "Test item (16.4 gallons) fuel fank capacity with optional V-o-engine and 26.8 lies (16.6 gallons) best fank capacity with optional desel engine.

(with seat down) (liters/cu.ft.) Fuel tank capacity (Itters/gations)

PONTIAC 2000 SUNBIRD

EXTERIOR FEATURES:	Coupe	Sedan	Hatch- back	Wagon	LE Wagon	LE Coupe	LE Sedan	LE Conv.	S/E Coupe	S/E Sedan	S/E Hatch
Air dam (front)	S	S	S	S	S	S	S	S	S	S	S
Air deflector (rear)			223	S	S	-	323		55.00		-
Black-finished door window frames	S	S	S	S	S	S	S		S	S	S
Convertible top (electric)			300	323	74	228	123	S			
Dual rectangular headlamps	S	S	S	S	S	S	S	S	S	S	S
Fog lamps		-			S	S	S	S	S	S	S
Full dropping rear quarter window					_			S			_
Mirrors: LH manual	S	S	S	S	S	S	S				
LH remote control. RH manual convex	A	A	A	A	A	A	A	S	S	S	S
Moldings:			-			-	-		-		-
Body side, wide (included with											
two-tone paint)	A	A	A	A	S	S	S	S	S	S	S
Rocker panel, black	A	A	S	A	1	250	355	-	S	S	S
Rear deck lid spoiler	-	-	A	-	-	-	-		0		S
Soft fascia, front and rear burnpers	S	S	S	S	S	S	S	S	S	S	S
Swing-out rear-quarter windows	S	-	S	-	-	S	-	-	S	-	S
Tires (radials):	200	200	200	300	200	7	G 12 2		32.00	200	150
P175/80R13 blackwall											
fiberglass-belted	S	S	S	S	S	S	S	S	-		-
Two-tone paint	A	Α	A	A	A	A	A	-	S	S	S
Wheels:					1				T016	300	5-3-5
Hi-tech turbo 14" cast aluminum††	A	A	A	-	-	Α	Α	A	S	S	S
Rally trim rings	A	Α	Α	Α	S	S	S	S	-	-	-
INTERIOR FEATURES:			-				- 2				
Cargo area carpeting	-	-	S	S	S				-	-	S
Cigar lighter	S	S	S	S	S	S	S	S	S	S	S
Custom seat/shoulder belts	A	A	A	A	S	S	S	S	S	S	S
Delco-GM AM radio	A	A	A	A	S	S	S	S	S	S	S
Door lamp switches, rear	-	A		- A	S	-	S			S	7
Dual front/rear speakers	A	A	A	A	A	A	A	A	A	A	A
Front console	S	S	S	S	S	S	S	S	S	S	S
Folding split back rear seat (included		1			3,033	1000	2000		9553	55.55	962
with luxury interior UPC 820)	-	-	A	Α	S	-	-	-		-	S
Gages, with turbo boost gage		227	-						5988		3
instrument, tachometer and	200						1	3	-	-	-
trip odometer*	A	A	A	-	-	A	A	A	S	S	S
Inside hood release	S		S	S	S	S	S	S	S	S	S
Insulation, additional acoustical	A	A	A	A	S	S	S	S	S	S	S
Multi-function control lever	S	S	S	S	S	S	S	S	S	S	S
Orange instrument panel lighting	S	S	S	S	S	S	S	S	S	S	S
Power windows	A	A	A	A	A	A	A	S	A	A	A
Reclining front bucket seats	S	S	S	S	S	S	S	S	S	S	S
Remote deck lid release	Α	Α	A	-	-	- A	A	A	S	S	S
Remote tailgate release		27	-	Α	A	-	-	5-	-	-	-
Soft Ray glass, all windows	A	A	A	Α -	- A-	A	Α	S	A	Α	A
Side window defoggers	S	S	S	S	S	S	S	S	S	S	S
Steering wheels: Deluxe vinyl 4-spoke	S	S	S	S	-	-	1	-	1	-	0
Formula, urethane 3-spoket	A	A	A	A	S	S	S	S	- 3	-	2
Formula, leather-wrapped, 3-spoke	A	A	A	A	A	A	A	A	S	S	S
	A	A	A	A	S	S	S	S	S	S	S
Trims: Luxury	_	A	A	A	S	S	S A	S	S	S	\$
Trims: Luxury Trip adometer with reset feature	A	A	A	A	A	Α	A	Α	S	S -	- -
Trims: Luxury	Α				-		_		s - -	-	

	Coupe	Sedan	Hatch- back	Wagon	LE Wagon	LE Coupe	LE Sedan	LE Conv.	S/E Coupe	S/E Sedan	S/E Hatch
5-speed manual transmission***	S	S	S	S	S	S	S	S	-	27	-
Delco-GM Freedom' Il battery	S	S	S	S	S	S	- 5 -	S	S	S	S
Extensive anti-corrosion protection	S	S	S	S	S	S	S	S	S	S	S
Fluidic windshield washer system	S	S	S	S	S	S	5	S	S	S	S
Front-wheel drive	S	S	S	S	S	S	S	S	S	S	S
GM Computer Command Control	S	S	S	- 5	S	S	S	S	S	S	S
Rally Tuned Suspension (includes 28 mm front stabilizer bar, 19 mm rear stabilizer											
bar-Y99 requires P195 tires)	A	A	A	A	A	A	A	A			
MacPherson strut front suspension	S	S	S	S	S	S	S	S	S	S	S
Power front disc/rear drum brake system	S	S	S	S	S	S	S	S	\$	S	S
Power steering*	A	A	A	A	A	A	A	S	S	S	- 5
Rack and pinion steering	S	S	S	S	S	S	S	S	S	S	S
Stabilizer bar, front (22 mm)	S	S	S	S	S	S	S	S	-		-
S=Standard A=Available ==Not available tt Available with turbo engine only (UPC LA5).		Voltage is	ndicates mury trim	with tells option (L	ale light. IPC B20).				rbo engir turbo eng		
MAJOR OPTIONS:											
Air conditioning, custom	A	A	A	A	A	A	A	A	A	A	A
Battery, heavy-duty	A	A	A	A	_ A	Α.	A	A	A	A	A
Cargo security screen	-	-	A	-	-	-		3	-	2000	A
Cruise control, electronic, with resume	1	Sign		87.5	393	-	3000	55		335	
speed and accelerate feature	A	A	A	Α_	_ A	A	A	A	A	A	A
Defogger, electric rear window	A	A	- A	A	A	A	A	-	A	A	A
4.8 liter 4-cyl. OHC turbocharged engine with multi-port fuel injection (not available with 5-speed)	A	A	A			A	A	A	S	S	S
Engine: 2.0 liter 4-cyl. with electronic fuel injection (with 4-speed manual	^		^						•	•	•
transmission only)*	A	A	- A	A	A	A	A	-		-	
Engine block heater	A	A	A	A	A	A	A	A	S	S	S
Ederior group, custom. Includes: wheel- opening deck moldings, door handle tape inserts, side window reveal- moldings and bright rocker panel											
moldings	A	A		A	-	-	- 7	-	-	-	-
Front seat armrest	A	A	A	A	A	A	A	A	A	A	A
Gages: Rally and instrument panel with trip odometer (includes turbo											
boost gage with turbo engine)	A	A	A	A	A	A	A	A		-	-
Gages: Raily and instrument panel with lachometer and trip adometer (Includes turbo boost gage with turbo											
engine)	A	A	A	A	A	A	A	A	S	S	S
Generator, heavy-duty 94 amp	A	A	A	A	A	A	A	A	A	A	A
Guards, door edge	A	A	A	A	A	A	A	A	A	A	A
the big that the contract of t	-	-	-	_	-	-	-	-	-	-	
Headlamps, lungsten halogen (high beam only)	A	A	A	A	A	A	A	A	A	Α	A
Horns, dual	A	A	A	A	A	A	A	A	-	4	-
Lamps: Dome reading	A	A	A	A	A	A	A	-50	A	A	A
Lamp group, Includes glove box lamp (std. E. S/E models), Instrument panel courlesy lamp, "headlamp- or" worning system, luggage compartment lamp (except wagon), or rear compartment courtesy lamp											
(wagon only), and tone generator warning (seat belts, keys)	A	A	A	A	A	A	A	A	A	A	A
monthly (obtain boils, Noys)	_	-	-	A	A	-	The same			-	

Luggage rack, rear deck lid

A A - - - A A A A A -

FACTS & FIGURES

MAJOR OPTIONS (CONT.):		Sedan	Hatch- back		LE Wagon		LE Sedan	Conv.		S/E Sedan	S/ Hat
Mats, carpeted front floor	A	A	A	A	A	A	A	A	A	A	-
Mats, carpeted rear floor	A	A	A	A	A	A	A	A	A	A	1
Mirror, visor vanity, RH	A	A	A	Α	A	A	A	-	A	A	- 1
Mirrors, sport power, LH, RH	A	A	A	A	A	A	A	A	A	A	- 1
Moldings: Side window reveal (included with custom exterior group)	A(1)	A(1)		A(1)	A	A	A				
Power door locks	A	A	A	A	A	A	A	A	A	A	-
Power seat, driver, 6-way	A	A	A	A	A	A	A	A	A	A	1
Radiator, heavy-duty	A	A	A	A	A	A	A	A	A	A	-
Radio equipment: Delco-GM ETR AM/FM stereo with											
digital clock (A)	A	A	A	A	A	A	A	A	A	A	1
AM radio with digital clock	A	A	A	A	A	A	A	A	A	A	- 1
Delco-GM ETR AM/FM stereo radio with cassette tape player, digital clock, seek and scan and 5-band											
graphic equalizer (A)	A	A	A	Α	A	A	A	A	A	A	A
Delco-GM ETR AM/FM stereo with cassette tape player and digital clock (A)	A	Α	A	A	A	Α	A	A	A	A	A
Delco-GM ETR AM/FM stereo radio		3503			5000						-
w/o clock (A)	A	A	A	A	A	A	A	A	A	A	A
Radio delete	-	-	-	-	A	A	A	A	A	A	1
Rally funed suspension (includes 28mm front and 19mm rear stabilizer bar. Requires P195 tires)	A	A	A	A	A	A	A	A			
Rear window wiper with fluidic washer				-				-			
(requires Soft Ray glass on hatchbacks)	_	-	A	A	A	-		-	-	-	-
Rear window sunshield	5-3	-	A		-	-	193	990	-	57-19	A
Seats, Lear Siegler adjustable custom bucket		A	A				A			A	A
Security lock packagett	A	A	A	A	Α	A	A	A	S	S	. 5
Steering wheels: Formula, 3-spoke											1
leather-wapped	A	Α .	A	A	A	A	A	A	S	S	5
Tilt	A	A	A	A	A	A	A	A	A	A	F
Stripes: Accent	Α	A	A	A	A	A	A	A	A	A	A
Sport			A	-			-				
Sunroof, removable glass	A	A	A			A	A		A	A	A
Trip odometer	A	A	A	A	A	A	A	A	S	S	9
Tires (radials): P175/80R13 whitewall	A	^	A	A	A	A	A	A	3	•	
fiberglass-belted**	A	Α	A	A	A	A	A	A		-	3
P195/70R13 whitewall steel-beited**	A	A	A	A	A	A	A	A	-	-	20
P195/70R13 blackwall steel-betted	A	A	A	A	A	A	A	A	-	293	
P205/60R14 blackwall steel-belted;	A	Α	A		-	A	A	A	S	S	S
P205/60R14 white-lettered steel-betted	A	Α	A	_		Α	A	A	A	A	-
P195/70R13 white-lettered steel-belted**	A	A	A	A	Α	Α	A	A		-	
Transmissions: 3-speed automatic with torque converter clutch (not available with											2000
2.0 liter)	A	A	A	A	A	A	A	A	A	A	A
4-speed manual with overdrivet	A	A	A	A	A	A	A	A	S	S	- 5

MAJOR OPTIONS (CONT.):	Coupe	Sedan	Hatch- back	Wagon	LE Wagon	LE Coupe	LE Sedan	LE Conv.	S/E Coupe	S/E Sedan	S/E Hatch
5-speed manual transmission with overdrive (not available with 1.8 turbo engine or 2.0 engine)	A	A	A	A	A	A	A	A			
Wheels:	K 200	200	1000		200-20-		1000	0000			333
Custom wheel covers**	A	A	A	A	A	A	A	A		-	
Turbo torque aluminum wheel 13"**	A	A	A	A	A	A	Α.	A			-
Wire wheel covers (locking) (not available with handling package)."	A	A	A	A	A	A	A	A	30		
Windshield winers controlled cycle	Δ	Δ	Δ	A	Δ	Δ	- 4	Α	Λ	۸	۸

"Cledit delete option - "Net available with 1.8 liter turbolengine (LPC LAS). If (Included with custom eletion group only. (A) Includes Portico performance sound accountability in arbitrate designers species. In Net available with 1.8 liter largers. Involvable only with 1.8 liter turbolengine species. In the designer of the species only with 1.8 liter turbolengine species on the species of the

ENGINES/TR	ANSMISSIONS					
Engine Ordering Code	Engine	Std./Opt. Engines	Avail.	Trans.	Hwy. Est.	EPA Est. MPG
LH8(1)	1.8 liter (110 CID) OHC 4-cyl. w/electronic fuel injection	Std.	Fed./Calif. Fed./Calif.	5-Man. Auto.	46/45 40	29/29 27
LQ5(2)	2.0 liter (122 CID) 4-cyl. w/electronic fuel injection	Opt.	Fed./Calif.	4-Man.t	41/42	28/27)
LA5(3)	1.8 liter (110 CID) OHC 4-cyl. w/electronic mutti-port fuel injection, single turbocharger	Opt,	Fed./Calif.	.4-Man. Auto.	† †	† †

Toteldt delete option. Available with 2.0 liter engine with electronic tuel injection only. Produced by GM (1) GM Black (2) Cherolde (3) Pontico. Use estimated mps for comparison. Your mileage may differ depending on speed, distance, weather, Actual Injection, mileage lower, VRIA dvalible of time of printing. See Declet for details.

DIMENSIONS	Coupe Mm. (in.)	Sedan Mm. (in.)	Wagon Mm. (in.)	3-Dr. Hatchback Mm. (in.)	Sunbird Convertible Mm. (in.)
Exterior: Wheelbase	2571 (101.2)	2571 (101.2)	2571 (101.2)	2571 (101.2)	2571 (101.2)
Overall length	4455 (175.4)	4455 (175.4)	4483 (176.5)	4455 (175.4)	4455 (175.4)
Width	1675 (65.9)	1682 (66.2)	1682 (66.2)	1692 (66.6)	1675 (65.9)
Overall height	1317 (51.9)	1367 (53.8)	1374 (54.1)	1317 (51.9)	1338 (52.7)
Tread, front	1406 (55.4)	1406 (55.4)	1406 (55.4)	1406 (55.4)	1406 (55.4)
Tread, rear	1401 (55.2)	1401 (55.2)	1401 (55.2)	1401 (55.2)	1401 (55.2)
Interior—front: Head room	957 (37.7)	979 (38.5)	976 (38.4)	955 (37.6)	979 (38.5)
Leg room	1070 (42.1)	1072 (42.2)	1072 (42.2)	1070 (42.1)	1071 (42.2)
Shoulder room	1363 (53.7)	1363 (53.7)	1363 (53.7)	1363 (53.7)	1363 (53.7)
Hip room	1248 (49.1)	1241 (48.9)	1241 (48.9)	1248 (49.1)	1230 (48.4)
Interior—rear: Head room	927 (36.5)	961 (37.8)	989 (38.9)	926 (36.5)	949 (37.4)
Leg room	806 (31.7)	871 (34.3)	835 (32.9)	805 (31.7)	791 (31.1
Shoulder room	1334 (52.5)	1364 (53.7)	1364 (53.7)	1334 (52.5)	964 (38.0
Hip room	1265 (49.8)	1242 (48.9)	1244 (49.0)	1247 (49.1)	964 (38.0
Trunk capacity (liters/cu. ft.)	356.3 (12.6)	381.5 (13.5)			294 (10.4
Cargo index volume (liters/cu. ft.)	CA 2000	0.000	1824" (64.4)"	1089" (38.5)"	
Fuel tank capacity (liters/gallons)	51.5 (13.6)	51.5 (13.6)	51.5 (13.6)	51.5 (13.6)	51.5 [13.6]
Maximum cargo length at floor			1709 (67.3)	400	200200
Top of front seafback to closed tailgate	2200		1581 (62.2)		
Minimum distance between wheelhouses at floor			944 (37.2)		
Rear end opening width at bett		-	1206 (47.5)		-
Maximum cargo height		-	846 (33.3)		
Maximum height at rear opening (failgate open)			764 (30.1)		

customer's option can result in a minor change in these dimensions. "With rear seal folded down.

GRAND PRIX FACTS & FIGURES

EXTERIOR FEATURES:	Grand Prix	Grand Prix LE	Grand Prix Brougham
Bumper guards, mini front/rear (black)	S	S	S
Chrome lower bumper front/rear	S	S	S
Mirrors.			
LH manual, chrome	S		
Sport, LH remote control, RH manual convex	A	S	S
Moldings:			
Rocker panel, narrow	S		
Rocker panel, wide with extensions	A	S	S
Windsplit and hood ornament	S	S	S
Tires (steel-belted radials): "all-seasons"	50000	357733	1000000
P195/75R14 blackwall (not available with			
opt. diesel engine or puncture sealant tires)	S	S	S
INTERIOR FEATURES:			
Clock, electric	S	S	S
Custom seat/shoulder beits (color-keyed)	A	S	S
Carpeling:	-		
Cut-pile "Trianon" (color-keyed)	S	S	53,22
Courtesy lamps, lower front door	A	A	S
Inside hood release	S	S	S
Insulation: Acoustical	A	S	S
Luxury level acoustical† (included with	-		
diesel engine)	A	A	A
Multi-function control lever	S	S	S
Power windows	A	A	S
Seats:		-	
Luxury notchback front seat with fold-down			
center armrest	S	S	
55/45 notchback front seat with fold-down	1000		1000
center armrest	A	A	S
Steering wheels:			
Deluxe cushion	S	-	
Sport 4-spoke	A	\$	200
Luxury cushion	Α .		S
Luxury leather-wrapped 4-spoke	Α-	A	-
MECHANICAL:			
3.8 liter 2-bbl. V-6 engine	S	S	S
Automatic 3-speed transmission with torque			
converter clutch	S	S	S
Automatic 4-speed transmission††	A	A	A
Delco-GM Freedom ^e II sealed side ferminal	2000		
battery	S	S	S
Extensive anti-corrosion protection	S	S	S
Front stabilizer bar	S	S	S
GM Computer Command Control			
(gas engines only)	- \$	S	S
Power front disc/rear drum brake system	S	S	S
Power steering	S	S	S
S=STANDARD A=AVAILABLE -=NOT AVAILABLE †Standard with Grand Prix Brougham Landou option.	††Availab	le with V-8	engines only.
MAJOR OPTIONS:	SEE	1255	
Air conditioning, custom (required with optional	49.56	202	
diesel engine)	A	A	A
Axle, limited slip differential	A	A	A
Axle, optional	A	A	A
Battery, heavy-duty	A	A	A
Brougham Landau option	-	200	A
Bumper guards, chrome, front/rear	A	A	A
70	200	7000	52055

MAJOR OPTIONS (CONT):	Grand Prix	Grand Prix LE	Grand Pri
Clock, digital quartz (not available with optional diesel engine or ETR radios)	A	A	A
Cold weather group (standard with diesel, not	500		
available with V-6 engine)	A	A	A
Cruise control, electronic, with accelerate and	200		2000
resume speed feature	A	A	A
Defogger electric rear window	A	A	A
Engines:			
5.0 liter 4-bbl. V-8	A	A	A
5.7 liter V-8 diesel (requires air conditioning)	A	A	A
Gages:			
Rally cluster and trip adometer	Α	A	Α.
Rally cluster, trip adometer and tachometer			
(not available with optional diesel engine)	Α	A	A
Glass, Soft Ray all windows	A	A	A
Hatch roof, removable glass panels	A	A	A
Headlamps: Tungsten halogen	A	Α	A
Heavy-duty cooling	A	A	A
Lamps:			
Cornering (requires filt-steering wheel	200		
and cycle wipers)	A	A	A
Mirrors:			
Sport, LH remote control, RH remote control convex	A	A	A
Visor vanity, Illuminated, RH	A	A	A
	A	A	
Moldings: Body side, vinyl insert (color-keyed)	A	A	A
Paint, exterior two-tone (requires sport mirrors)	A	A	A
Power antenna, automatic	A	A	A
Power door locks	A	Α	A
Radio equipment:			A
Delco-GM-AM	A	A	
Delco-GM AM/FM stereo (A)	A	A	- A
Delco-GM AM/FM stereo with cassette tape	A	A	A
player(A)	A	A	A
Delco-GM ETR AM/FM stereo with cassette	A		
lape, seek and scan and clock (A)		A	_ A
Speakers, dual front w/Delco-GM AM radio only	A	A	A
Seats:	900	200	
Driver power seat	A	A	A
Bucket with recliners and console	A	A	-
55/45 split seat	A	A	S
Reclining passenger	Α	A	Α
Steering wheel: Tilt	A	A	A
Sunroof, power	Α-	A	Α-
Suspensions:	-555	200	-
Rally Tuned (requires P205/70R14 tires)	A	A	A
Shock absorbers, Superlift (rear only)	A	A	A
Tires (steel-betted radials):	1977	Port	
P205/75R14 blackwall (required with diesel			
and/or handling package)	A	Α	- A
P205/75R14 whitewall	A	Α.	A
P195/75R14 whitewall [‡]	A	A	A
P195/75R14 blackwall [‡]	A	A	A
P205/70R14 blackwall (available with	^	^	-

MAJOR OPTIONS (CONT.):	Grand Prix	Grand Prix LE	Brougham	
P205/70R14 whitewall (available with Y99 only)	A	A	A	
P205/70R14 white-lettered (available with				
Y99 only)	A	A	A	
Puncture sealant tires	A	A	A	
Top, padded landau	A	A	A	
Wheels: Rally II (argent) and trim rings	Α	А	A	
Turbo-finned wheel (Silver)	A	A	A	
Wheel locking package	A	A	A	
Wire wheel covers (with locking package)	A	A	A	
Windshield wipers, controlled cycle (requires filt steering wheel)	A	A	A	

ENGINES/TRA	INSMISSIONS					
Engine Ordering Code	Engine	Std./Opt. Engine	Avail.	Trans.	Hwy. Est.	EPA Est. MPG
LD5(1)	3.8 liter (231 CID) V-6 2 bbl.	Std.	Fed./ Calif.	Auto.	31/30	(21/20)
LG4(2)	5.0 liter (305 CID) V-8 4-bbl.	Opt.	Fed.	3-Spd. Auto.	25	17
				4-Spd. Auto.	29	18
			Calif.	3-Spd. Auto.	26	(18)
				4-Spd. Auto.	29	18
LF9(3)	5.7 liter (350 CID) V-8 Diesel*	Opt.	Fed./ Calif.	3-Spd. Auto.	35/t	23/t
				4-Spd.	38 /t	23/t

tNot available at time of printing. See declar for details. "Requires optional air conditioning. Produced by GM. (1) Buck (2) Chevrolet. (3) Oldsmobile. Use estimated may for comparison your mileage may differ depending an speed, distance, weather. Actual highway mileage lower.

DIMENSIONS	Grand Prix Mm. (in.)
Exterior: Wheelbase	2745 (108.1)
Overall length	5127 (201.9)
Width	1837 (72.3)
Overall height	1390 (54.7)
Tread, front	1486 (58.5)
Tread, rear	1467 (57.8)
Interior—front: Head room	956 (37.6)
Leg room	1086 (42.8)
Shoulder room	1440 (56.7)
Hip room.	1313 (51.7)
Interior-rear: Head room	961 (37.8)
Leg room	924 (36.4)
Shoulder room	1419 (55.9)
Hip room	1394 (54.9)
Trunk capacity (liters/cu. ft.)	465.1(16.4)
Fuel tank capacity (liters/gallons)	68.5 (18.1)†
175 liters (19.8 gallons) with optional diesel engines. Publishe Grand Prix without optional equipment or accessories. Ad ordered at the customer's option can result in a minor cha	ldifloral accessories or equipment

BONNEVILLE FACTS & FIGURES

		Bonneville LE	Bonnevill Broughar
Body-color bumpers (front/rear)	S	S	S
Bumper guards, front/rear	S	S	S
Mirror: LH manual, chrome	S	S	_ \$
Moldings:			
Rocker panel, wide	S	S	S
Wheel opening	S	S	S
Windsplit and hood ornament	S	S	S
Opera lamps	5 9 3 G		S
Tires (steel-betted radials): "All-Seasons"			
P195/75R14 blackwall	S	S	5
Wheels: Custom wheel covers	S	S	S
INTERIOR FEATURES:			
Carpeting:			
Cut-pile "Trianon" (color-keyed)	S	S	
Luxury "Tampico" carpeting	-	-	S
Clock, electric	S	S	S
Courtesy lamps, lower front doors	A	A	S
Custom seat/shoulder belts (color-keyed)	S	S	S
Dome lamp	S	S	S
Multi-function control lever	S	S	S
Seats:	300		
Notchback front seat with fold-down			
center armrest	S	S	-
55/45 notchback front seat with fold-			
down center armrest	Α	A	S
Steering wheels:			
Deluxe cushion Luxury cushion	S		s
		7	3
Luxury leather-wrapped, 4-spoke	A	A S	-
Sport 4-spoke	A	3	_
MECHANICAL:			
3.8 liter 2-bbl. V-6 engine	S	S	S
Automatic 3-speed transmission with			
torque converter clutch	S	S	S
Automatic 4-speed transmission‡	Α	Α	A
Delco-GM Freedom® II battery	S	S	S
Delcotron generator	S	S	S
Extensive anti-corrosion protection	S	\$	S
Front stabilizer bar	S	S	S
GM Computer Command Control			10000
(gas engines only)	S	S	S
Power front disc/rear drum brake system	S	S	S
Power steering	S	S	S
Rear-wheel drive	S	S	S
S=STANDARD A=AVAILABLE -=NOT AVAILA ‡Available with V-8 engines only.	SLE .		
MAJOR OPTIONS:			
Air conditioning, custom (required with optional diesel engine)	A	A	A
Axle, limited slip differential	A	A	A
The state of the s	A		
Axle, performance		A	A
Battery, heavy-duty	A	A	Α
Clock, digital quartz (not available with	A	A	A
optional diesel engine or ETR radios)	A	A	A
Cold weather group† (not available with V-6 engines)	A	A	A
Cruise control, electronic with accelerate		^	-

MAJOR OPTIONS (CONT.):	Bonneville	Bonneville LE	Bonneville Brougham
Deck lid release, remote control	A	A	A
Defogger, electric rear window	A	A	A
Engines:			
5.0 liter 4-bbl. V-8	A	A	A
5.7 liter V-8 diesel (requires air cond.)	A	A	A
Gages:			
Rally cluster and trip odometer Rally cluster, trip odometer and	A	A	A
tachometer (not available with			
optional diesel engine)	A	A	A
Generator, heavy-duty (94 amp)†	A	A	A
Glass, Soft Ray all windows	A	A	A
Headlamps: Tungsten halogen	A	A	A
Heavy-duty cooling	A	A	A
Lamps:			
Cornering (requires tilt steering and			
controlled cycle wipers)	A	A	A
Lamp group with chimes	A	A	Α
Mirrors:	2000		
LH remote control, chrome	Α	Α	A
Sport, LH remote control, RH remote control convex	A	A	A
Visor vanity, RH	A	A	A
Visor vanity, illuminated, RH	A	A	A
Moldinas:	^	A	A
Body side	A	A	A
Door edge	A	A	A
Paint, exterior: Specific two-tone			
(requires sport mirrors)	A	A	A
Power antenna, automatic	A	A	A
Power door locks	A	A	A
Power driver seat, 6-way	A	A	A
Power 55/45 seat, driver and			
passenger, 6-way	Α	A	A
Power windows (includes rear vents)	A	A	A
Radio equipment:			1000
Delco-GM AM	A	A	A
Delco-GM AM/FM stereo (A)	A	A	Α
Delco-GM AM/FM stereo with cassette			
tape player (A) Delco-GM ETR AM/FM stereo with	A	A	A
cassette tape and seek and scan			
and clock (A)	A	A	A
Speakers, dual front with Delco-GM			00/200
AM radio only	A	Α	A
Speakers, dual front and rear with			
Delco-GM AM radio only (A)	Α	A	A
Seat: Reclining passenger (not available with power seat)	A	A	A
Steering wheel: Tilt	A	A	A
Stripes, upper painted accent	A	A	A
Suspension:			70 00
Shock absorbers, Superlift (rear only)	A	A	A
Tires (steel-betted radials):	Sec. Sec.		92000
P205/75R14 blackwall (required		25	9600
with diesel)	A	A	A
P205/75R14 whitewall	- A	A	A
P195/75R14 blackwall#	A	A	A

MAJOR OPTIONS (CONT.):	Bonneville	Bonneville LE	Bonneville Brougham
P195/75R14 whitewall*	A	A	A
Puncture sealant tires	A	A	A
Top, Cordova: Padded full	Α	A	A
Wheels: Rally II (argent) and frim rings	A	A	Α
Turbo-finned wheel (Silver)	A	Α	A
Wheel locking package (not available with base wheelcover)	A	Α	A
Wire wheel covers with locking pkg.	A	A	A
Windshield wipers, controlled cycle (requires tilt steering wheel)	A	A	A
† Standard with diesel engine.			-

(A) includes Pontiac performance sound acoustically matched response speakers.
 Not available with optional diesel engine.

ENGI	NES/T	RANSA	MISSIA

ENGINES/TRANSMISSION						
Engine Ordering Code	Engine	Std./Opt. Engine	Avail.	Trans.	Hwy. Est.	EPA Est. MPG
LD5 (1)	3.8 liter (231 CID) V-6 2-bbl.	Std.	Fed. Calif.	Auto.	31 30	20
LG4(2)	5.0 liter (305 CID) V-8 4-bbl.	Opt.	Fed.	3-Spd. Auto.	25	17
				4-Spd. Auto.	29	18
			Calif.	3-Spd. Auto.	26	18
				4-Spd. Auto.	29	18
LF9(3)	5.7 liter (350 CID) V-8 Diesel®	Opt.	Fed./ Calif.	3-Spd. Auto.	35/†	23/1
				4-Spd.	38/+	23/+

Third available at time of printing. See dealer for details.
*Requires optional air conditioning.
*Requires optional air conditioning.
*Thousand by 6ft (1) bluck (2) Chewtaelt (3) Clidamabile.
*Due astimated mpg for comparison, but mileage may differ depending on speed, distance, weather Actual Inghewor mileage lower.

IENSIONS	Bonneville Mm. (in.)
erior. Wheelbase	2745 (108.1)
Overall length	5085 (200.2)
Vidth	1818 (71.6)
Overall height	1418 (55.8)
read, front	1486 (58.5)
read, rear	1467 (57.8)
erior-front: Head room	978 (38.5)
eg room	1086 (42.8)
houlder room	1453 (57.2)
lip room	1326 (52.2)
erior-rear: Head room	954 (37.6)
eg room	935 (36.8)
houlderroom	1450 (57.1)
lip room	1412 (55.6)
nk capacity (liters/cu. ft.)	469.3 (16.6)
rgo index volume (liters/cu. ft.)	
el tank capacity (liters/gallons)	68.5* (18.1)*
blished dimensions are for a base Pontiac Bonneville s	vithout optional equipment or

result in a minor change in these dimensions.

*75 liters (19.8 gallons) fuel tank capacity with optional diesel engine.

PARISIENNE FACTS & FIGURES

		-	-
EXTERIOR FEATURES:	Sedon	Brougham Sedan	Wagon
Bumpers, chrome, front/rear	S	S	S
Bumper rub strips, front/rear	S	S	S
Door handle tape inserts, color-keyed	S	S	S
Mirror, chrome, rectangular, LH outside	S	S	S
Moldings: Rocker panel, narrow, bright	S	S	S
Wheel openings, bright	S	S	S
Body side, color-keyed (except woodgrain)	S	S	S
Stand-up hood ornament	S	S	S
Roof drip	S	S	S
Tailgate, window opening	-		S
Tires			-
P205/75R15 blackwall steel-beited radials	S	S	
P225/75R15 blackwall steet-belted radials	-		S
Two-tone paint	5	S	
Wheels: Deluxe wheel covers	S	S	S
INTERIOR FEATURES:	9000	51.57	
Acoustical insulation	S	S	S
Ash trays, front (Illuminated)/rear	S	S	S
Carpeted lower door panels	S	S	S
Cigar lighter	S	S	S
Clock, electric	S	S	S
Custom seat/shoulder belts, color-keyed	S	S	S
Day/night rearview mirror	S	S	S
Dome lamp	S	S	S
Door lamp switches, front/rear	S	S	S
Dual horns	S	S	S
Front seat armrest, fold-down	S	S	S
Glove compartment, with lock and light	S	S	S
Inside hood release	S	S	S
Instrument panel w/simulated woodgrain trim	S	S	S
Luggage compartment lamp	S	S	-
Luggage compartment mat	S	S	
Luggage compartment trim	A	S	
	S	S	S
Luxury door frim panels with pull strap Rear courtesy light	3	3	S
Seats:		-	9
Split front seat 50/50	S		A
Bench with center armrest			S
55/45 split seat with passenger recliner		S	-
Rear facing third seat	_	-	S
Steering wheel two-spoke	S	S	S
MECHANICAL:	3	-	9
Delco-GM Freedom* II battery	\$	S	S
Delcotron generator with built-in solid-state	-	-	
regulator	S	5	S
Extensive anti-corrosion protection	S	S	S
Fluidic windshield washer system		1000	2000
(dual nozzles)	S	S	S
Front stabilizer bar	S	S	S
Full coil suspension	5	S	S
GM Computer Command Control	199	1000	
(gas engines only)	S	S	S
Power front disc/rear drum brake system	S	S	S
Power steering	S	S	S
S=STANDARD A=AVAILABLE -=NOT AVAILABLE	1	2500	2000

MAJOR OPTIONS:	Sedan	Brougham Sedan	Wagon
Air conditioning	Α.	A	A
Avie, limited slip differential	A	A	A
Avie, optional (available with V-6 or V-8 gas			
engines only)	A	Α-	
Battery, heavy-duty (required with diesel)	A	A	A
Bumper guards, front/rear	A	A	A
Cornering lamps	A	A	A
Cruise control with resume speed feature	A	Α_	- A
Deck lid release, electric, remote	Α	Α-	-
Deluxe cargo area carpet (sidewalls and tailgate)			A
Deluxe luggage compartment trim	Α .	S	-
Floor mats, front/rear, color-keyed	- A	A	A
Gage package (required with diesel)	Α.	A	A
Glass, Soft Ray all windows	A	A	A
Headlamps, tungsten halogen	A	A	A
Heavy-duty cooling, engine and transmission	A	A	A
Lamp group includes underhood lamp, headiamp on chimes, and dome reading			
lamp	A	A	A
Luggage carriet roof			A
Mirrors: Chrome, outside, LH remote control	A	A	A
Chrome, outside, LH and RH remote control	A	A	A
Sport, outside, LH remote, RH manual,		100	
body color	A	A	A
Sport, outside, LH and RH remote control.			F- F- (-)
body color	A	A	A
Visor vanity, illuminated, passenger side	A	- A	A
Power antenna	A	A	A
Power door locks	A	A	A
Power seat—bench			A
Power seats, 55/45 and 50/50	Α -	A	A
Power taligate	-		A
Power windows	A	A	A
Radios: Delco-GM AM	A	Α-	A
Delco-GM AM/FM stereo with four-speaker			
system	A	A	A
Delco-GM AM/FM stereo with cassette and	A	A	A
four-speaker system Delco-GM AM/FM ETR stereo cassette.	^	Α.	-
clock, w/seek and scan	A	A	A
Four speaker system	A	A	A
Rear window defagger, electric	A	A	A
Rear window deflector	-		A
Seat, 50/50 split, with dual armrests	S		A
Stripes, body side (not available with	-	-	-
woodgrain applique)	000	100200	A
Superlift shock obsorbers	-		A
	A	A	
Rally handling package			-
Tires: P205/75R15 whitewall steel-belted	A	A	-
P225/70R15 whitewall, steel-belled	A	A	
(required with Rally handling package)	A	A	-
P225/75R15 whitewall, steel-betted Puncture sealant tires	A	A	A

Brougham			
Sedan	Sedan	Wagon	
A	A	A	
A	A		
A	Α.	A	
A	Α.	A	
A	A	A	
	A	Sedan Sedan A A	

Engine Ordering Code	Engine	Std./Opt. Engine	Avail	Trons.	Hwy.	EPA Est MPG
LD5 (1)	3.8 liter (231 CID) V-6 2-bbl.	Std.	Fed./ Calif.	Auto.	28	19
LG4(2)	5.0 liter (305 CID)†† V-8 4-bbl.	Opt.	Fed. Calif.	Auto.	28 29	17)
LF9(3)	5.7 liter (350 CID) V-8 Diesel®	Opt.	Fed./ Calif.	3-Spd. Auto.	35/t	23/1
				4-Spd*	2014	6314

That available of time of printing. See dealer for details. "Perguines optional or conditioning induced by GM (1) Busic (2) Cherolet (3) Colambias: "Aspead outs tions standard on boughour wagon vicanables V 5 deele engine. Use stended may be comportion. Now minage may differ depending on speed, distances, weather, Achad highway minage tower Historical and wagon.

DIMENSIONS	Sedan Mm. (in.)	Wagon Mm. (in.)
Exterior:		A PARTY OF
Wheelbase	2945 (115.9)	2945 (115.9)
Overall length	5386 (212.0)	5464 (215.0)
Width	1913 (75.3)	2014 (79.3)
Overall height	1433 (56.4)	1475 (58.1)
Tread, front	1568 (61.7)	1578 (62.2)
Tread, rear	1542 (60.7)	1628 (64.1)
Interior—front:	950000	
Head room:	1003 (39.5)	1005 (39.6)
Leg room	1072 (42.2)	1072 (42.2)
Shoulderroom	1536 (60.5)	1546 (60.8)
Hip room	1398 (55.0)	1400 (55.1)
Interior—rean	SECTION AND ADDRESS OF THE PARTY OF THE PART	
Head room	971 (38.2)	999 (39.3)
Head room-3rd seat	-	948 (37.3)
Leg room	992 (39.1)	959 (37.8)
Leg room—3rd seat		782 (30.8)
Shoulder room	1537 (60.5)	1548 (60.9)
Shoulder room—3rd seaf		1240 (48.8)
Hip room	1405 (55.3)	1398 (55.0)
Hip room—3rd seat		1109 (43.7)
Trunk capacity (itters/cu. it.)	592 (20.9)	2488 (87.9)
Cargo index volume (liters/cu. ft.)		2489 (87.9)
Fuel tank capacity (liters/gallons)	95L (25.0)**	83L(22.0)
Tailgate loading height		767 (30.2)
Top of second seatback to closed tailgate		1222 (48.1)
Minimum distance between wheelhouse		1224 (48.2)
Tailgate opening width at belt	-	1224 (48.2)
Maximum cargo height		754 (29.7)
Maximum height at rear opening		
(tailgate down)		729 (28.7)

agtion can result in a minor change in these dimensions.

"With rear seat folded down." "102 liters/27 gallons with diesel engine.

PHOENIX FACTS & FIGURES

EXTERIOR FEATURES:	Coupe	Hatchbox	If Coupe	LE Hatchb	Sf Coupe
Fixed mast antenna*	S	S	5	S	S
Mirrors, sport (LH remote, RH manual convex)	A	A	A	A	S
Moldings:	600		78.		
Body side vinyl (black)	A	A	S	S	S
Rear deck lid/hatch	S	S	S	S	S
Rocker panel (narrow)	-	-	S	S	=
Wheel opening	A	A	S	S	-
Rear deck spoiler	A	-	A	=	S
Soft fascia front and rear body-color bumpers	5	S	S	S	S
Stripe, rear deck/hatch	S	S	-	-	-
Tires (radials):	455	355		308	
P185/80R13 blackwall steel-belted	S	S	S	S	=
P195/70R14 blackwall steel-betted	-	-			S
Compact spare fire	S	S	S	S	S
Wheels:					
Aluminum sports (14" size)	-	-	-	-	S
Custom wheel covers	A	A	S	S	-
NTERIOR FEATURES:					
Additional acoustical insulation	A	A	S	S	S
Ash trays, front and rear	S	S	S	S	S
Cargo security screen		A	-	S	Ė
Cigar lighter	S	S	S	S	S
Delco-GM AM radio with dual front speakers**	S	S	S	S	S
Dual horns	A	A	S	S	S
Folding rear seat	-	S	Ť	S	Ť
Gages: Rally cluster, clock and tachometer (UPC U17)	A	A	A	A	S
Hood release (inside)	S	S	S	S	S
.oad floor carpeting	-	S	-	S	-
Multi-function control lever	S	S	S	S	S
Seats:	-	-	-	-	-
Full-width front seat	S	S	-		-
Full-width notchback with center armrest		-	S	S	-
Reclining bucket			Ė	-	S
Steering wheels:				100	
Deluxe 4-spoke, vinyl	S	S	-	=	-
Formula, leather-wrapped, 3-spoke	A	A	A	A	S
Formula, 3-spoke	A	A	S	S	=
frip odometer (included with gage cluster)	A	A	A	A	S
	-23	1	76		8
MICHWICAL:	-			-	-
2.5 liter, electronic fuel injection, overhead valve 4-cylinder engine	S	s	S	S	
2.8 liter High Output 2-bbl. V-6	A	A	A	A	S
I-speed manual transmission with overdrive	S	S	S	S	S
Delico-GM Freedom* II sealed side terminal battery	S	S	S	S	6
inctronic fuel injection (4-cytinder engine only)	S	S	S	S	5
Engine coolant recovery system	S	S	S	S	S
intensive anti-corrosion protection	S	S	S	S	S
Ruidic windshield washer system with dual nozzles	S	S	S	S	S
Figure whoshed washer system with dual nozzles		S		5	S
	S	S	S		S
			S	S	S
GM Computer Command Control					
MacPherson strut front suspension Tower front disc/rear drum brakes	S	S	A	A	S

MECHANICAL (CONT):	odnoo	Hatchback	II Coupe	LE Hatchbac	SE Coupe
Rally Tuned suspension (Y99)	A	A	A	A	S
Stabilizer bar, front	S	S	S	S	S
Stabilizer bar, rear (included with Y99)	A	A	A	A	S
Unifized body construction	S	S	S	5	S
*Standard radio antenna may be defeted if standard Deico-GM ra	clio is	-	_	-	-
"Standard Delco-GM AM radio and dual front speakers may be d	oletec	fore	redit		
A PARTIAL LIST OF MAJOR OPTIONS; SEE YOUR DEALER FOR DETAILS				00	8
Air conditioning, custom (requires power brakes, power steering with four-cylinder engine on					
Phoenix, Phoenix LE models)	A	A	A	A	A
Battery, heavy-duty	A	A	A	A	A
Console (with bucket seats only) (requires power	3,50	100	-33	55	9
brakes with automatic transmission, w/4-cylinder					
engine without air conditioning)	A	A	A	A	A
Cruise control, electronic, with resume speed and					
accelerate feature (requires power brakes)	A	A	A	A	A
Deck lid release, remote control	A	-	A	=	A
Defogget electric rear window	A	A	A	A	A
Engine: 2.8 liter 2-bbl. V-6 (requires power brakes:	500	75	36	93	
requires power steering with automatic transmission)	A	A	A	A	-
Exterior group, custom lower	A	A	-	-	-
Gages: Rally cluster, clock and trip odometer	A	A	A	A	-
Generator, heavy-duty:	9383	33	90	55	89
78 amp (standard with air conditioning)	A	A	A	A	A
94 amp	A	A	A	A	A
Glass, Soft Ray all windows	A	A	A	A	A
Luggage carrier (not available with sunroof)	A	A	A	A	A
Mats, carpeted floor (front/rear)	A	A	A	A	A
Mirrors:	-	-	-	-	
Remote control LH (charcoal)	A	A	A	A	
Visor vanity, RH	A	A	A	A	A
Power door locks	A	A	A	A	A
	A	A	A	A	A
Power seat, driver, 6-way					
Power windows	A	A	A	A	A
Radio equipment:					
Delco-GM AM/FM	A	A	A	A	A
Delco-GM AM/FM stereo (includes extended range rear speakers on coupes) (AA)	A	A	A	A	A
Delco-GM AM/FM stereo with cassette stereo	^	A	^	A	A
tape player (AA)	A	A	A	A	A
Speakers, dual front and rear (available with	^	^	-	-	^
Speakers, dual front and rear (available with Delco-GM AM radio only) (AA)	A	A	A	A	A
Seats:	-	-	-	-	-
Reclining, passenger	A	A	A	A	3
Reclining, passenger and driver	A	A	A	A	S
	- 11	-		_	_
Steering wheel: Titt	A	A	A	A	A
Stripes: Accent	A	A	A	A	-
Sunroot, glass (removable)	A	A	A	A	A
Tires (ractials):					
P185/80R13 whitewall steel-belled	A	A	A	A	-
P195/70R14 white-lettered steel-belted	-	-	-	-	A
P205/70R13 blackwall steel-belted (requires					
Rally Tuned Suspension—Y99)	A	A	A	A	-
P205/70R13 white-lettered steel-belted (requires	28	98	33	85	
Rally Tuned Suspension—Y99)	A	A	A	A	-

Transmission, 3-speed automatic

AJOR OPTIONS (CONT.):	Coupe	Hatchback	II Coupe	LE Hotchbo	SE Coupe
heels:	80304	600	1	193	
Cast aluminum (13" size)	A	A	A	A	-
Wheel trim rings	A	A	A	A	-
Wheel locking package (only with cast aluminum wheels and aluminum sports wheels)	A	A	A	A	A
Wire wheel covers with locking package	A	A	A	A	-
lindshield wipers, controlled cycle	A	A	A	A	A
STANDARD A=AVALABLE —=NOT AVALABLE IA) includes Portiloc performance sound acoustically matche equires cargo cover D-12 on Hafchbacks, optional with stands obuded with stereo radios.	d respons	se sp dio d	eake nd	irs.	

ENGINES/TRA	NSMISSIONS	100000				-
Engine Ordering Code	Engine	Std./Opt. Engine	Avail	Trans.	Hwy. Est.	EPA Est. MPG
Phoenix/Ph	oenix LE					
LR8(1)	2.5 liter (151 CID) 4-cyt. w/electronic	Stat	Fed/ Calif.	4-Man.	1/1	1/1
	fuel injection	SIU	Fed./ Calif.	Auto.	39/1	29/1
LE2 (2)	2.8 liter (173 CID)	e contract	200		5500	45%
	V-62-bbl		Fed.	4-Man.	33	23
		Opt	Calif.	4-Man.	34	23
		Opt	Fed.	Auto.	33	(2)
			Calif.	Auto.	32	20
Phoenix SE			22.232	5550		200
LH7 (2)	2.8 liter (173 CID)		Fed.	4-Man.	33	20
	High Output V-6	Std.	Calif.	4-Man.	34	20
	2-bbl	SIG.	Fed.	Auto.	33	20
			Calif.	Auto.	32	23

Note: All Proenix models equipped with standard 4-speed manual transmission with overable. Produced by GM (1) Prontace; (2) Chemical Wite estimated mpg for companism. You mileag may differ depending on speed, distance, weather, Actual highway mileage lower, that available of time of printing. See Dealer for details.

DIMENSIONS	Coupe Mm. (in.)	5-door Hatchback Mm. (in.)
Exterior: Wheelbase	2664 (104.9)	2664 (104.9)
Overall length	4643 (183.0)	4643 (183.0)
Width	1754 (69.0)	1754 (69.0)
Overall height	1365 (53.7)	1365 (53.7)
Tread, front	1492 (58.7)	1492 (58.7)
Tread, rear	1447 (57.0)	1447 (57.0)
Interior-front: Head room	970 (38.2)	970 (38.2)
Leg room	1073 (42.2)	1073 (42.2)
Shoulder room	1430 (56.3)	1423 (56.0)
Hip room	1385 (54.5)	1388 (54.6)
Interior—rear: Head room	951 (37.4)	951 (37.4)
Leg room	881 (34.7)	880 (34.6)
Shoulder room	1429 (56.3)	1424 (56.1)
Hip room	1360 (53.5)	1406 (55.4)
Trunk capacity (liters/cu. ft.)	404.1 (14.3)	
Cargo volume (liters/cu. ft.)		998 (35.2)
Fuel tank capacity (liters/gallons)	55.2 (14.6)1	55.2 (14.6)

"With rear seaf down. 157 f5 lites (15.1 gallons) with optional V-6 engine and standard High Output V-6 engine on SE models."

PONTIAC 1000 FACTS & FIGURES

EXTERIOR FEATURES:	3-door Hatchback	5-door Halchbac
Antenna-fixed mast	S	S
Black-finished headlamp bezels	S	S
Black-finished door handles (flush type) and lock cylinder		S
Black-finished window frames with bright outer moldings	S	S
Black bumper guards, front/rear	S	S
Black bumper rub strips, front/rear	S	S
Chrome-plated steel bumpers with black rubber end caps	s	s
Front air dam	S	S
Hatch, top hinged with flush mounted glass, black molding and counter-balancing telestrut support	s	s
Mirror	101000	2000
LH manual (black-finished)	\$	S
Moldings:	1000	
Bright roof drip	S	S
Wide black/bright body side	S	5
Wide vinyl-clad black rocker panel	S	S
Tires (radials):		
P155/80R13 glass-belled blackwalls	S	S
Compact spare tire	S	S
Wheels:		
Styled steel (argent-finished) with black trim cap	S	S
Wraparound failights	S	S
INTERIOR FEATURES:		
All-vinyl interior trim	S	S
Black aluminum instrument panel moldings	S	S
Black instrument panel pad-upper	S	S
Cigar lighter	S	S
Color-keyed instrument panel—lower	S	S
Cut-pile carpeting (color-keyed, one-piece)	S	S
Day/night rearview mirror	S	S
Delco-GM AM radio* with clock	\$	5
Door trim panels (soft design)	S	S
Folding full-width rear seat	S	S
Front door lamp switches (key reminder and		
courtesy lamps)	S	S
Front mini-console	S	S
Glove compartment door look	S	\$
Inside hood release	S	S
Instrument panel lighting	\$	S
Load floor carpeting	S	S
Multi-function control lever	S	S
Reclining front bucket seats	S	S
Sport steering wheel (two-spoke)	S	S
MECHANICAL:	2020	
1.6 liter 2-bbl. overhead cam L4 engine	S	S
Boil-on front fenders with plastic inner shields	S	5
Built-in diagnostic connector (to facilitate servicing		5555
engine's electrical system)	S	S
4-speed manual transmission (floor-mounted)	S	S
Delco-GM Freedom* Il battery with sealed side terminals	S	S
Delcotron generator with built-in solid-state regulator	S	S
	S S	5

MECHANICAL FEATURES (CONT.):	3-door Hatchback	5-door Hatchbac
Engine coolant recovery system	S	S
Edensive anti-corrosion treatments with Plastisol film on	10000	
lower body	S	5
Flow-through ventilation	S	S
Fluidic windshield/wiper system	S	S
Front low-drag disc/rear drum brake system (manual)	S	S
Front stabilizer bar	S	S
Full coll suspension	S	S
GM Computer Command Control	S	S
Long-life air cleaner	S	S
Rack and pinion steering	S	5
Rear-wheel drive	S	S
Torque tube drive system	S	S
Unitized body construction	S	S
Visible ball joint wear indicators on front suspension	10000	5555
lower control arms	S	S
S=STANDARD A=AVALABLE -=NOT AVAILABLE *Standard Delco-GM AM radio may be deleted for credit.		
MAJOR OPTIONS:		
Air conditioning, custom	A	A
Battery, heavy-duty	A	A
Belts, custom seat/shoulder	A	A
Brakes, power	A	A
Cargo security screen	A	A
Custom interior trim group	A	A
Defogger electric rear window	A	A
Glass, Soft Ray all windows	A	A
Handling package, special sport. Includes: sport mirrors, hatch mounted spoiler sport stripe, Formula steering wheel, cost aluminum wheels with P175/70R 13 lires (extra-cost), funed shock obsorbers. 25 MM front stabilizer box.		
rear stabilizer bar	A	A
Heater engine block	A	A
Headlamps, halogen	A	A
License plate bracket, front	A	A
Luggage carrier black	A	A
Mats, carpet (color-keyed) front/rear	A	A
Mirrors:		
Sport, LH remote (black-finished)	A	A
Sport, LH remote, RH manual convex (black-finished)	A	A
Molding-rocker panel	A	A
Radio equipment: Delco-GM AM/FM	A	A
Delco-GM AM/FM stereo (3 speakers)	A	A
Steering, power (available only with automatic transmission)	A	A
Steering wheels: Formula, 3-spoke (required with sport handling		
package)	A	A

Deluxe 4-spoke vinyl (included with custom

Striping, sport (included with special sport package-Y90)

Titt steering wheel

MAJOR OPTIONS (CONT.):	3-door Hatchback	5-door Hatchback
Swing-out rear quarter windows	A	- 1
Sunroof, vista vent (not available with luggage carrier)	A	A
Tires (radials): P155/80R13 whitewall glass-betted	A	A
P175/70R13 blackwall steel-belted (required with special sport package Y90)	A	A
P175/70R13 whitewall sleel-beited	·A	A
Transmissions: 5-speed manual with overdrive (not available with air conditioning)	A	
Automatic, 3-speed with torque converter clutch	A	A
Wheels: Cast aluminum	A	A
Wheel trim rings	- A	A
Wheel locking package	A	A

ENGINES/TRANSMISSIONS							
Engine Ordering Code	Engine	Std./Opt. Engine	Avail	Trans.	Hwy. Est.	Est. MPG	
L17(1)	1.6 liter (98 CID)		Fed.	4-Man.	44	888	
	4-cyl 2-bbl	Std.	Calif	4-Man.	42	69	
			Fed.	Auto.	42	60	
			Calif.	Auto.	38	28	
L17(1)	1.6 lifer (98 CID) 4-cyl. 2-bbl.	Opt.	Fed	5-Man.*	46	3	

depending on speed, distance, weather Actual highway mileage lower

DIMENSIONS	3-Door Hatchback Mm. (in.)	5-Door Hatchback Mm. (in.)
Exterior: Wheelbase	2394 (94.3)	2471 (97.3)
Overall length	4111 (161.9)	4183 (164.8)
Width	1570 (61.8)	1570 (61.8)
Overall height	1342 (52.9)	1341 (52.8)
Tread, front	1300 (51.2)	1300 (51.2)
Tread, rear	1300 (51.2)	1300 (51.2)
Interior-front: Head room	970 (38.2)	962 (37.9)
Leg room	1058 (41.7)	1058 (41.7)
Shoulderroom	1261 (49.6)	1261 (49.6)
Hip room	1270 (50.0)	1270 (50.0)
Interior-rear. Head room	953 (37.5)	937 (36.9)
Leg room	777 (30.6)	844 (33.2)
Shoulderroom	1254 (49.4)	1256 (49.4)
Hip room	1045 (41.1)	1047 (41.2)
Cargo index volume (liters/cu. ft.)	752 (29.6)*	757 (29.8)
Fuel tank capacity (liters/gallons)	47.3 (12.5)	47.3 (12.5)

"Rear seat down: 263 liters (9.3 cu. ft.) with rear seat up.

A A

STANDARD SAFETY FEATURES ON 1984 PONTIACS

Occupant Protection

- Manual lap/shoulder belts with push-button buckles for driver and right front passenger (driver side includes visual and audible warning system). Manual lap belt at
- center position, when applicable . Manual lap belts with pushbutton buckles at rear passenger positions including center, when applicable
- Energy-absorbing steering column
- Passenger-guard inside door locks
- Safety interlocking door latches Inertia-type folding front seatback latches
- Energy-absorbing instrument panel and front seatback tops
- Laminated safety glass windshield/ tempered safety alass windows (except for plastic rear window on Pontiac 2000 Sunbird convertible)
- Safety armrests

- Front seat head restraints for driver and right front passenger (adjustable or integral)
- Glove box door latch and, when
- applicable, console cover latch Smooth door/window handles
- Pressure lock radiator cap

Accident Avoidance

- Side marker lights and reflectors
- · Parking lamps that illuminate with headlamps
- Four-way hazard warning flasher
- Backup lights
- Lane change feature in direction signal control
- · Windshield defrosters, washer and dual-speed wipers
- Vinyl-bonded inside mirror glass · Outside left rearview mirror (some
- Pontiac models are equipped with left and right hand mirrors) Dual master cylinder brake system
- with warning light
- Starter safety switch

- Dual-action safety hood latch (except Fiero which is rear opening)
- Low glare finish on instrument panel top, inside windshield moldings, wiper arms and blades, and
- steering wheel metallic surfaces · Safety road wheel rims
- . Front disc brakes with audible wear indicators
- Self-adjusting brakes

- **Anti-Theft** · Audible anti-theft ignition key
- Anti-theft steering column lock
- Inside hood release · Anti-theft key system (one key for ignition only, second key for doors,
- trunk/hatch/tailaate and alove compartment)
- Visible vehicle I.D. number

OTHER STANDARD FEATURES

- Body by Fisher
- Heater/defroster system
- Carburetor air preheater
- Evaporative emission system

- Foam seat cushions Full-flow oil filter
 - Labeled instrument panel switches Radio interference-suppression
 - ignition GM's Computer Command Control with catalytic converter
 - (NA with optional diesel engine) · On-board "check engine" light on instrument panel (NA with optional
 - diesel engine) · High-energy ignition (NA with optional diesel engine)
 - · Speedometer graduated in kilometers per hour as well as miles per hour (odometer registers miles)

A WORD ABOUT ENGINES:

Some Pontiacs are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See Facts & Figures page or your dealer for

Be sure to visit EPCOT and GM's World of Motion at Florida's Disney World.

LET'S GET IT TOGETHER 🙇 BUCKLE UP.



A WORD ABOUT ASSEMBLY, COMPONENTS AND OPTIONAL EQUIPMENT IN THESE PONTIAC PRODUCTS.

The Pontiacs described in this brochure are assembled at facilities of General Motors Corporation operated by Pontiac, GM Assembly Division or GM of Canada. These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions. safety and fuel economy requirements, or for other reasons, to produce Pontiac products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Pontiac products and will provide the quality performance associated with the Pontiac name.

With respect to extra cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer.

Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes the optional equipment you ordered or if there are changes, that they are acceptable to you.

Pontiac Parisienne models are equivalent to models offered by Chevrolet under the nameplate Caprice.

We Limb Excrement in the USA

