
# BLAZER CHALET

NOW AVAILABLE FROM YOUR CHEVROLET DEALER— THE BLAZER YOU CAN LIVE IN.



YOUR MONEY'S WORTH. MILE AFTER MILE AFTER MILE.

## **BLAZER CHALET BY DAY.**





Blazer Chalet combines the toughness of a four-wheel-drive Chevy Blazer with all the advantages of a complete camper unit.

The camper has a fiberglass reinforced plastic body over a steel frame and is mounted permanently on the Blazer. Camper and Blazer are bolted together, steel-to-steel, for strength. A unique rubber seal between the camper and Blazer's steel half top flexes to allow for normal sway and to keep out air and moisture.



Inside, Blazer Chalet is a spacious and comfortable place to live. The camper top pops up easily to provide more than six feet of headroom. The unit is fully integrated, too, so you can walk from the cab directly back to the living quarters.

Biazer Chalet is available in four versions: Base Package and Packages A, B and C.


Base Package. Convertible seat/ bunks can provide seating for four




adults and sleeping accommodations for two. A demountable dinette table with ample leg room fits between the seats. Seats are upholstered in saddle vinyl to co-ordinate with cab seats.

The galley is equipped with a stainless steel sink and drain. The five-gallon water supply tank has an electric pump and a convenient outside fill faucet. There's a two-burner LPG stove with a stainless steel top and painted yent hood, as well as an ice box and

# **BLAZER CHALET BY NIGHT.**







spice rack. Blazer Chalet comes with a five-gallon LPG tank.

Blazer Chalet is smartly appointed throughout. All camper windows have tinted glass and all windows and the cab opening have either color-keyed curtains or drapes. The floor and overhead area are covered with indoor-outdoor carpeting, while the walls are covered with padded vinyl. A snap-on padded vinyl cover is provided for the cab-camper joint.

Blazer Chalet has two roomy storage compartments, one equipped with a hanging wardrobe.

Package A. This package includes all items in the Base Package with the addition of a 5000 BTU LPG heater.

Package B. All items in the Base Package and Package A are included in Package B with the exception of the ice box. In Package B, a 3-way refrigerator takes the place of the ice box. The refrigerator can be run with LPG, battery or AC-DC hook-up. Included with the refrigerator is an electrical power hook-up package (with battery) and an AC power hook-up kit with AC-DC converter.

Package C. This package includes everything offered in the Base Package and Packages A and B plus two overhead bunks, so that Blazer Chalet can sleep four.

### PLUS ALL THIS BLAZER VALUE.

The tough Chevy Blazer that comes with all Chalet packages is specially equipped. Power steering, L78-15D (8PR) blackwall tires, front auxiliary bucket seat, Deluxe chromed front and rear bumpers, front-mounted spare tire carrier are all standard on this Blazer. Power is all V8 with a 350 4-barrel standard and a 400 4-barrel available.

You can specify one of two available 4-wheel-drive systems. Chevrolet's conventional system is included with the standard three-speed or available four-speed manual transmissions. Full-time 4-wheel drive is included with available Turbo Hydra-matic transmission. This is a system you control from inside the cab. To move from paved to unpaved surfaces, or vice versa, all you do is turn the steering wheel. You don't have to get out and lock or unlock front hubs.

Blazer also delivers a comfortable ride with no sacrifice in off-road capability. That's because a soft-riding Special Suspension is now standard on all 4-wheel-drive Blazers.



#### **SPECIFICATIONS**

| SERIES              |                      | Blazer Chalet 4-Wheel Drive     |                      |                    |  |  |
|---------------------|----------------------|---------------------------------|----------------------|--------------------|--|--|
| GVW Rating (Ib)     |                      | 6500                            |                      |                    |  |  |
| Availability        |                      | Standard                        |                      | Available          |  |  |
| Engine, V8          |                      | 350-4                           |                      | 400-4              |  |  |
| Clutch Dia. (in)    |                      | 12                              |                      |                    |  |  |
| Front Suspension    | Туре                 | Hypoid Driving Axle—Leaf Spring |                      |                    |  |  |
|                     | Capacity (lb)        | 3600                            |                      |                    |  |  |
|                     | Spring Capacity (lb) | 1650 ea                         |                      | 1900 ea            |  |  |
|                     | Shock Absorbers      | 1" dia.                         |                      | 1.38" dia.         |  |  |
|                     | Stabilizer Bar       | 1.25* dia.                      |                      |                    |  |  |
| Rear Suspension     | Axle Type            | Semi-Floating Semi-Floating     |                      |                    |  |  |
|                     | Capacity (lb)        | 4000                            |                      |                    |  |  |
|                     | Ratios               | 3.07                            |                      | 3.73               |  |  |
|                     | Springs—Type         | Two-Stage Multi-Leaf            |                      |                    |  |  |
|                     | Spring Capacity (lb) | 2000                            |                      |                    |  |  |
|                     | Shock Absorbers      | 1" dia.                         | 14 1/2 A 1/2 1/2 1/2 | 1.38° dia.         |  |  |
| Brakes              | Front/Rear           | Power Disc/Drum                 |                      |                    |  |  |
| Electrical          | Battery (watts)      | 3200                            |                      | 3500°, 4000        |  |  |
|                     | Generator (amp)      | 37                              |                      | 42, 61             |  |  |
| Fuel Tank           | Nominal Cap (gal)    | 25                              |                      | 30                 |  |  |
| Steering            | Туре                 | Power                           |                      |                    |  |  |
| Transmission        | Manual               | 3-speed                         | water stole blance   | 4-speed            |  |  |
|                     | Automatic            |                                 |                      | Turbo Hydra-matic  |  |  |
| Transfer Case       |                      | NP205-2 spd.                    |                      | †NP203 (Full Time) |  |  |
| Tire Size, Tubeless |                      | L78-15D                         |                      |                    |  |  |

<sup>\*400-4</sup> V8 engine requires automatic transmission, \*Auxiliary Battery included with Packages B and C. \(\text{Full-time transfer case available only with Turbo Hydra-matic transmission.}\)

#### BLAZER CHALET DIMENSIONS (inches)

| AND DESCRIPTION OF THE PARTY OF | BLAZER CHALET D | TIME TOTOTO        | (mones) |              |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|--------------------|---------|--------------|-------|
| Overall Length*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 218.1           | Interior Head Room |         | Top Down     | 59.0  |
| Camper Length                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 127.7           |                    |         | Top Up       | 79.5  |
| Overall Width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 79.6            | Wheelbase          |         |              | 106.5 |
| Camper Width                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 76.0            | Overhous           | Front   |              | 46.4  |
| Overall Height                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 92.5            | Overhang           | Rear    |              | 65.2  |
| Camper Height                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 65.4            | Tread              | Front   | and the said | 66.7  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 |                    | Rear    |              | 63.7  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                 | Ground Clearance   |         | 7.0          |       |

<sup>\*</sup>Overall Length includes tire carrier with tire and rear step.

ALL ILLUSTRATIONS AND SPECIFICATIONS CONTAINED IN THIS LITERATURE ARE BASED ON THE LATEST PRODUCT INFORMATION AVAILABLE AT THE TIME OF PUBLICATION APPROVAL. THE RIGHT IS RESERVED TO MAKE CHANGES AT ANY TIME IN PRICES, COLORS, MATERIALS, EQUIPMENT, SPECIFICATIONS AND MODELS, AND ALSO TO DISCONTINUE MODELS, CHEVROLET MOTOR DIVISION OF GENERAL MOTORS CORPORATION, DETROIT, MICHIGAN 48202, LITHO IN U.S.A.

APRIL, 1976

# BLAZER CHALET THE BLAZER YOU CAN LIVE IN.



YOUR MONEY'S WORTH. MILE AFTER MILE AFTER

#### BLAZER CHALET BY DAY.

#### BLAZER CHALET BY NIGHT.





Blazer Chalet combines the toughness of a four-wheel-drive Chevy Blazer with the advantages of a camper unit.

The camper has a fiberglass reinforced plastic body over a steel frame and is mounted permanently on the Blazer. Camper and Blazer are bolted together, steel-to-steel, for strength. A unique rubber seal between the camper and Blazer's steel half top flexes to allow for normal sway and to

keep out air and moisture.

Inside, Blazer Chalet is a spacious and comfortable place to live. The camper top pops up easily to provide more than six feet of headroom. The unit is fully integrated, too, so you can walk from the cab directly back to the living quarters.

Blazer Chalet is available in four versions: Packages A, B, C and D.

Package A. Convertible seat/ bunks can provide seating for four adults and sleeping accommodations for two. A demountable dinette table fits between the seats with ample leg room. Seats are upholstered in saddle vinyl to co-ordinate with cab seats.

The galley is equipped with a stainless steel sink and drain. The fivegallon water supply tank has an electric pump and a convenient outside fill faucet. There's a two-burner LPG stove with a stainless steel top and painted vent hood, as well as an ice box and spice rack. Blazer Chalet comes with

a five-gallon LPG tank.

Blazer Chalet is smartly appointed throughout. All camper windows have tinted glass and all windows and the cab opening have either color-keyed curtains or drapes. The floor and overhead area are covered with indooroutdoor carpeting, while the walls are covered with padded vinyl. A snap-on padded vinyl cover is provided for the cab-camper joint.


Blazer Chalet has two roomy storage compartments, one equipped with a hanging wardrobe.

Package B. This package includes all items in Package A with the addition of a 5000 BTU LPG heater.

Package C. All items in Packages A and B are included in Package C with the exception of the ice box. In Package C, a 3-way refrigerator takes the place of the ice box. The refrigerator can be run with LPG, battery or AC-DC hook-up. Included with the refrigerator is an electrical power hook-up package (with battery) and an AC power hookup kit with AC-DC converter.

Package D. This package includes everything offered in Packages A, B and C plus one addition. There are two overhead bunks, so that Blazer Chalet can sleep four.





All illustrations and specifications contained in this literature are based on the latest product information available at the time of publication approval. The right is reserved to make changes at any time in prices, colors, materials, equipment, specifications and models and also to discontinue models. CHEVROLET MOTOR DIVISION OF GENERAL MOTORS CORPORATION, DETROIT, MICHIGAN 48202.