



PICKUP • VANDURA •
SUBURBAN • SPRINT •
JIMMY • RALLY • R.C.S.
MINI-MOTORHOME



GMC

REC. VEHICLES



GMC PICKUPS - brawny,

The basic Pickup design provides you with a versatile vehicle that quickly adapts to meet most camper and trailering needs. With the right equipment, you can accommodate fifth-wheel units, boat and utility trailers or shell and slide-on camper units. Available 4-wheel-drive models give you off-road travel capability into remote camping, fishing, hunting and recreational sites.

GMC WIDESIDE PICKUP MODELS provide a firm bedding for most slide-on camper bodies. Flat-topped wheelhousings and a quick-release, on-off tailgate feature help relieve much of the work of mounting and unmounting camper bodies. With available dual rear wheels on 3500 Series models you get a GVW rating up to 10,000 lbs. Available camper equipment packages provide GMC Pickups with heavy-duty equipment and power team combinations for dependable travel close to home or across a continent.

Camper Special Equipment packages are available on three-quarter and one-ton C/K models equipped with V6 engines and available four-speed manual or automatic transmissions. Equipment includes special nameplates with GVW rating, color-coded seven-wire camper body wiring harness, heavy-duty front stabilizer bar, heavy-duty front springs, (standard on some models), increased radiator capacity in combination with available automatic transmission and full capacity rear springs for applicable models.

Deluxe Camper Package for Wideside models with over-cab type camper bodies includes the basic equipment listed in the previous package plus Elimi-Pitch stabilizers for camper body cab-over section and between cab and cargo box for camper body pitch control. The accompanying charts can help you spec your Pickup to meet your camper size and weight requirements.



MINIMUM EQUIPMENT REQUIRED FOR CAMPER SPECIAL NAMEPLATE (Z61)

GMC MODEL	C-20903 PICKUP C-20943 CREW CAB C-20943 BONUS CAB		WITH SINGLE REAR WHEELS C-30903 PICKUP C-30943 CREW/ BONUS CAB		WITH DUAL REAR WHEELS C-30903 PICKUP C-30943 CREW/ BONUS CAB	
	Camper Body Type	Cab-Over		Cab-Over		Cab-Over
Max. Camper Body Length	10½-11 Feet		10½-11 Feet		11-12 Feet	
Required GVW Rating (Lbs.)	8,200		9,000 9,600		10,000	
Required Minimum Equipment	Heavy-Duty		Heavy-Duty		Heavy-Duty	
Front Stabilizer	Heavy-Duty		Heavy-Duty		Heavy-Duty	
Front Springs, Ea., Lbs.	1,900 H.D.*		1,900 H.D. 2,000 Std.		1,900 H.D. 2,000 Std.	
Rear Springs, Ea., Lbs.	2,850 Std. H.D.*		3,500 H.D. 3,500 Std.		3,750 H.D.	
Front & Rear Shock Absorbers	Heavy-Duty		Heavy-Duty (Front)		Heavy-Duty (Front)	
Camper Body Wiring Harness	Included		Included		Included	
Engine	350 V8 or 454 V8		350 V8 or 454 V8		350 V8 or 454 V8	
Transmission	4-Speed† or Automatic‡		4-Speed (Std.) or Automatic‡		4-Speed (Std.) or Automatic‡	
Brakes, Service H.D. Power	J55		H.D. Power (Std.)		H.D. Power (Std.)	
Tires	9.50-16.5D*		9.50-16.5E**		8.75-16.5C	

†4-Speed Transmission standard for C-20943 Crew Cab.
‡Includes increased capacity radiator.

**9.50-16.5D front for C-30903 model.
*Standard for C-20943 models.

MINIMUM EQUIPMENT REQUIRED FOR CAMPER SPECIAL NAMEPLATE (Z61)

GMC MODEL	K-2500 PICKUP	SINGLE REAR WHEELS K-3500 PICKUP	WITH DUAL REAR WHEELS K-30903 PICKUP K-30943 CREW/ BONUS CAB
	Camper Body Type	Cab-Over	Cab-Over
Max. Camper Body Length, Ft.	10½-11	10½-11	11-12
Required GVW Rating (Lbs.)	8,400	9,200	10,000
Required Minimum Equipment	Heavy-Duty (Std.)	Heavy-Duty (Std.)	Heavy-Duty (Std.)
Front Stabilizer	Heavy-Duty (Std.)	Heavy-Duty (Std.)	Heavy-Duty (Std.)
Front Springs, Ea., Lbs.	2,250 H.D.	2,250 (Std.)	2,250 (Std.)
Rear Springs, Ea., Lbs.	2,800 (Std.)	3,500 (Std.)	3,750
Front and Rear Shock Absorbers	Heavy-Duty	Heavy-Duty	Heavy-Duty
Camper Body Wiring Harness	Included	Included	Included
Engine	350 V8 400 V8	350 V8 400 V8	350 V8 400 V8
Transmission	4-Speed Automatic‡	4-Speed† Automatic‡	4-Speed† Automatic‡
Brakes, Service, H.D. Power	J55	H.D. Power (Std.)	H.D. Power (Std.)
Tires	9.50-16.5D	9.50 16.5D (Front) 9.50-16.5E (Rear)	8.75-16.5D

†4-Speed base on K-3500 models, not available with 400 V8

‡Includes increased capacity radiator

The maximum camper body length and the camper body, passengers and equipment and equipment weight can vary from the recommendations shown on the chart, but the total loaded weight going down the road cannot exceed the GVW rating. Center of gravity for camper body should be 4" in front of the center of the rear axle.

ADDITIONAL AVAILABLE ENGINE AND CHASSIS EQUIPMENT INCLUDES:

Power Steering, 61-Amp. Generator, 4000 Watt H.D. Battery, Locking Differential Rear Axle on some models, Heavy-Duty Radiator in combination with 4-Speed Manual Transmission, Sliding Rear Window,

Comfortilt Steering Wheel, Engine Oil Cooler and Dealer-Installed Accessories including Automatic Transmission Auxiliary Oil Cooler, Extra Capacity Fuel Tank.

versatile and comfortable



PASSENGER COMFORT FOR SIX

GMC Crew Cab models offer four-door convenience and passenger seating for six. Available dual rear wheels on 3500 Series two- and four-wheel-drive models provide GVWR's up to 10,000 lbs. Interior appointments can be as luxurious as you wish. Available Sierra Classic trim includes: color keyed carpeting; choice of custom vinyl or ribbed pattern custom velour cloth and vinyl seat trim; color-keyed door trim panels with simulated wood-grained inserts and carpet trim; expandable vinyl storage pockets and door closing assist straps on front door trim panels; full instruments and bright appearance items.



Required power brake and heavy-duty power brake systems (standard on some models) are computer-matched to available GVWR's. Standard floating caliper-type front disc brakes feature an audible wear sensor warning device on models of 8400-lbs. GVW or under. Rear drum brakes are air-finned cast iron for efficient heat dissipation and cooling.

TRAILERING

With available factory- or dealer-installed weight distributing hitch platform you can handle up to 17,000 lbs. GCW by properly selecting available driveline components. Included in the available Trailering Special Package are: heavy-duty Delco Freedom battery, integral power steering and Trailering Special emblems with GCW rating. Available dead weight trailer hitch lets you tow up to 2000 lbs.

PICKUP TRAILER TOWING EQUIPMENT SELECTOR GUIDE

Gross Combination Weight (GCW) Includes Loaded Truck & Trailer Weights With Available Power Teams

MODEL	ENGINE	TRANSMISSION	GCW IN LBS. BY AXLE RATIO										
			8000	9000	9500	10,500	11,900	11,500	12,500	13,500	14,500	17,000	
C-1500	350-4	Hydra-matic 4-Speed	3.07	3.40	3.73	—	—	—	—	—	—	—	—
	454-4*	Hydra-matic	—	3.40	3.73	—	—	—	3.07	—	3.40	3.73	—
C-2500	350-4	Hydra-matic 4-Speed	—	—	3.73	4.10	—	—	4.56	—	—	—	—
	454-4	Hydra-matic 4-Speed	—	—	3.73	4.10	—	—	4.56	—	—	—	—
C-3500	350-4	Hydra-matic 4-Speed	—	—	3.73	4.10	—	—	4.56	—	—	—	—
	454-4	Hydra-matic 4-Speed	—	—	3.73	4.10	—	—	4.56	—	—	—	—
K-1500	350-4	Hydra-matic 4-Speed	3.07	—	3.73	4.11	—	—	—	—	—	—	—
	400-4	Hydra-matic	3.07	3.07	3.73	4.11	—	—	—	—	—	—	—
K-2500	350-4	Hydra-matic 4-Speed	—	—	—	4.10	—	—	—	—	—	—	—
	400-4	Hydra-matic	—	—	—	4.10	—	—	—	—	—	—	—
K-3500	350-4	Hydra-matic 4-Speed	—	—	—	4.10	—	—	4.56	—	—	—	—
	400-4	Hydra-matic	—	—	—	4.10	—	—	4.56	—	—	—	—
GCW	Shown on Trailering Special Nameplate		8,000			10,000			13,000		14,000	15,000	

*Not available in the State of California on Light Duty Emission Vehicle.

†8500 lbs. on K-1500.

MINIMUM EQUIPMENT REQUIRED FOR TRAILERING SPECIAL PACKAGES (Z82)

MODELS†	C-2500	C-3500	K-2500	K-3500
Generator	Avail. 61-Amp. — Included With Air Conditioning			
Cooling	Avail. Heavy-Duty — Not Required When Air Conditioning or Turbo Hydra-Matic Is Specified			
Brakes, Power	Std.	Std.	Std.	Std.
Springs	Std.	Std.	Std.	Std.
Tires: Regular Cab	8.75-16.5C	8.75-16.5C	8.75-16.5C	8.75-16.5D
Crew Cab	8.75-16.5C	9.50-16.5E	8.75-16.5C	8.75-16.5D

†A 4-speed manual (M20) or Automatic Transmission (M40) is available and must be ordered.

TRAVEL THE HIGHWAYS AND BYWAYS IN COMFORT

Put in a full day's travel and still arrive looking good. GMC Pickups offer available Comfort and Convenience Equipment to ease the hours of travel. Available air conditioning with integral in-dash directional vents lets you keep your cool even on those hot days. Pass the time in listening enjoyment with available

AM or AM/FM radio. For those with a keen interest in what's happening down the road, select a Delco CB unit. Available power steering permits good control and helps ease driving effort. With Comfortilt steering wheel, you can adjust the steering angle to any one of six positions for driver comfort.

Available speed and cruise control maintains constant road speed. Two-door cab models offer available power windows and door locks and dual controls on driver's side control passenger window, a handy feature on solo trips. Let your GMC dealer show you the comfort and convenience of a GMC Pickup.


SUBURBAN... the big station wagon



Suburban models combine great styling and passenger comfort with tough truck value and cargo-hauling capacity. One-half- and three-quarter-ton models are available with two- or four-wheel-drive and offer GVW ratings up 8,400 lbs. With available middle seat folded and rear seat removed you get an interior load space of 144 cubic feet with a payload capacity of 3,100 lbs. on three-quarter-ton models with available equipment. Proper selection of engine and driveline components enables you to tow gross combination weights of up to 14,500 lbs. Maintaining driver and passenger comfort is easy with available front and rear air conditioning, speed and cruise control, Comfortilt steering wheel, dealer-installed AM, AM/FM and eight-track stereo combinations, power tailgate window or automatic transmission. Trailering Special equipment includes H.D. battery, integral power steering and Trailering Special emblems.



Available dual air conditioning features a separately-controlled, ceiling-mounted rear unit that recirculates inside preconditioned air and a front unit that cools and dehumidifies outside air. Front unit is available separately.



AVAILABLE SEATING FOR NINE

Standard seating includes the three-passenger front bench seat. Available three-passenger center seat features independent right- and left-hand forward folding sections. Seating for nine is possible with the available fixed-position third rear seat.

SUBURBAN TRAILER TOWING EQUIPMENT SELECTOR GUIDE

MODEL	ENGINE	TRANSMISSION	GCW IN LBS. BY AXLE RATIO*									
			8000	9000	9500	10,500	11,000	11,500	12,500	13,500	14,500	
C-1500	305-21	M20/M40S	3.73	4.11	—	—	—	—	—	—	—	—
	350-4	Hydra-Matic	—	3.40	3.73	4.11	—	—	—	—	—	
	454-41	4-Speed	—	3.40	3.73	4.11	—	—	—	—	—	
C-2500	305-21	M20/M40S	—	4.11	—	—	—	—	—	—	—	
	350-4	Hydra-Matic	—	—	3.73	4.10	—	4.56	—	—	—	
	454-4	4-Speed	—	—	3.73	4.10	—	4.56	—	—	—	
K-1500	305-21	M20/M40S	3.73	4.11	—	—	—	—	—	—	—	
	350-4	Hydra-Matic	3.07	—	3.73	4.11	—	—	—	—	—	
	400-4	4-Speed	3.07	—	3.73	4.11	—	—	—	—	—	
K-2500	305-21	M20/M40S	—	3.07**	—	—	—	—	—	—	—	
	350-4	Hydra-Matic	—	4.10	—	4.56	—	—	—	—	—	
	400-4	4-Speed	—	—	—	4.10	—	—	—	4.56	—	

*Gross Combination Weight GCW Includes Loaded Truck & Trailer Weights With Available Power Teams.

(Not available in the State of California)

(Not available in the State of California on Light Duty Emission Vehicle.)


**8500 lbs. on K-1050S

§Automatic Transmission, 4-speed (M20/M40) required for trailering and V8 engine.

Minimum Equipment Required for Trailer Special Packages: (RPO 282) which includes power steering, H. D. battery, nameplate. To obtain (RPO 282) the following must be ordered: M20/M40 transmission, (K-76) generator, heavy-duty cooling, L78-150 tires, (K-90) springs and J85 brakes. See your GMC dealer for details.

JIMMY the track maker

Jimmy 4-wheel-drive models demonstrate a well-mannered breeding on the highways and freeways but a yearning for adventure in out-of-the-way places beyond the boundaries of concrete roads. Jimmy can accommodate your needs in comfort and style with seating available for up to five, ample cargo space, two- and four-wheel-drive models and an available Trailering Package that includes heavy-duty battery, power steering, nameplates and provisions for gross combination weight ratings up to 10,500 lbs. Lets you tow camper or utility trailers up to 6,100 lbs. Standard driver's seat plus available companion front bucket and three-passenger rear bench seat lets five ride inside. Removing the rear seat provides interior cargo space for camping or work gear. With an available fast-folding soft top you can ride Safari-style with the sides rolled up or in the sun with top compactly folded away. It's our convertible.



FULL-TIME FOUR-WHEEL-DRIVE

Full-time four-wheel-drive is included on Jimmy "K" models with available automatic transmission. A simple five-position control lever lets you control transfer case from inside the cab. No getting out to engage front hubs. Constant drive power at all four wheels lets you enjoy balanced traction and driving power at all times. A Trailering Special Package is available that lets you tow up to 6,100 lbs. Conventional four-wheel-drive model, including free-wheeling front hubs, is standard with manual transmission.



JIMMY CASA GRANDE

The Casa Grande fiber glass reinforced plastic camper body is available as an integral unit on four-wheel-drive Jimmy models. Get on-the-trail comfort with an expandable top that allows over six feet of headroom. Interior features include two-burner LPG stove, icebox, five-gallon water tank, stainless-steel sink and drain, demountable dinette table, indoor-outdoor carpeting, curtains and sleeping for two. Available overhead bunks let you sleep two more. It's super to go 4-wheelin' with a Casa Grande.



JIMMY TRAILERING GUIDE

MODEL	ENGINE	TRANSMISSION	GCW IN LBS. BY AXLE RATIO*					
			8000	8500	9000	9500	10,500	11,500
C-1500	305-21	Hydra-Matic 4-Speed	3.07	—	—	3.73	4.11	—
C-1500	350-4					3.73		
K-1500	305-21	Hydra-Matic 4-Speed	3.07	—	—	3.73	—	—
K-1500	400-4					3.73		
GCW	Shown on Trailering Special Nameplate		8000			10,000		
Steering	Variable Ratio, Hydraulic Power							
Battery	H.D. 80 Amp-Hr., 4000 Watts @ 0° Capacity							
Nameplate	8,000, 10,000, 13,000 & 14,000 lbs. (See GMC Dealer for Full Details)							

*Gross Combination Weight (GCW) Includes Loaded Truck & Trailer Weights With Available Power Teams
Minimum equipment required for trailering special packages includes available 61 amp. generator (including with air conditioning), cooling (not required when air conditioning or Turbo Hydra-matic is specified), Heavy duty rear springs and H78-158 tires on 1500 Models.
†Not available in the State of California.

RALLY

Rally Wagon and STX models are available in 110" and 125" wheelbase dimensions and in one-half-, three-quarter- and one-ton models. Take advantage of the carrying capacity combined with comfortable available seating for up to twelve.

A quick-release feature on the standard and available rear seats quickly converts Rally from a people mover to a cargo hauler. Rear catch hooks and front cam-type latches lock onto anchor pins in the floor anchor plates. Releasing the front latch allows seats to be quickly removed for big cargo utilization. With proper selection of available engine and driveline components you have added versatility for camper or utility trailers up to 6860 lbs.

Standard or Custom Rally interiors feature low-back front bucket seats or available high back front bucket seats and a rear passenger bench seat with embossed all-vinyl trim. Rally STX interiors feature high-back front bucket seats and a rear passenger bench seat, choice of durable custom vinyl or custom cloth and vinyl trim and full-length, color-keyed carpeting. Reclining, high-back swivel front bucket seats with integral folding armrests and custom cloth and vinyl trim are available.



Standard Rally seating includes front driver and passenger bucket seats plus standard three-passenger rear bench seat. Seating for eight on three-quarter- and one-ton models is provided with available second rear passenger seat. Twelve-passenger seating capacity is available on one-ton models with available four-passenger third rear seat. Seat belts are provided for all passenger seating locations.



our biggest wagon



GMC Rally Wagon and STX models with roomy passenger comfort and big cargo capacity are ideal for family vacation travel. Interior comfort and convenience features help ease the hours of long distance driving. Available dealer-installed AM or AM/FM radio and 8-track stereo combinations provide

listening entertainment and enjoyment. Available power steering, Comfortilt steering wheel and speed and cruise control provide reduced driving effort. Generous cargo capacity and trailering capability allow room for gear. GMC Rally — for real enjoyment value. See your GMC dealer.

VANDURA/RALLY TRAILER TOWING EQUIPMENT SELECTOR GUIDE

MODEL	ENGINE	TRANSMISSION	GCW IN LBS. BY AXLE RATIO*					
			6500	8000†	9000	9500	10,500	11,500
G-3500 Vandura & Rally 110" W/B	305-2† 350-4	Hydra-Matic	3.07	3.40	—	—	—	—
G-1500 Vandura 125" W/B	305-2† 350-4	Hydra-Matic	3.07	3.40	—	—	—	
G-1500 Rally 125" W/B	350-4	Hydra-Matic	—	3.07	3.40	3.73	—	
G-2500 — All	310-4 400-6	Hydra-Matic Hydra-Matic	—	—	3.40	—	—	
G-3500 Vandura	310-4 400-6	Hydra-Matic Hydra-Matic	—	—	3.21	3.73	4.10	
G-3500 Rally	350-4 400-6	Hydra-Matic Hydra-Matic	—	—	—	3.73	4.10	
			—	—	3.21	—	3.73	

†Not available in State of California. *Gross Combination Weight (GCW) Includes Loaded Truck & Trailer Weights With Available Power Teams. †2500 GCW With 305 V8.

MINIMUM EQUIPMENT REQUIRED FOR TRAILER TOWING

SERIES MODEL	VANDURA			RALLY	
	G-1500	G-2500	G-3500	G-2500	G-3500
Battery	Avail. H.D. 80-Amp-Hr., 4000 Watts at 0°F Capacity				
Cooling	Avail. Heavy-Duty Included With Air Conditioning ‡				
Generator	Avail. 61-Amp Included With Air Conditioning ‡				
Steering	Avail. Power				
Brakes	Avail. Power †	Power — Standard			Power — Standard
Springs, Rear	Avail. H.D.	Standard			Standard
Tires	G78-15B	J78-15B Standard	8.75-16.5C	G78-15B	J78-15B Standard
					8.75-16.5C

‡Included with Turbo Hydra-matic on G-2500 and G-3500 models.

†Trailers over 2000 lbs. require 61 amp generator.

NOTE: 282 Trailering Special Equipment is not available on G-1500 to G-3500 Models.

VANDURA



...lets you be creative

The same practical van value that makes Vandura a popular choice for straight commercial van applications also makes it an ideal choice for recreational and custom uses. Take advantage of the 125" wheelbase. Vandura's maximum interior space of 296 cubic feet helps add to the customizing features to suit your tastes. Available equipment includes: AM or AM/FM radio, rear speaker for added music listening and enjoyment; speed and cruise control, power steering, automatic transmission, Comfortilt steering wheel for driving comfort, regular high-back driver and companion bucket seats have vinyl trim, reclining high-back, swivel driver and companion seats are trimmed in choice of deeply embossed custom vinyl

or custom cloth and vinyl in exciting new colors and patterns.

New Personal Use Package, Gypsy (ZM1) and Gaucho model, offer the custom van enthusiast two different interior trim combinations. The Gypsy Option Package (ZM1), shown at right, includes; driver and companion reclining, swivel bucket seats with integral armrests; entire roof and walls and upper half of doors in rear cargo area are insulated with thick fiber glass then covered with attractive finished plywood paneling; full-length black rubber floor mat over insulation, including wheel housings makes it easy for you to trim-out the interior the way you want it.

Gaucho model, top right, offers



a finished van interior designed for spacious, comfortable passenger seating for five, plus large cargo area with tie-down provisions for bikes, snowmobiles or your special machine. Cargo area has finished plywood paneling over thick insulation. Leave it or finish to your needs and taste.

Available 110" and 125" wheelbase dimensions with GVW's up to 8,400 lbs. make Vandura models a popular choice for recreational vehicle conversions.

Available equipment gives Vandura added versatility by providing for trailering up to a GCW of 11,500 lbs.

SPRINT



The Elegant, Practical Machine

Sprint offers pickup cargo carrying capability with sedan-like styling and comfort with available equipment. The practical 6½-foot cargo box allows general utility hauling while available dealer-installed factory trailer hitches provide for

towing up to 4,000 lbs. of trailer and load. There are extra features like the standard air adjustable rear shock absorbers that trim Sprint's attitude to compensate for varying tongue loads and help prevent bottoming out. Let your GMC dealer tell you more about Sprint.

MINI-MOTORHOMES

Mini-Motorhomes take full advantage of the proven light-duty forward control van design of GMC's Rally Camper Special model. R.C.S. chassis are available in 125" and 146" wheelbase dimensions with standard 350 CID, 4-bbl., V8 or available 400 CID, 4-bbl., V8. Other standard equipment features include integral power steering, automatic transmission with heavy-duty cooling, 33-gallon fuel tank, heavy duty generator, power front disc and rear drum brakes (heavy-duty power on 146" wheelbase models) and

front stabilizer bar. A heavy-duty battery and gauge-type instrument cluster are also included for 146" wheelbase models. The 125" wheelbase models provide a GVW capacity of 8,900 lbs. with available dual rear wheels. The 146" wheelbase model with standard dual rear wheels, hefty 7,500-lb. capacity Dana rear axle and increased capacity springs provides a GVW rating of 10,500 lbs. for larger, longer bodies. Your GMC dealer can help you choose the model to meet your needs.

Vehicles shown illustrate standard or available factory-installed equipment unless noted as dealer installed accessories. Items referred to as options or available are at extra cost. Different model applications of the components that are listed in accompanying tables as well as other items of factory-installed equipment may be ordered through your GMC Dealer.



TONNEAU CARGO BOX COVER AND CARGO BOX SIDERAILS

Give your Sprint that added touch of elegance with an attractive tonneau cargo box cover. Available in either black or white vinyl. Cargo box siderails are also available.



GMC Truck & Coach Division reserves the right to make changes at any time without notice in prices, colors, materials, equipment, specifications and models and also to discontinue models. Data shown is basic information for the prospective buyer effective at time of issuance of this pamphlet. Dealer will provide complete up-to-date information on available equipment, specifications, etc. not shown here.



GMC TRUCK & COACH

GENERAL MOTORS CORPORATION

Pontiac, Michigan 48053