

PRICE LIST OF PARTS



“LITTLE SIX”  
“LIGHT SIX”



1912

Chevrolet Motor Company  
Flint, Michigan, U. S. A.

**PRICE LIST OF PARTS**



**“LITTLE SIX”**

**“LIGHT SIX”**

---

---



**1912**

**Chevrolet Motor Company**

**Flint, Michigan, U. S. A.**

---

## FOREWORD

---

In the preparation of this List of Parts, an effort has been made to keep in mind, not the accomplished mechanic, but rather the average owner of the car with no special training or perfect knowledge of automobile parts. Consequently, this list shows the various parts and their assemblies, as far as possible, in their natural order of sequence, and as they are handled and assembled in our factory, so that their names may be easily ascertained as they are followed from one part to another, using this list as a guide.

The terms "Right" and "Left" are used in regard to parts that require them, as the driver sits in the car.

In order that it may be easily seen of what parts an assembly consists, it will be noticed that all assemblies begin with capital letters, and end with four stars.

As this Catalogue is intended to cover all parts on Models Little Six and Light Six, let it be understood that the absence of any explanation after the name of any part, means that that part is used on both of the above named Models; and only when a part is not used on both of them, will there appear the name of the Model on which it is used.

When a part is used on any other of our Models beside the Little Six or Light Six, it has been thought best to so state it, for the convenience of all those handling our repair parts.

Minor parts used in all Models, and in various places, such as screws, nuts, cotter pins, etc., are not priced in the main body of this list, but will be found elsewhere under the title of "Standard Parts" in numerical order, and their prices shown therein.

These Standard Parts, it will be noticed, have not been printed on the same margin with the regular or principal parts, in order to facilitate the work of looking for the latter.

In ordering a part, give its Number, Name and the Model of the car for which it is required, but, should you be in any doubt, give a full description of the same, and, even better yet, send us the broken part that needs to be replaced, if possible, being sure that your name and address are plainly written on the package, and write to us stating the date when you sent such a package, so that we may be able to identify it readily when it arrives.

Never enclose a letter in the package, for if this be lost, your letter will be lost with it, too.

In case of any claim for shortage or error in our handling of an order for parts, such claim must be made upon receipt of the goods, and the **original packing slip** accompanying the goods **must** be sent with the claim.

We assume no responsibility for delay or damage to goods while in transit. Our responsibility ceases when we deliver them to the Transportation Companies.

**We reserve the right to make changes in prices on this List without advance notice, and also to change the construction of any part in design or material, without incurring the obligation of installing such changes on cars already delivered.**

The Car Number of the Little Six Model is to be found on a plate attached to the right rear end of the upper Crank Case, and the number of the Light Six Car is on the hub of the Steering Wheel Spider, and also on the Frame Middle Cross Member Front, to the right of the Hand Control Lever.

CHEVROLET MOTOR COMPANY,  
Flint, Mich., U. S. A.



# INDEX OF ASSEMBLIES

---

FRAME—(Complete with all riveted and bolted parts).....	9-11
FRONT SPRINGS.....	11-12
REAR SIDE SPRINGS.....	12-13
TRANSVERSE SPRINGS .....	13
FRONT AXLE.....	13-15
I-Beam.....	13-14
Steering Knuckles.....	14
Arms.....	14
Tie Rod.....	15
REAR AXLE (For Little Six).....	16-24
THIRD MEMBER.....	16-17
Yoke.....	16
Shifting Forks .....	16
Propeller Shaft.....	16
Propeller Shaft Housing.....	17
TRANSMISSION .....	17-20
Transmission Case.....	17
Countershaft.....	17
Transmission Gears.....	18
Shifter Locating Plunger.....	19-20
REAR AXLE HOUSING.....	20-21
Gear Case.....	20
Main Tubes.....	20
Brake Shaft Supports.....	20
Spring Seat Spacers.....	20
Flanges.....	20
Truss Rods.....	21

DIFFERENTIAL.....	21
MAIN SHAFTS.....	22
INTERNAL BRAKE.....	22-23
EXTERNAL BRAKE.....	23-24
BRACE RODS.....	24
REAR AXLE (For Light Six).....	24-33
<b>THIRD MEMBER</b> .....	24-25
Yoke.....	24
Shifting Forks.....	25
Propeller Shaft.....	25
Propeller Shaft Housing.....	25
<b>TRANSMISSION</b> .....	25-28
Transmission Case.....	25-26
Countershaft.....	26
Transmission Gears.....	26-27
Shifter Locating Plunger.....	28
<b>REAR AXLE HOUSING</b> .....	28-29
Gear Case.....	28-30
Main Tubes.....	29
Brake Shaft Supports.....	29
Spring Seat.....	29
Brake Flange Disk.....	30
Truss Rods.....	29
<b>DIFFERENTIAL</b> .....	30
<b>MAIN SHAFTS</b> .....	30
<b>INTERNAL BRAKE</b> .....	31-32
<b>EXTERNAL BRAKE</b> .....	32-33
<b>BRACE RODS</b> .....	33
RADIATOR.....	33-34
Radiator Brace Rod.....	34
MOTOR.....	34-17
Fan.....	34-35
Cylinders.....	35
Valves.....	36
Valve Lifters.....	36

Cylinder Covers.....	36
Cam Shaft.....	36-37
Water Heads.....	37-38
Piston.....	38
Connecting Rod.....	38
Crank Shaft.....	38-39
Crank Case.....	39-40
Crank Case Cover.....	40
Starting Crank.....	40-41
Oil Tank.....	41-42
Oil Pump and Connections.....	42-43
Air Pump.....	43
Water Inlet Pipe.....	43
Intake Manifold and Carburetor.....	44
Exhaust Manifold.....	44-45
Electrical Parts (Motor).....	45-46
(For other Electrical parts, see "Electric Lights," "Electric Starter" and "Ignition.")	
Breather Tube.....	46
Ply Wheel.....	46
Motor Hanger.....	46
<b>CLUTCH.....</b>	<b>47-49</b>
<b>UNIVERSAL JOINT.....</b>	<b>49</b>
<b>EXHAUST PIPE.....</b>	<b>50</b>
<b>MUFFLER.....</b>	<b>50</b>
Muffler Hanger.....	50
Muffler Cutout Valve.....	51
<b>MUFFLER CUT OUT PEDAL AND CONNECTIONS TO MUFFLER.....</b>	<b>51-52</b>
<b>GASOLINE TANK AND FEED PIPE.....</b>	<b>52</b>
<b>AIR PRESSURE SYSTEM.....</b>	<b>53-54</b>
<b>HAND AIR PUMP.....</b>	<b>53</b>
<b>PRESSURE PIPES AND GAUGE.....</b>	<b>53-54</b>
<b>STEERING GEAR (Little Six).....</b>	<b>54-56</b>
<b>STEERING GEAR (Light Six).....</b>	<b>56-57</b>

STEERING CONNECTING ROD.....	57
LOWER SPARK CONNECTIONS.....	58
LOWER THROTTLE CONNECTIONS.....	58
ACCELERATOR.....	59
CARBURETOR CHOKE ROD.....	59-60
HAND CONTROL.....	60-61
Hand Control Lever.....	60
Emergency Brake Lever.....	60-61
FOOT CONTROL.....	62
Clutch Pedal.....	62
Brake Pedal.....	62
Clutch Shifter Yoke.....	62
Pedal Shaft Bracket.....	62
BRAKE PULL RODS.....	62-64
BRAKE EQUALIZER.....	64
FRONT WHEELS.....	65-66
REAR WHEELS.....	66-67
BODY AND BODY PARTS.....	67-70
HOOD AND HOOD PARTS.....	70
FENDERS, RUNNING BOARDS & RUNNING BOARD APRONS.....	70-72
EQUIPMENT.....	72-75
Top.....	72
Top Rest and Goose Neck Irons.....	72-73
Wind Shield.....	73
Speedometer.....	73-74
Horn.....	74-75
ELECTRIC LIGHTS.....	75
ELECTRIC STARTER.....	75-77
IGNITION.....	77-78
TOOLS.....	78
STANDARD PARTS.....	79-84

# Models Little Six and Light Six

## PARTS PRICE LIST

Part No.	NAME	No. Used	Price Each
<b>FRAME</b>			
3270	FRAME ASSEMBLY (Complete with all Riveted Parts) (Little Six).....	1	\$72.70
3539	FRAME ASSEMBLY (Complete with all Riveted Parts) (Light Six).....	1	72.70
12140	Frame (Drilled only) (Little Six).....	1	50.00
3398	Frame (Drilled only) (Light Six).....	1	50.00
3512	Side Member, Right (Little Six).....	1	19.20
FX-425-R	Side Member, Right (Light Six).....	1	19.20
3513	Side Member, Left (Little Six).....	1	19.20
FX-425-L	Side Member, Left (Light Six).....	1	19.20
FW-3701	Front Cross Member (Little Six).....	1	4.65
FW-3701-1	Front Cross Member (Light Six).....	1	8.85
FW-1001	Middle Cross Member, Front.....	1	6.50
FW-1501	Middle Cross Member, Rear.....	1	8.00
FV-1601	Rear Cross Member.....	1	3.00
FU-1307-R	Rear Corner Gusset, Upper Right.....	1	.25
FU-11307-L	Rear Corner Gusset, Upper Left.....	1	.25
FU-1321-R	Rear Corner Gusset, Lower Right.....	1	.45
FU-1321-L	Rear Corner Gusset, Lower Left.....	1	.45
FZ-376-11	Front Spring Hanger, Right Front.....	1	1.70
FZ-377-11	Front Spring Hanger, Left Front.....	1	1.70
13986	Front Lamp Bracket, Right (Little Six)....	1	1.10
12986	Front Lamp Bracket, Left (Little Six)....	1	1.10
20054-B	Front Lamp Bracket (Light Six).....	2	1.00
12981	Front Fender Iron Bracket.....	2	.25
12522	Front Spring Hanger, Rear.....	2	.40
2940	Step Hanger (Also used on Model C).....	4	.70
12903	Emergency Brake Lever Support.....	1	.35
12552	Rear Side Spring Hanger.....	2	2.30

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3007	Tail Lamp Bracket (Little Six) (For Tail Lamp Bracket for Light Six see below, among bolted parts of Frame).....	1	.25
12548	Transverse Spring Hanger (Little Six).....	1	2.50
3246	Transverse Spring Hanger (Light Six).....	1	2.00
3216	Third Member Yoke Bracket (Complete with cap, cap not sold separately).....	1	4.20
3244	Gasoline Tank Support, Right (Light Six)	1	1.35
3243	Gasoline Tank Support, Left (Light Six)...	1	1.35
* * * *			
3101	Front Lamp Bracket Tie Rod (Little Six)...	1	.25
3505-L	Front Lamp Bracket Tie Rod (Light Six)...	1	.20
1163-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. (Nickel Plated) .....	4	
13602	Steering Gear Frame Bracket.....	1	1.65
1022-Std.	Hex. Cap Screw, $\frac{3}{8}$ "-16x1" U. S. S. ....	7	
1007-Std.	Lock Washer, $\frac{3}{8}$ ".....	7	
1008-Std.	Hex. Nut, $\frac{3}{8}$ "-16 U. S. S. ....	7	
1164-Std.	Hex. Cap Screw, $\frac{1}{2}$ "-14x1 $\frac{1}{4}$ " U. S. S. (Clamp Screw).....	1	
1035-Std.	Lock Washer, $\frac{1}{2}$ ".....	1	
3118	Battery Holder Support, Front (Little Six)	1	1.90
3119	Battery Holder Support, Rear (Little Six)	1	1.90
1003-Std.	Hex. Cap Screw, $\frac{3}{8}$ "-18x1" U. S. S. ....	6	
1004-Std.	Hex. Nut, $\frac{3}{8}$ "-18 U. S. S. ....	6	
1005-Std.	Lock Washer, $\frac{3}{8}$ ".....	6	
3511	Battery Holder (Angle Iron Frame) (Little Six).....	1	.60
3126	Battery Holder Clamp Bolt (Little Six)....	2	.10
1058-Std.	Cotter Pin, $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	2	
3125	Battery Holder Clamp (Little Six).....	2	2 for .10
1004-Std.	Hex. Nut, $\frac{5}{16}$ "-18 U. S. S. ....	2	
12945	Rear Rubber Bumper (Little Six).....	2	.75
4239	Rear Rubber Bumper (Light Six and Model C).....	2	1.40
1146	Rear Rubber Bumper T-Bolt.....	4	.10
1147-Std.	Hex. Nut, $\frac{1}{2}$ "-20 S. A. E. ....	4	
1038-Std.	Lock Washer, $\frac{1}{2}$ ".....	4	
12922	Tire Iron Upper (Little Six).....	2	1.65
1017-Std.	Hex. Cap Screw, $\frac{3}{8}$ "-16x1 $\frac{1}{4}$ " U. S. S. ....	4	
1007-Std.	Lock Washer, $\frac{3}{8}$ ".....	4	
1008-Std.	Hex. Nut, $\frac{3}{8}$ "-16 U. S. S. ....	4	
12924	Tire Iron, Lower (Little Six).....	1	.70

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1167-Std.	Hex. Nut, $\frac{5}{8}$ "-11 U. S. S. (To retain to Spring Bracket).....	1	
3060	Tire Iron Rim Clip (For Baker Rim) (Little Six).....	6	.25
12923	Tire Iron Rim Clip (For Detroit Rim) (Little Six and Model C).....	6	.35
MC-3070	Tire Iron, Upper (Light Six).....	2	.90
3260	Tire Iron, Lower (Light Six).....	1	.80
1167-Std.	Hex. Nut, $\frac{5}{8}$ "-11 U. S. S.....	3	
3420	Tire Iron Rim Clip (Bronze) (Light Six) (For Firestone Rim).....	6	.50
12925	Tire Iron Rim Clip Spring (Also used on Model C).....	3	.10
1166-Std.	Hex. Nut, $\frac{3}{4}$ "-16 S. A. E.....	3	
12960	Underpan (Little Six).....	1	6.70
1165-Std.	Round Head Machine Screw, 14-20x $\frac{5}{8}$ ".....	9	
1213-Std.	Round Head Machine Screw, 14-20x1".....	1	
1092-Std.	Hex. Nut, 14-20.....	10	
1014-Std.	Lock Washer, $\frac{1}{4}$ ".....	10	
3235	Underpan (Light Six).....	1	10.25
956-Std.	Round Head Machine Screw No. 10-24x $\frac{5}{8}$ ".....	4	
1032-Std.	Hex. Machine Nut. No. 10-24.....	4	
1033-Std.	Lock Washer, $\frac{1}{8}$ ".....	4	
3415	Tail Lamp and License Bracket (Light Six).....	1	.60
1003-Std.	Hex. Cap Screw, $\frac{1}{8}$ "-18 x 1" U. S. S.....	2	
1004-Std.	Hex. Nut, $\frac{1}{8}$ "-18 U. S. S.....	2	
1005-Std.	Lock Washer, $\frac{1}{8}$ ".....	2	

### FRONT SPRINGS

12528	Front Spring (Little Six).....	2	3.50
3289	Front Spring (Light Six).....	2	4.85
3141	Center Bolt and Nut.....	2	2 for .10
3133	Front Spring Shim.....	2	.25
3326	FRONT RUBBER BUMPER ASSEMBLY.....	2	.40
3009	Front Rubber Bumper Bracket.....	2	.15
12946	Front Rubber Bumper.....	2	.25

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1144-Std.	Button Head Machine Bolt $\frac{1}{4}$ "-20x $2\frac{1}{4}$ " and Square Nut $\frac{1}{4}$ "-20 U. S. S.	2	
* * * * *			
12654	Spring Axle Clip.....	4	.25
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	8	
1143-Std.	Hex. Nut $\frac{1}{8}$ "-14 U. S. S.....	8	
3000	Spring Bolt, Front (less Cap).....	2	.35
3193	Spring Bolt Grease Cup Cap.....	2	.30
1142-Std.	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	
3002	Spring Bolt, Lower (Rear Right).....	1	.30
3006	Spring Bolt, Lower (Rear Left).....	1	.30
1142-Std.	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	
6524	Front Spring Shackle.....	2	.50
3001	Spring Bolt, Upper (Less Cap).....	2	.35
3193	Spring Bolt Grease Cup Cap.....	2	.30
1142-Std.	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	
1016-Std.	Bowen Grease Cup No. 000 (Light Six).....	2	

### REAR SIDE SPRINGS

12556	Rear Side Spring (Little Six).....	2	4.60
3290	Rear Side Spring (Light Six).....	2	5.60
3215	Center Bolt and Nut.....	2	.10
6574	Spring Axle Clip Spacer.....	2	.10
3136	Spring Axle Clip.....	4	.20
1143-Std.	Hex. Nut $\frac{1}{8}$ "-14 U. S. S.....	8	
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	8	
18553	Front Link, Right.....	1	1.20
12553	Front Link, Left.....	1	1.20
3003	Front Link Bolt.....	2	.30
1142-Std.	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	
12549	Front Hanger Washer.....	2	2 for .10
1145-Std.	Cotter Pin $\frac{3}{8}$ "x1".....	2	
1016-Std.	Bowen Grease Cup No. 000.....	2	
3001	Spring Bolt, Rear (Less Cap).....	2	.35



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3193	Spring Bolt, Grease Cup Cap.....	2	.30
1142-Std.	Hex. Castle Nut $\frac{3}{16}$ " 18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	
6551	Rear Shackle.....	8	.30
6555	Rear Spring Universal Joint.....	2	.70
1041-Std.	Bowen Grease Cup No. 00.....	2	
3002	Universal Joint Bolt.....	4	.30
1142-Std.	Hex. Castle Nut $\frac{3}{16}$ "-18 S. A. E.....	4	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	4	
3001	Spring Bolt (Less Cap).....	2	.35
3193	Spring Bolt Grease Cup Cap.....	2	.30
1142-Std.	Hex. Castle Nut $\frac{3}{16}$ "-18 S. A. E.....	2	
1116-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	2	

### TRANSVERSE SPRING

12557	Transverse Spring (Little Six).....	1	4.00
3291	Transverse Spring (Light Six).....	1	4.00
3301	Transverse Spring Center Washer (Light Six).....		1.10
3214	Center Bolt and Nut.....	1	.10
3026	Transverse Spring Clip (Little Six).....	2	.20
12654	Transverse Spring Clip (Light Six).....	2	.25
1143-Std.	Hex. Nut $\frac{1}{8}$ "-14 U. S. S.....	4	
1035-Std.	Lock Washer $\frac{7}{16}$ ".....	4	
3322	Transverse Spring Clip Spacer (Light Six)...	1	.10
3001	Spring Bolt (Less Cap).....	6	.35
3193	Spring Bolt Grease Cup Cap.....	6	.30

### FRONT AXLE

2948	Front Axle Complete 56" Tread (Less Wheel Parts) (Little Six).....	1	48.50
3851-SK	Front Axle Complete 56" Tread (Less Wheel Parts) (Light Six).....	1	48.50
2949	Front Axle Complete 60" Tread (Less Wheel Parts) (Little Six).....	1	50.00
4416	Front Axle Complete 60" Tread (Less Wheel Parts) (Light Six).....	1	50.00
1973	Front Axle I-Beam with Integral Yokes and Spring Seats 56" Tread (Little Six).....	1	23.50

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
4417	Foot Axle I-Beam with Integral Yokes and Spring Seats 56" Tread (Light Six).....	1	23.50
1436-SF	Stop Screw (Light Six).....	2	.10
902-Std.	Hex. Nut $\frac{1}{16}$ "-20.....	2	
2928	Front Axle I-Beam with Integral Yokes and Spring Seats 60" Tread (Little Six).....	1	25.50
3020-KA	Front Axle I-Beam with Integral Yokes and Spring Seats 60" Tread (Light Six).....	1	25.50
1976	Knuckle, Right (With Bushing and Stationary Cone) (Little Six).....	1	7.00
4419	Knuckle, Right (With Bushing and Stationary Conc) (Light Six).....	1	7.80
1077	Knuckle, Left (With Bushing and Stationary Cone (Little Six).....		7.00
4420	Knuckle, Left (With Bushing and Stationary Conc) (Light Six).....	1	7.80
2001	Knuckle Bushing (Little Six).....	4	.60
60SC	Knuckle Bushing (Light Six).....	4	.50
92	Stationary Cone (Little Six).....	2	1.05
1624-S	Stationary Cone (Light Six).....	2	1.80
93	Adjusting Cone, Right (Little Six).....	1	.90
94	Adjusting Cone, Left (Little Six).....	1	.90
1402-S	Adjusting Cone (Light Six).....	2	.90
100	Spindle Nut, Right (Little Six).....	1	.25
161-SQ	Spindle Nut, Right (Light Six).....	1	.35
101	Spindle Nut, Left (Little Six).....	1	.25
161-S-3	Spindle Nut, Left (Light Six).....	1	.35
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ ".....	2	
538	King Bolt (Little Six).....	2	1.25
2252-K	King Bolt (Light Six).....	2	1.60
1975	King Bolt Washer (Little Six).....	2	.10
1132-SA	King Bolt Washer (Light Six).....	2	.25
539	King Bolt Nut (Little Six).....	2	.15
160-SG	King Bolt Nut (Light Six).....	2	.20
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ ".....	2	
1041-Std.	Bowen Grease Cup No. 00.....	2	
2066	Plain Arm (Little Six).....	1	2.65
3851-KY	Plain Arm (Light Six).....	1	2.65
2067	Steering and Third Arm (Little Six).....	1	7.40
3808-K-3	Steering and Third Arm (Light Six).....	1	7.40
26	Steering Arm Nut (Little Six and Model C)...	2	.20
160-SH	Steering Arm Nut (Light Six).....	2	.20
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ ".....	2	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
33	Steering and Third Arm Ball (Little Six and Model C).....	1	.70
1947-S	Steering and Third Arm Ball (Light Six).....	1	.75
34	Steering and Third Arm Ball Nut (Little Six and Model C).....	1	.10
1100-Std.	Cotter Pin $\frac{3}{8}$ "x1 $\frac{1}{4}$ ".....	1	
* * * *			
2946	TIE ROD ASSEMBLY 56" Tread (For Little Six).....	1	6.50
2945	Tie Rod Tube with Stationary Yoke, 56" Tread.....	1	4.65
2065	Tie Rod Adjusting Yoke.....	1	1.65
1134	Tie Rod Adjusting Yoke Clamp Nut (Special) (Also used on Model C).....	1	.60
1181	Tie Rod Adjusting Yoke Check Nut (7/8"-20 Special).....	1	.40
* * * *			
31	Tie Rod Yoke Bolt.....	2	.80
32	Tie Rod Yoke Bolt Nut.....	2	.35
1136-Std.	Cotter Pin $\frac{1}{8}$ "x1"	2	
1041-Std.	Bowen Grease Cup No. 00.....	2	
* * * *			
4418	TIE ROD ASSEMBLY 56" Tread (For Light Six).....	1	6.00
2779-K	Tie Rod Tube.....	1	3.30
555-KD	Tie Rod Adjusting Yoke.....	2	1.35
350-SP	Tie Rod Adjusting Yoke Clamp Bolt.....	2	2 for .10
180-SA	Clamp Bolt Nut.....	2	3 for .10
1110-SB	Clamp Bolt Lock Washer.....	2	3 for. 10
* * * *			
61-SA	Tie Rod Yoke Bolt.....	2	.60
160-SF	Yoke Bolt Nut.....	2	.10
1016-Std.	Grease Cup No. 000.....	2	
2947	TIE ROD ASSEMBLY 60" Tread (Little Six).....	1	6.80
* * * *			
4421	TIE ROD ASSEMBLY 60" Tread (Light Six).....	1	6.80

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>REAR AXLE</b>			
(For Little Six Only)			
(For Light Six, see page 24)			
2939	Rear Axle and Third Member Complete with Yoke, Transmission and Brakes 56" Tread	1	255.00
2938	Rear Axle and Third Member Complete with Yoke, Transmission and Brakes 60" Tread	1	260.00
2937	Third Member Complete with Yoke, Less Transmission	1	53.40
1990	Third Member Yoke	1	19 60
1209	Third Member Yoke Arm Bushing	2	.45.
1041-Std.	Bowen Grease Cup No. 00 (On Yoke Arms)	2	
3216	Third Member Yoke Bracket (Complete with cap; cap not sold separately) (Also used on Light Six)	1	4.20
12252	Third Member Yoke Arm Pin (Also used on Light Six and H-2 and H-4)	2	.25
1116-Std.	Cotter Pin, 3/8"x1"	4	
2070	Third Member Yoke Body Bushing	2	2.00
1040-Std.	Bowen Grease Cup No. 0 (On Yoke Body)	1	
1041-Std.	Bowen Grease Cup No. 00 (On Yoke Side)	1	
1118-Std.	Pipe Plug, 3/8" (For Oil Hole on Third Member Yoke)	1	
1999	High and Intermediate Gear Shifting Fork (Upper Fork)	1	3.10
1998	Low and Reverse Gear Shifting Fork (Lower Fork)	1	3.10
2079	Gear Shifting Fork Guide Screw	2	2 for .10
2080	Gear Shifting Fork Guide Screw Nut	2	2 for .10
2074	Third Member Yoke Cap Nut	1	1.40
1059-Std.	Cup Point Set Screw, 1/4"x1/2"	2	
1207-Std.	Propeller Shaft Nut; Hex. Castle Nut, 3/4"-16 S. A. E.	1	
1053-Std.	Cotter Pin, 3/8"x1 1/2"	1	
2078	Third Member Yoke Fibre Washer	2	.20
2073	Propeller Shaft	1	8.00
2076	Propeller Shaft Washer, Front (Fibre)	1	2 for .10
2071	Propeller Shaft Bearing (Hyatt)	1	5.80
2077	Propeller Shaft Bearing Washer	2	.15
2075	Propeller Shaft Washer, Rear (Fibre)	1	2 for .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
2936	PROPELLER SHAFT HOUSING ASSEMBLY.....	1	12.05
1992	Third Member Yoke Base.....	1	2.10
928-Std.	Round Head Rivet, $\frac{5}{16}$ " x $\frac{3}{4}$ ".....	4	
2072	Propeller Shaft Housing.....	1	7.50
T-6	Propeller Shaft Housing Base.....	1	2.60
928-Std.	Round Head Rivet, $\frac{5}{16}$ " x $\frac{3}{4}$ ".....	6	
* * * *			
925-Std.	Hex. Cap Screw, $\frac{7}{8}$ "-20x1 $\frac{1}{4}$ " S. A. E. (Propeller Shaft Housing Base to Transmission).....	6	
1035-Std.	Lock Washer, $\frac{7}{8}$ ".....	6	
12579	TRANSMISSION ASSEMBLY.....	1	100.00
2943	TRANSMISSION CASE ASSEMBLY.....	1	33.00
I-101	Transmission Case.....	1	28.00
1120-Std.	Pipe Plug $\frac{3}{8}$ " (Drain Plug).....	1	
1044-Std.	Pipe Plug, $\frac{1}{2}$ " (Front Plug).....	1	
1183-Std.	Pipe Plug $\frac{3}{4}$ " (Rear Plug).....	1	
I-204	Countershaft Bearing Cap.....	2	.70
926-Std.	Hex. Cap Screw $\frac{5}{16}$ "-24x $\frac{1}{2}$ " S. A. E.....	6	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	6	
I-234	Transmission Case Cover.....	1	1.65
H-126	Transmission Case Cover Plug (Also used on Light Six and Model C).....	1	.35
I-239	Transmission Case Cover Gasket.....	1	.30
927-Std.	Hex. Cap Screw $\frac{5}{8}$ "-24x $1\frac{1}{2}$ " S. A. E.....	8	
1005-Std.	Lock Washer $\frac{5}{8}$ ".....	8	
* * * *			
2951	COUNTERSHAFT ASSEMBLY.....	1	31.00
I-200	Countershaft.....	1	3.30
924-Std.	Woodruff Key No. C.....	4	
HA-102	Countershaft Reverse Gear (13-T).....	1	4.40
HA-103	Countershaft Low Gear (18-T).....	1	6.90
HA-104	Countershaft Intermediate Gear (24-T).....	1	8.25
H-110	Countershaft Gear Spacer.....	1	.10
HA-105	Countershaft Drive Gear (28-T).....	1	8.25

\* \* \* \*

Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
I-201-B	Countershaft Hyatt Bearing.....	2	4.50
I-201-C	Countershaft Hyatt Bearing Outer Race....	2	1.50
923-Std.	Fillister Head Screw $\frac{5}{16}$ "-24x $\frac{1}{2}$ " S. A. E. (Lock Screw).....	2	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
I-203	Countershaft Thrust Fibre Washer.....	2	2 for .10
I-202	Countershaft Thrust Washer.....	2	.35
HA-106	Reverse Idler Gear (15-T).....	1	4.80
H-106-A	Reverse Idler Gear Bushing (Replaced by H-106-B).....	1	1.30
H-106-B	Reverse Idler Gear Bearing (Replaces H-106-A).....	1	2.00
H-114	Reverse Idler Gear Shaft.....	1	.75
H-115	Reverse Idler Gear Shaft Set Screw (Fillister Head $\frac{5}{16}$ "-24x2 $\frac{3}{4}$ " (Also used on Light Six and Classic).....	1	.10
H-152	Reverse Idler Gear Shaft Check Nut $\frac{5}{16}$ "-24 (Also used on Light Six).....	1	2 for .10
I-207	Propeller Shaft Driven Gear (14-T).....	1	14.45
I-209	Propeller Shaft Driven Gear Washer, Rear	1	.15
I-208	Propeller Shaft Driven Gear Hyatt Bearing	1	6.75
I-208-A	Hyatt Bearing Outer Race.....	1	2.50
923-Std.	Fillister Head Screw $\frac{5}{16}$ "-24x $\frac{1}{2}$ ".....	1	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	1	
I-210	Propeller Shaft Driven Gear D-Washer, Front.....	1	.35
HA-178	Propeller Shaft Driven Gear Nut (Inner and Outer) (Also used on Light Six and Model C).....	2	.35
HA-179	Propeller Shaft Driven Gear D-Lock Washer (Also used on Light Six and Model C).....	1	.10
I-211	Propeller Shaft Driven Gear Fibre Washer, Front.....	1	.15
H-128	Transmission Square Shaft Journal Bearing	1	2.50
I-205	Transmission Square Shaft.....	1	7.50
HA-107	Low and Reverse Sliding Gear (24-T).....	1	11.00
HA-108	High and Intermediate Sliding Gear (18-T)	1	11.00
H-125	Transmission Square Shaft Clamp.....	1	1.25
920-Std.	Fillister Head Screw $\frac{5}{16}$ "-24 x $1\frac{1}{2}$ " S. A. E. ....	1	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	1	
HA-169	Transmission Square Shaft Tongue Washer	1	.10
HA-168	Transmission Square Shaft Adjusting Fibre Washer.....	1	.10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
HA-167	Transmission Square Shaft Thrust Bearing Cage.....	1	2.25
HA-165	Transmission Square Shaft Thrust Bearing Complete (One ball race and two end Thrusts).....	1	2.75
I-223	Transmission Square Shaft Thrust Bearing Adjusting Plate.....	1	.50
HA-176	Thrust Bearing Adjusting Plate Screw (Fillister Head Screw $\frac{3}{4}$ "-28x $\frac{3}{8}$ ") (Also used on Light Six).....	2	.10
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	2	
I-206-B	Transmission Square Shaft Hyatt Bearing..	1	6.00
I-206-C	Hyatt Bearing Outer Race.....	1	2.25
I-221	Hyatt Bearing Inner Race.....	1	2.00
923-Std.	Fillister Head Screw $\frac{5}{8}$ "-24 x $\frac{1}{2}$ " S. A. E. (Outer Bearing Lock Screw)	1	
1005-Std.	Lock Washer $\frac{5}{8}$ ".....	1	
924-Std.	Woodruff Key No. C.....	1	
H-116	Transmission Square Shaft Nut.....	1	.25
1053-Std.	Cotter Pin $\frac{3}{8}$ "x $1\frac{1}{2}$ ".....	1	
HA-182	Shifter Shaft Housing.....	1	3.00
919-Std.	Hex. Cap Screw $\frac{3}{8}$ "-24x2" S. A. E..	4	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	4	
HA-171	High and Intermediate Shifter Shaft (Upper Shaft).....	1	1.30
HA-173	High and Intermediate Shifter Yoke.....	1	1.15
1130-Std.	Taper Pin. No. 3x $1\frac{1}{2}$ ".....	1	
HA-172	Low and Reverse Shifter Shaft (Lower Shaft).....	1	1.30
HA-174	Low and Reverse Shifter Yoke.....	1	1.15
1130-Std.	Taper Pin No. 3x $1\frac{1}{2}$ ".....	1	
HA-188	Shifter Shaft Neutral Lock (Also used on Light Six).....	1	.15
1129-Std.	Pipe Plug $\frac{3}{8}$ " (On Shifter Shaft Housing Top).....	1	
1183-Std.	Pipe Plug $\frac{1}{4}$ " (On Shifter Shaft Housing Side).....	2	
2950	SHIFTER LOCATING PLUNGER AS- SEMBLY (Also Used on Light Six and Model C).....	2	.85
H-120-C	Shifter Locating Plunger (Also Used on Light Six and Model C).....	2	.20
H-120-D	Shifter Locating Plunger Spring (Also Used on Light Six and Model C).....	2	.10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
H-120-E	Shifter Locating Plunger Pin (Also Used on Light Six and Model C).....	2	2 for .10
H-120-A	Shifter Locating Plunger Shell (Also Used on Light Six and Model C).....	2	.40
H-120-B	Shifter Locating Plunger Nut (Also Used on Light Six and Model C).....	2	2 for .10
* * * *			
* * * * *			
202	Gear Case to Transmission Flange Stud.....	6	.10
909-Std.	Hex. Castle Nut $\frac{1}{2}$ "-20 S. A. E.....	6	
1043-Std.	Cotter Pin $\frac{3}{16}$ "x1".....	6	
2900	REAR AXLE HOUSING ASSEMBLY (56" Tread).....	1	68.50
2899	REAR AXLE HOUSING ASSEMBLY (60" Tread).....	1	70.00
239	Gear Case.....	1	17.35
1044-Std.	Pipe Plug $\frac{1}{2}$ " (Drain Plug).....	1	
1259-Std.	Flat Head Rivet $\frac{3}{8}$ "x1 $\frac{1}{4}$ ".....	16	
244	Gear Case Cover.....	1	3.70
935	Gear Case Cover Gasket.....	1	.20
878-Std.	Fillister Head Screw $\frac{5}{16}$ "-18x1".....	6	
879-Std.	Fillister Head Screw $\frac{5}{16}$ "-18x1 $\frac{1}{2}$ ".....	4	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	10	
1257-Std.	Socket Plug $\frac{3}{4}$ " (Oil Filler Plug)....	1	
1394	Main Tube (56" Tread).....	2	2.60
2924	Main Tube (60" Tread).....	2	2.65
246	Brake Shaft Support.....	2	1.05
1258-Std.	Flat Head Rivet $\frac{3}{8}$ "x1 $\frac{3}{8}$ ".....	4	
918-Std.	Hex. Cap Screw $\frac{3}{4}$ "-24x2 $\frac{1}{2}$ " S. A. E.....	2	
907-Std.	Hex. Castle Nut $\frac{3}{4}$ "-24 S. A. E.....	2	
1058-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{1}{4}$ ".....	2	
1197	Spring Seat Spacer.....	2	.45
1258-Std.	Flat Head Rivet $\frac{3}{8}$ "x1 $\frac{3}{8}$ ".....	4	
145	Spring Seat.....	2	1.90
1041-Std.	Bowen Grease Cup No. 00.....	2	
2060	Brake Flange, Right (56" Tread).....	1	10.00
2926	Brake Flange, Right (60" Tread).....	1	10.00
2061	Brake Flange, Left (56" Tread).....	1	10.00
2925	Brake Flange, Left (60" Tread).....	1	10.00



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1259-Std.	Flat Head Rivet $\frac{3}{8}$ "x1 $\frac{1}{4}$ ".....	16	
1040-Std.	Bowen Grease Cup No. 0.....	2	
2062	Truss Rod, Long (56" Tread).....	1	.90
2063	Truss Rod, Short (56" Tread).....	1	.90
2919	Truss Rod, Long (60" Tread).....	1	.90
2918	Truss Rod, Short (60" Tread).....	1	.90
2081	Brace Rod Spacer (On Truss Rod).....	2	2 for .10
910-Std.	Hex. Castle Nut $\frac{5}{8}$ "-18 S. A. E. (On Truss Rod).....	2	
1065-Std.	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ ".....	2	
232	Truss Rod Turn Buckle.....	1	.60
903-Std.	Turn Buckle Check Nut, Right Hand $\frac{5}{8}$ "-18 S. A. E.....	1	.10
863-Std.	Turn Buckle Check Nut, $\frac{3}{8}$ "-18 S. A. E., L. H. Thread.....	1	.10
* * * *			
477	DIFFERENTIAL ASSEMBLY (13 and 53-T) (Includes Bevel Ring and Pinion)...	1	75.00
261	Bevel Pinion (13-T).....	1	10.20
260	Bevel Ring (53-T).....	1	20.15
1023-Std.	Bevel Ring Rivet, Round Head Rivet $\frac{1}{8}$ "x1 $\frac{3}{8}$ ".....	12	
250	Differential Case (Bevel Ring Half).....	1	12.00
251	Differential Case (Plain Half).....	1	8.60
255	Differential Case Sleeve.....	2	3.00
257	Differential Case Screw (Also Used on Model C).....	12	.20
263	Side Pinion.....	2	5.35
252	Differential Spider (Also Used on Model C)...	1	3.60
254	Spider Pinion (Also Used on Model C).....	4	1.50
* * * *			
438	Differential Bearing.....	2	8.00
4377	Outer Race.....	2	1.50
218	Differential Bearing Cap.....	2	.95
282	Differential Bearing Cap Stud.....	4	2 for .10
909-Std.	Hex. Castle Nut $\frac{1}{2}$ "-20 S. A. E.....	4	
1043-Std.	Cotter Pin $\frac{3}{16}$ "x1".....	4	
1450	Main Shaft Collar Washer (Differential End)	2	.85
1667	Ball Thrust Complete (Includes Ball Race and Two End Thrusts).....	2	2.40
889	Differential Adjusting Nut.....	2	1.35
417	Set Screw.....	2	2 for .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1919	Differential Adjusting Nut Felt Washer.....	10	.10
1920	Differential Adjusting Nut Fibre Washer.....	2	.20
1921	Main Axle Shaft (56" Tread).....	2	8.00
2923	Main Axle Shaft (60" Tread).....	2	8.00
1443	Main Axle Shaft Collar.....	2	1.35
295	Main Shaft Collar Screw, Fillister Head $\frac{3}{8}$ "- 24x1 $\frac{1}{2}$ " Drilled for Wire.....	4	.35
37	Main Shaft Nut (Also Used on Model C as Front Axle Spindle Nut).....	2	.35
1065-Std.	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ ".....	2	
157	Main Shaft Key.....	2	.10
506	Main Shaft Outer Bearing (Bearing only) ..	2	6.90
4378	Outer Race.....	2	2.40
498	Outer Bearing Felt Washer.....	2	2 for .10
499	Outer Bearing Steel Washer.....	6	.85
<b>Internal Brake</b>			
1951	Brake Lever.....	2	.75
906-Std.	Hex. Cap Screw $\frac{3}{8}$ "-24x1 $\frac{3}{8}$ " S. A. E. ....	2	
907-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E. ....	2	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	2	
161	Brake Lever Key.....	2	2 for .10
2056	Brake Shaft, Right (56" Tread).....	1	.95
2922	Brake Shaft, Right (60" Tread).....	1	1.00
2057	Brake Shaft, Left (56" Tread).....	1	.95
2921	Brake Shaft, Left (60" Tread).....	1	1.00
2889	Brake Cam (On Brake Shaft).....	2	.85
161	Brake Cam Key.....	2	2 for .10
1002-Std.	Taper Pin No. 3x1 $\frac{1}{4}$ ".....	2	
1837	Connecting Link.....	2	.90
117	Connecting Link Pin.....	4	.10
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	4	
114	Toggle Link.....	8	.15
116	Toggle Link Pin.....	4	.10
234	Toggle Link Spring.....	4	.15
2898	Brake Band Stop Pin.....	2	.65
2934	INTERNAL BRAKE BAND ASSEMBLY.....	2	4.75
1108	Brake Band.....	2	1.75
1034	Brake Band Stud.....	6	2 for .10
1104	Brake Band Lining.....	2	1.80
914-Std.	Countersunk Copper Rivet No. 8x $\frac{3}{4}$ ".....	16	
916-Std.	Countersunk Copper Rivet No. 8x $\frac{1}{2}$ ".....	24	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1838	Brake Band Lug, Internal.....	4	.35
915-Std.	Countersunk Rivet $\frac{3}{8}$ "x $\frac{1}{4}$ ".....	8	
* * * *			
<b>External Brake</b>			
2048	Brake Lever (On Brake Tube).....	4	.85
906-Std.	Hex. Cap Screw $\frac{3}{8}$ "-24x $\frac{1}{4}$ " S. A. E.	4	
907-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	4	
1058-Std.	Cotter Pin $\frac{3}{32}$ x $\frac{3}{4}$ ".....	4	
161	Brake Lever Key.....	4	2 for .10
2058	Brake Tube, Right (56" Tread).....	1	1.15
2059	Brake Tube, Left (56" Tread).....	1	1.15
2917	Brake Tube, Right (60" Tread).....	1	1.20
2916	Brake Tube, Left (60" Tread).....	1	1.20
2888	Brake Reach Clevis.....	2	.45
904-Std.	Hex Cap Screw $\frac{3}{8}$ "-24x $\frac{1}{4}$ " S. A. E	4	
907-Std.	Hex Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	4	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	4	
518	Brake Reach Release Spring.....	2	.15
284	Brake Band Bracket.....	2	2.55
1166-Std.	Hex Nut $\frac{3}{4}$ "-16 S. A. E.....	2	
1065-Std.	Cotter Pin $\frac{3}{8}$ "x $\frac{1}{4}$ ".....	2	
1136	Brake Band Clip.....	6	.35
901-Std.	Round Head Machine Screw $\frac{3}{4}$ "-20 x $\frac{3}{4}$ " U. S. S.....	18	
900-Std.	Square Nut $\frac{1}{4}$ "-20 U. S. S.....	18	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	18	
1309	Brake Band Clip Spring.....	6	2 for .10
1084-Std.	Plain Washer $\frac{1}{4}$ ".....	12	
1094-Std.	Hex Nut $\frac{1}{4}$ "-20 U. S. S.....	12	
2935	EXTERNAL BRAKE BAND ASSEMBLY	2	4.60
1105	Brake Band.....	1	1.25
1106	Brake Band Lining.....	1	1.90
916-Std.	Countersunk Copper Rivet No. 8x $\frac{1}{2}$ "	32	
914-Std.	Countersunk Copper Rivet No. 8x $\frac{3}{4}$ "	8	
1310	Brake Band Clip Stud.....	6	.10
304	Brake Band Lug, Upper.....	2	.50
305	Brake Band Lug, Lower.....	2	.50
894-Std.	Countersunk Rivet $\frac{3}{16}$ "x $\frac{3}{8}$ ".....	16	

\* \* \* \*

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
306	Brake Band Lug Pin.....	4	.10
241	Brake Link.....	4	.15
242	Brake Reach, Right.....	1	1.20
243	Brake Reach, Left.....	1	1.20
904-Std.	Hex Cap Screw $\frac{3}{8}$ "-24x1 $\frac{1}{4}$ " S. A. E. (Used as Brake Reach Center Screw)	2	
907-Std.	Hex Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	2	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	2	
2069	Axle Brace Rod (56" Tread).....	2	2.10
2920	Axle Brace Rod (60" Tread).....	2	2.15
1147-Std.	Hex Nut $\frac{1}{2}$ "-20 S. A. E. (Forward End of Brace Rod).....	4	
1038-Std.	Lock Washer $\frac{1}{2}$ ".....	4	
1996	Gear Shifting Rod.....	2	1.20
1997	Gear Shifting Rod Adjusting Yoke.....	2	.65
1147-Std.	Hex Nut $\frac{1}{2}$ "-20 S. A. E. (Check Nut on Adjusting Yoke).....	2	
2002	Gear Shifting Rod Yoke Pin.....	4	2 for .10
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	4	

### REAR AXLE

(For Light Six)

(For Little Six, see page 16)

3425	Rear Axle and Third Member, Complete with Yoke Transmission and Brakes, 56" Tread.....	1	285.00
4329	Rear Axle and Third Member Complete with Yoke Transmission and Brakes, 60" Tread	1	290.00
4328	Third Member Complete with Yoke, less Transmission.....	1	53.40
5366-K	Third Member Yoke (With Bushings).....	1	19.60
60-SH	Third Member Yoke Arm Bushing.....	2	.45
1016-Std.	Bowen Grease Cup No. 000 (On Yoke Arms).....	2	
1040-Std.	Bowen Grease Cup No. 0 (On Yoke Body).....	1	
1016-Std.	Bowen Grease Cup No. 000 (On Yoke Side).....	1	
3216	Third Member Yoke Bracket (Complete with Cap; Cap not sold separately) (Also used on Little Six).....	1	4.20
1023-Std.	Round Head Rivet $\frac{1}{8}$ "x1 $\frac{3}{8}$ ".....	8	
12252	Third Member Yoke Arm Pin (Also used on Little Six and H-2 and H-4).....	2	.25

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1116-Std.	Cotter Pin $\frac{3}{8}$ "x1" .....	4	
1118-Std.	Pipe Plug $\frac{3}{8}$ " (For Oil Hole on Third Member Yoke) .....	1	
5426-KA	High and Intermediate Gear Shifting Fork, Upper .....	1	3.10
5425-KA	Low and Reverse Gear Shifting Fork, Lower	1	3.10
2580-S	Gear Shifting Fork Guide Screw .....	2	.20
1004-Std.	Hex Nut $\frac{5}{8}$ "-18 U. S. ....	2	
I-244-FL	Third Member Yoke Cap Nut .....	1	1.80
798-Std.	Hex Cap Screw $\frac{5}{8}$ "-18x1 $\frac{3}{4}$ " U. S. S. (Cap Nut Clamp Screw) .....	1	
1005-Std.	Lock Washer $\frac{5}{8}$ " .....	1	
I-242	Third Member Yoke Fibre Washer .....	1	.30
I-246	Third Member Yoke Retainer Washer (Steel)	1	.15
GI-217-C	Propeller Shaft .....	1	8.00
GI-222	Propeller Shaft Bearing (Hyatt) 2.4885" O. D. x3" .....	1	3.00
GI-142-PW	Propeller Shaft Bearing Retainer Washer ..	2	.10
4330	PROPELLER SHAFT HOUSING ASSEM- BLY .....	1	12.95
GI-320	Third Member Yoke Base .....	1	3.95
GI-219-C	Propeller Shaft Housing (29 $\frac{3}{4}$ " long) .....	1	7.50
GI-213	Propeller Shaft Housing Base .....	1	3.75
* * * *			
652-Std.	Hex Cap Screw $\frac{1}{2}$ "-20x1 $\frac{1}{4}$ " (Pro- peller Shaft Housing Base to Trans- mission) .....	6	
1035-Std.	Lock Washer $\frac{1}{16}$ " .....	6	
4331	TRANSMISSION ASSEMBLY .....	1	136.00
4332	TRANSMISSION CASE ASSEMBLY .....	1	33.00
GI-101	Transmission Case .....	1	28.00
1129-Std.	Pipe Plug $\frac{3}{8}$ " (Drain Plug) .....	1	
882-Std.	Pipe Plug 1" (Front Plug) .....	1	
1183-Std.	Pipe Plug $\frac{1}{4}$ " (Rear Plug) .....	1	
GI-204	Countershaft Bearing Cap .....	2	.70
GI-183	Countershaft Bearing Cap Screw .....	6	2 for .10
1005-Std.	Lock Washer $\frac{1}{8}$ " .....	6	
GI-145	Transmission Case Cover .....	1	1.65

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
H-126	Transmission Case Cover Plug (Also used on Little Six and Model C).....	1	.35
GI-239	Transmission Case Cover Gasket.....	1	.30
GI-150	Transmission Case Cover Screws.....	8	3 for .10
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	8	
* * * *			
4333	COUNTERSHAFT ASSEMBLY.....	1	34.00
GI-200	Countershaft.....	1	4.50
853-Std.	Woodruff Key No. D.....	4	
GI-102	Countershaft Reverse Gear 18-T 6/8 P.....	1	5.00
GI-103	Countershaft Low Gear 17-T 6/8 P.....	1	7.50
GI-104	Countershaft Intermediate Gear 26-T 6/8 P.....	1	9.00
GI-110	Countershaft Gear Spacer, Short (Also used on Model C).....	1	.10
GI-110-L	Countershaft Gear Spacer, Long.....	1	.10
GI-105	Countershaft Drive Gear 32-T 6/8 P.....	1	8.75
* * * *			
GI-208	Countershaft Thrust Fibre Washer.....	2	.10
GI-201	Countershaft Hyatt Bearing.....	2	5.25
GI-201-C	Countershaft Hyatt Bearing Outer Race.....	2	1.50
GI-202	Countershaft Thrust Washer.....	2	.15
I-212	Countershaft Bearing Lock Screw.....	2	3 for .10
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
GI-106	Reverse Idler Gear 16-T 6/8 P.....	1	5.80
G-106-I	Reverse Idler Gear Bearing (Also used on Model C).....	1	2.00
GI-114	Reverse Idler Gear Shaft.....	1	.75
II-115	Reverse Idler Gear Shaft Set Screw (Fillister Head Cap $\frac{5}{16}$ "-2x2 $\frac{3}{8}$ ") (Also used on Little Six and Model C).....	1	.10
II-152	Reverse Idler Gear Shaft Check Nut $\frac{5}{16}$ "-24 (Also used on Little Six).....	1	2 for .10
GI-207	Propeller Shaft Driven Gear 16-T.....	1	17.50
GI-209	Propeller Shaft Driven Gear Washer, Rear.....	1	.10
GI-208	Propeller Shaft Driven Gear Hyatt Bearing.....	1	9.00
GI-208-A	Propeller Shaft Driven Gear Hyatt Bearing Outer Race.....	1	2.50
I-212	Propeller Shaft Driven Gear Hyatt Bearing Lock Screw.....	1	3 for .10
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	1	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
GI-210	Propeller Shaft Driven Gear D-Washer, Front.....	1	.50
HA-178	Propeller Shaft Driven Gear Nut (Inner and Outer) (Also used on Little Six and Model C).....	2	.35
HA-179	Propeller Shaft Driven Gear D Lock Washer (Also used on Little Six and Model C).....	1	.10
GI-211	Propeller Shaft Driven Gear Fiber Washer, Front.....	1	.15
GI-128	Transmission Square Shaft Journal Bearing (Also used on Model C).....	1	2.50
GI-205	Transmission Square Shaft.....	1	7.50
GI-107	Low and Reverse Sliding Gear 31-T 6/8 P....	1	12.00
GI-108	High and Intermediate Sliding Gear 22T 6/8 P.....	1	12.00
GI-125	Transmission Square Shaft Clamp.....	1	1.15
H-151	Transmission Square Shaft Clamp Screw....	1	2 for .10
1005-Std.	Lock Washer $\frac{1}{16}$ ".....	1	
GI-169	Transmission Square Shaft Tongue Washer..	1	.10
GI-168	Transmission Square Shaft Adjustable Fiber Washer.....	1	.10
GI-167	Transmission Square Shaft Thrust Bearing Gage.....	1	1.90
GI-165	Transmission Square Shaft Thrust Bearing, (One Ball Race and Two End Thrusts)....	1	2.75
GI-223	Transmission Square Shaft Thrust Bearing Adjusting Plate.....	1	.50
HA-176	Thrust Bearing Adjusting Plate Screw (Fillister Head $\frac{1}{4}$ "-28x $\frac{5}{8}$ ") (Also used on Little Six).....	2	.10
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	2	
GI-206	Transmission Square Shaft Hyatt Bearing....	1	8.00
GI-206-A	Transmission Square Shaft Hyatt Bearing Outer Race.....	1	2.50
GI-221	Transmission Square Shaft Hyatt Bearing Inner Race.....	1	2.00
923-Std.	Fillister Head Screw $\frac{5}{16}$ "-24x $\frac{1}{2}$ " S. A. E. (Outer Bearing Lock Screw)....	1	
1005-Std.	Lock Washer $\frac{1}{16}$ ".....	1	
853-Std.	Woodruff Key No. D.....	1	
GI-116	Transmission Square Shaft Nut.....	1	.25
1057-Std.	Cotter Pin $\frac{1}{8}$ "x $1\frac{1}{4}$ ".....	1	
GI-182	Shifter Shaft Housing.....	1	3.00
837-Std.	Hex. Cap Screw $\frac{3}{8}$ "-24x1" S. A. E....	4	
1007-Std.	Lock Washer $\frac{3}{4}$ ".....	4	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
GI-171	High and Intermediate Shifter Shaft (Upper Shaft).....	1	1.30
GI-173	High and Intermediate Shifter Yoke.....	1	1.15
933-Std.	Taper Pin No. 4x1 1/4".....	1	
GI-172	Low and Reverse Shifter Shaft (Lower Shaft)	1	1.30
GI-174	Low and Reverse Shifter Yoke.....	1	1.15
933-Std.	Taper Pin No. 4x1 1/4".....	1	
HA-188	Shifter Shaft Neutral Lock (Also used on Little Six).....	1	.15
1044-Std.	Pipe Plug 1/2" (On Shifter Shaft Housing Top).....	1	
1129-Std.	Pipe Plug 3/8" (On Shifter Shaft Housing Side).....	2	
2050	SHIFTER LOCATING PLUNGER ASSEMBLY (Also used on Little Six and Model C).....	2	.85
H-120-C	Shifter Locating Plunger (Also used on Little Six and Model C).....	2	.20
H-120-D	Shifter Locating Plunger Spring (Also used on Little Six and Model C).....	2	.10
H-120-E	Shifter Locating Plunger Pin (Also used on Little Six and Model C).....	2	2 for .10
H-120-A	Shifter Locating Plunger Shell (Also used on Little Six and Model C).....	2	.40
H-120-B	Shifter Locating Plunger Nut (Also used on Little Six and Model C).....	2	2 for .10
* * * *			
1326-S	Gear Case to Transmission Flange Stud.....	6	.10
1147-Std.	Hex. Nut 1/2"-20 S. A. E.....	6	
1038-Std.	Lock Washer 1/2".....	6	
1260-L	REAR AXLE HOUSING ASSEMBLY 56" Tread.....	1	80.00
4334	REAR AXLE HOUSING ASSEMBLY 60" Tread.....	1	85.00
4347	Gear Case (Includes Right and Left Halves which are not sold separately).....	1	25.00
348-SQ	Gear Case Bolts 1 1/8"-14x2 1/8" U. S. S.....	8	2 for .10
1036-Std.	Hex Nut 1 1/8"-14 U. S. S.....	8	
1035-Std.	Lock Washer 1 1/8".....	8	
128-S	Sight Plug 1".....	1	.15
990-S	Sight Plug Leather Washer 3/16"x3/16"x1 1/8".....	1	3 for .10



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
534-S	Drain Plug.....	1	.15
1547-S	Gear Case Cover Plates.....	2	.20
1576-S	Cover Plate Felt Gasket.....	2	3 for .10
1234-Std.	Hex. Cap Screw $\frac{1}{8}$ "-18x $\frac{3}{4}$ " U. S. S.....	4	
1005-Std.	Lock Washer $\frac{1}{8}$ ".....	4	
4671-K-3	Main Tube, Right, 56" Tread (12 $\frac{1}{4}$ "x24 $\frac{1}{4}$ ")	1	6.45
4671-K-5	Main Tube, Right, 60" Tread.....	1	7.50
4671-K-4	Main Tube, Left, 56" Tread (12 $\frac{1}{4}$ "x21 $\frac{1}{2}$ " Long).....	1	4.35
4671-K-6	Main Tube, Left, 60" Tread.....	1	5.50
5087-K	Brake Shaft Support, Right (On Gear Case).....	1	.80
2758-K	Brake Shaft Support, Left (On Gear Case).....	1	.80
1180-Std.	Hex. Cap Screw $\frac{1}{8}$ "-14x1" U. S. S. (Brake Shaft Support Screw).....	4	
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	4	
1016-Std.	Bowen Grease Cup No. 000.....	4	
1635-KI	Spring Seat (Includes Upper and Lower Halves which are not sold separately).....	2	2.70
656-Std.	Square Head Machine Bolt $\frac{1}{8}$ "-14x 3 $\frac{1}{8}$ " U. S. S.....	4	
1036-Std.	Hex. Nut $\frac{1}{8}$ "-14 U. S. S.....	4	
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	4	
2448-S	Spring Seat Anchor Plates.....	2	.15
667-Std.	Round Head Rivet $\frac{3}{8}$ "x $\frac{3}{8}$ ".....	2	
1041-Std.	Bowen Grease Cup No. 00 (At Spring Seat).....	2	
4964-K	Brake Flange Hub.....	2	4.05
666-Std.	Round Head Rivet $\frac{5}{16}$ "x $\frac{11}{16}$ ".....	12	
764-Std.	Bowen Oiler No. 23K (Hub Flange).....	2	
1196-S	Grease Drain Pipe.....	2	.30
4963-KG	Brake Flange Disk.....	2	3.15
665-Std.	Round Head Rivet $\frac{3}{8}$ "x $\frac{11}{16}$ ".....	12	
4945-K	Brake Shaft Boss.....	2	1.35
4925-K	Stop Pin Boss.....	2	1.50
1571-SA	External Brake Band Support.....	2	.35
836-Std.	Round Point Set Screw $\frac{1}{8}$ "-18x $\frac{3}{4}$ ".....	4	
1570-S	External Brake Band Support Set Screw Nut $\frac{5}{16}$ "-18 U. S. S.....	4	3 for .10
1203-SE	External Brake Band Guide.....	2	.25
2415-S	Internal Brake Band Guide.....	8	.15
718-SB	Truss Rod, Long Right (35 $\frac{3}{8}$ " Long).....	1	.85
717-SB	Truss Rod, Short Left (15" Long).....	1	.35
4346	Truss Rod, Long Right 60" Tread.....	1	.85
2393-S	Truss Rod Turn Buckle.....	1	.60

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
170-SY	Lock Nut $\frac{3}{8}$ "-20.....	1	.10
170-S-1	Lock Nut.....	1	.10
* * * *			
2760-K	DIFFERENTIAL ASSEMBLY (4 to 1) (Includes Bevel Ring and Pinion).....	1	75.00
1787-S	Bevel Pinion 12-T.....	1	10.20
5158-K	Bevel Ring 49-T.....	1	23.00
2760-KH	Bevel Ring Bolt.....	12	.10
2760-KB	Differential Case (Bevel Ring Half).....	1	12.00
2468-KAB	Differential Case (Plain Half).....	1	9.00
2468-KG	Differential Case Sleeve.....	2	2.50
1775-KC	Differential Case Bolts.....	12	.10
1646-KF	Side Pinion.....	2	7.00
1676-KE	Differential Spider.....	1	3.00
1676-KD	Spider Pinion.....	4	2.00
* * * *			
2546-KC	Differential Hyatt Bearing (Bearing Only)	2	4.20
2546-KCA	Differential Hyatt Bearing Outer Race	2	.80
1271-S	Ball Thrust Complete (Includes Ball Race and Two End Thrusts).....	2	2.40
1274-S	Ball Race (With Balls).....	2	.80
1272-SA	End Thrust, Outer.....	2	.90
1273-SA	End Thrust, Inner.....	2	.90
1099-Std.	Steel Balls $\frac{3}{8}$ ".....	12	
4673-K	Differential Adjusting Nut.....	2	1.05
4672-K-3	Main Axle Shaft, Right, 34 $\frac{3}{4}$ ", 56" Tread..	1	8.30
4337	Main Axle Shaft, Right, 60" Tread.....	1	8.30
4672-K-4	Main Axle Shaft, Left, 56" Tread, 31 $\frac{3}{4}$ "..	1	8.00
4338	Main Axle Shaft, Left, 60" Tread.....	1	8.00
80-S	Main Shaft Nut, Inner.....	2	.35
1056-SC	Main Shaft Nut Wire Lock.....	2	2 for .10
161-SV	Main Shaft Nut, Outer (Hex Castle Nut 1" 20 Special).....	2	.45
655-Std.	Cotter Pin $\frac{1}{16}$ "x2".....	2	
1115-SW	Main Shaft Key.....	2	.20
3037-KC	Main Shaft Outer Bearing only.....	2	5.00
3037-KCB	Main Shaft Bearing Inner Race.....	2	3.65
3037-KA	Main Shaft Bearing Outer Race.....	2	4.35
2066-SR	Main Shaft Outer Bearing Felt Washer.....	2	.10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1364-S	Main Shaft Outer Bearing Felt Washer Lock	2	2 for .10
1365-S	Felt Washer Lock Screw.....	2	2 for .10
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
<b>Internal Brake</b>			
1748-SI	Internal Brake Lever.....	2	.75
886-Std.	Hex Cap Screw $\frac{5}{16}$ "-18x1 $\frac{3}{4}$ " U. S. S.	2	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
1127-Std.	Woodruff Key No. 11.....	2	
3414-KJ(R)	Internal Brake Shaft, Right, 56" Tread, $\frac{3}{4}$ " x20 $\frac{5}{16}$ " (With Cam).....	1	1.20
4339	Internal Brake Shaft, Right, 60" Tread (With Cam).....	1	1.40
3414-KJ(L)	Internal Brake Shaft, Left, 56" Tread, $\frac{3}{4}$ "x 17 $\frac{1}{16}$ " (With Cam).....	1	1.20
4340	Internal Brake Shaft, Left, 60" Tread (With Cam).....	1	1.40
2411-S	Internal Brake Shaft Clamp Collar.....	2	.15
886-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1 $\frac{3}{4}$ " U. S. S.	2	
1004-Std.	Hex. Nut $\frac{5}{16}$ "-18 U. S. S.	2	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
4952-K	Internal Brake Connecting Link.....	2	.90
1060-SF	Internal Brake Connecting Link Pin (Link to Cam).....	2	.10
654-Std.	Plain Washer $\frac{3}{4}$ ".....	8	
1019-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{4}$ ".....	2	
452-SA	Internal Brake Toggle Link.....	2	.20
452-SB	Internal Brake Toggle Link (With one of the holes countersunk).....	2	.20
1060-SA	Internal Brake Connecting Link Pin (At Toggle Links).....	2	.10
2482-S	Toggle Link Spring.....	2	.15
1497-S	STOP PIN ASSEMBLY.....	2	.90
1498-S	Stop Pin Body.....	2	.75
1038-Std.	Lock Washer $\frac{3}{4}$ ".....	2	
1499-S	Stop Pin Head.....	2	.25
* * * *			
4341	INTERNAL BRAKE BAND ASSEMBLY.....	2	4.75
3412-K	Internal Brake Band.....	2	1.75

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3413-K	Internal Brake Band Lining.....	2	1.80
1857-KD	Brake Band Lug, Internal.....	4	.45
* * * *			
1188-SA	Internal Brake Band Lug Pin.....	4	.10
654-Std.	Plain Washer $\frac{3}{4}$ ".....	4	
1019-Std.	Cotter Pin $\frac{1}{2}$ "x $\frac{3}{8}$ ".....	4	
<b>External Brake</b>			
1729-SD	Brake Lever (Inner Lever on Brake Shaft)..	2	.90
886-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1 $\frac{1}{8}$ " U. S. S.	2	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	2	
1127-Std.	Woodruff Key No. 11.....	2	
2449-K-3(R)	Brake Shaft, Right, 56" Tread (19 $\frac{3}{8}$ ")....	1	1.65
2449-K-3(L)	Brake Shaft, Left, 56" Tread (16 $\frac{3}{4}$ ")....	1	1.50
4342	Brake Shaft, Right, 60" Tread.....	1	1.90
4343	Brake Shaft, Left, 60" Tread.....	1	1.80
2411-S	Brake Shaft Clamp Collar.....	2	.15
886-Std.	Hex. Cap Screw $\frac{1}{8}$ "-18x1 $\frac{1}{8}$ " U. S. S.	2	
1004-Std.	Hex. Nut $\frac{1}{8}$ "-18 U. S. S.....	2	
1005-Std.	Lock Washer $\frac{1}{8}$ ".....	2	
2437-S	External Brake Operating Lever (Outer Lever on Brake Shaft).....	2	.90
1436-SA	Brake Operating Lever Adjusting Screw $\frac{1}{8}$ " -18x2 $\frac{1}{4}$ ".....	2	2 for .10
1004-Std.	Hex. Nut $\frac{1}{8}$ "-18 U. S. S.....	2	
2502-S	Brake Reach Clevis.....	2	.55
888-SF	External Brake Reach Clevis Pin.....	4	2 for .10
654-Std.	Plain Washer $\frac{3}{4}$ ".....	2	
1019-Std.	Cotter Pin $\frac{1}{2}$ "x $\frac{3}{8}$ ".....	2	
2009-KE	Brake Reach.....	2	1.80
1422-S	Brake Reach Pin.....	2	.15
1419-SB	Brake Band Connecting Clevis.....	2	.75
1421-S	Brake Band Connecting Clevis Nut ( $\frac{1}{8}$ "x $\frac{1}{8}$ " Thick).....	2	.15
170-SE.	Connecting Clevis Lock Nut $\frac{1}{8}$ "x $\frac{3}{8}$ " Thick)	2	2 for .10
1019-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{8}$ " (Gear Shifting Rod).....	2	
888-SG	Brake Band Lug Pin.....	4	.10
765-S	Washer $\frac{3}{4}$ ".....	4	3 for .10
1019-Std.	Cotter Pin $\frac{1}{2}$ "x $\frac{3}{8}$ ".....	4	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
991-SA	External Brake Band Lug Spring.....	2	.15
4344	EXTERNAL BRAKE BAND ASSEMBLY	2	5.40
3023-KA	External Brake Band.....	2	1.25
3024-KA	External Brake Band Lining.....	2	1.90
3113-K	Brake Band Support Spring.....	2	.20
1572-S	External Brake Band Support Spring Clip	2	.10
5015-K	Brake Anchor Clip.....	2	.50
2204-S	Brake Release Spring.....	2	.10
2887-KA	Brake Band Lug.....	4	.45
* * * *			
3383-K	AXLE BRACE ROD ASSEMBLY.....	1	5.25
3384-K	Axle Brace Rod Tube, 56" Tread (With Welded End 1713-SE).....	2	4.50
1713-SC	Axle Brace Rod Ends (At Third Member Yoke Base).....	2	.90
170-SH	Axle Brace Rod Adjusting Nut.....	2	.10
* * * *			
4345	Axle Brace Rod Tube, 60" Tread.....	2	4.50
1225-SE	Axle Brace Tube Upper End Bolt.....	1	.50
150-SC	Hex. Nut $\frac{5}{8}$ "-20.....	1	.10
1159-Std.	Lock Washer $\frac{5}{8}$ ".....	1	
1932-S	Axle Brace Tube Stud (On Brake Flange Disk).....	2	.50
150-SH	Hex. Nut $\frac{3}{4}$ "-20.....	2	.10
1160-Std.	Lock Washer $\frac{3}{4}$ ".....	2	
2609-S	Gear Shifting Rod (With Yoke).....	2	1.50
888-SB	Gear Shifting Rod Pin (At Shifting Fork)	2	.10
765-S	Plain Washer $\frac{25}{32}$ ".....	2	3 for .10
1019-Std.	Cotter Pins $\frac{3}{32}$ "x $\frac{5}{16}$ ".....	2	
2610-S	Gear Shifting Rod Adjusting Yoke.....	2	.80
1147-Std.	Hex. Nut $\frac{1}{2}$ "-20 S. A. E. (Lock Nut on Adjusting Yoke).....	2	
765-SJ	Washer (16 ga. x $\frac{3}{4}$ O. D. x $\frac{21}{32}$ " I. D.).....	2	.15
2633-SA	Gear Shifting Rod Adjusting Yoke Pin....	2	.20

### RADIATOR AND RADIATOR BRACE ROD

12501	RADIATOR ASSEMBLY (Little Six).....	1	60.00
-------	-------------------------------------	---	-------

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3219	RADIATOR ASSEMBLY (Light Six).....	1	60.00
3296	Filler Cap (Candler) (Little Six).....	1	1.15
3294	Filler Cap (McCord) (Little Six).....	1	1.15
4422	Filler Cap (Light Six).....	1	1.15
3297	Strainer (Candler) (Little Six).....	1	.35
3295	Strainer (McCord) (Little Six).....	1	.35
4423	Strainer (Light Six).....	1	.35
3292	Name Plate (Little Six).....	1	.65
21510-B	Name Plate (Light Six) (Also Used on H-2 and H-4).....	1	.60
1191-Std.	Hex. Cap Screw $\frac{1}{2}$ "-13x1 $\frac{1}{2}$ " U. S. S.	2	
1039-Std.	Hex. Nut $\frac{1}{2}$ "-13 U. S. S.	2	
1038-Std.	Lock Washer $\frac{1}{2}$ "	2	
3293	Radiator Shim.....	2	2 for .10
3004	Radiator Inlet (Little Six) (Brass).....	1	1.50
3288	Radiator Inlet (Light Six).....	1	.50
12502	Radiator Outlet (Little Six) (Brass).....	1	2.15
3234-L	Radiator Outlet (Light Six).....	1	.70
* * * *			
12505	Water Inlet Hose (Little Six).....	1	.60
3473	Water Inlet Hose (Light Six).....	1	.60
12506	Water Outlet Hose (Little Six).....	1	.50
3474	Water Outlet Hose (Light Six).....	1	.50
899-Std.	Inlet Hose Clamp.....	2	
898-Std.	Outlet Hose Clamp.....	2	
958-Std.	Drain Cock $\frac{1}{4}$ "	1	
1227-Std.	Radiator Hood Ledge Lace.....	2	
12512	Radiator Brace Rod (Little Six).....	1	.35
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	1	
1230-Std.	Acorn Nut $\frac{3}{8}$ "-16 U. S. S. (Nickel Plated).....	1	
896-Std.	Plain Washer $\frac{1}{8}$ " (Nickel Plated).....	2	
3476	Radiator Brace Rod (Light Six).....	1	.25
1252-Std.	Plain Washer $\frac{3}{8}$ "	2	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	3	
1007-Std.	Lock Washer $\frac{3}{8}$ "	1	

### MOTOR

#### Fan

12214	Fan (Little Six).....	1	3.70
-------	-----------------------	---	------

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
13214	Fan (Light Six).....	1	2.50
12204	Fan Hub.....	1	1.60
12205	Fan Spindle.....	1	.80
13205	Fan Support.....	1	1.35
12207	Fan Support Stud.....	1	.35
2234	Fan Support Oil Groove Plug (Also Used on Model C).....	1	.10
907-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	1	
2104	Fan Support Washer.....	1	2 for .10
2254	Fan Support Clamp Bolt (Hex. Cap $\frac{3}{8}$ "-24 x $1\frac{3}{8}$ " S. A. E.....	1	.15
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E.....	1	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	1	
895-Std.	Round Head Rivet $\frac{1}{16}$ " x $\frac{1}{2}$ " (Fan Hub Rivet).....	6	
12209	Fan Pulley on Magneto Shaft, Plain Half (Little Six).....	1	1.15
20209	Fan Pulley on Magneto Shaft, Plain Half (Light Six).....	1	1.15
13209	Fan Pulley on Magneto Shaft, Threaded Half (Little Six).....	1	1.10
21209	Fan Pulley on Magneto Shaft, Threaded Half (Light Six).....	1	.90
2211	Fan Pulley Screw.....	2	.15
1171-Std.	Hex. Castle Nut $\frac{1}{4}$ "-28 S. A. E.....	2	
1041-Std.	Bowen Grease Cup No. 00.....	1	
2201	Fan Support Bushing (Also Used on Model C).....	2	.45
1136-Std.	Cotter Pin $\frac{1}{16}$ " x 1".....	1	
12226	Fan Belt (Little Six).....	1	.75
20226	Fan Belt (Light Six).....	1	.75
<b>Cylinders</b>			
12001	Front Cylinder (Little Six).....	1	45.00
20001	Front Cylinder (Light Six).....	1	45.00
18001	Rear Cylinder (Little Six).....	1	45.00
21001	Rear Cylinder (Light Six).....	1	45.00
11012	Cylinder Bottom Gasket (Little Six).....	2	.20
20012	Cylinder Bottom Gasket (Light Six).....	2	.20
12072	Cylinder Stud, Short (Little Six).....	14	2 for .10
20072	Cylinder Stud, Short (Light Six).....	14	2 for .10
13072	Cylinder Stud, Long (Little Six).....	2	.20
21072	Cylinder Stud, Long (Light Six).....	2	.20
902-Std.	Hex. Nut $\frac{1}{4}$ "-20 S. A. E.....	16	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1035-Std.	Lock Washer $\frac{1}{8}$ "	16	
<b>Valves</b>			
12005	Valve	12	1.00
12006	Valve Spring	12	.35
12007	Valve Spring Seat	12	.20
12008	Valve Spring Seat Key	12	.10
<b>Valve Cap and Release Cock</b>			
12003	Inlet Valve Cap	6	.45
13003	Exhaust Valve Cap	6	.70
12004	Valve Cap Gasket	12	.10
12039	Compression Release Cock	6	.50
<b>Valve Lifter Guide</b>			
12055	Valve Lifter Guide (Little Six)	2	2.25
21055	Valve Lifter Guide, Right (Light Six)	1	2.25
22055	Valve Lifter Guide, Left (Light Six)	1	2.25
12060	Valve Lifter Guide Gasket (Little Six)	2	.10
20060	Valve Lifter Guide Gasket (Light Six)	2	.10
886-Std.	Hex. Cap Screw $\frac{3}{8}$ "-18x1 $\frac{1}{8}$ " U. S. S.	8	
1005-Std.	Lock Washer $\frac{5}{8}$ "	8	
<b>Valve Lifter</b>			
12056	Valve Lifter (Little Six)	12	1.80
20056	Valve Lifter (Light Six)	12	1.80
12058	Valve Lifter Adjusting Screw	12	.25
63	Valve Lifter Adjusting Screw Nut (Also Used on Model C)	12	2 for .10
<b>Cylinder Valve Side Cover</b>			
12069	Cylinder Valve Side Cover, Lower (Little Six)	2	1.70
20069	Cylinder Valve Side Cover, Lower (Light Six)	2	1.70
13069	Cylinder Valve Side Cover, Upper	2	1.70
20521	Cylinder Valve Side Cover, Felt (Light Six)	4	.10
12073	Valve Side Cover Screw (Fillister Head Screw No. 14-20x1 $\frac{3}{8}$ " U. S. S.)	8	.10
1014-Std.	Lock Washer $\frac{1}{4}$ "	8	
<b>Cam Shaft</b>			
13111	Cam Shaft	1	15.00



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
20542	Cam Shaft Thrust Plunger (Light Six).....	1	.40
20543	Cam Shaft Thrust Plunger Spring (Light Six).....	1	.20
12114	Cam Shaft Gear (Little Six).....	1	5.00
20114	Cam Shaft Gear (Light Six).....	1	5.00
12112	Cam Shaft Gear Washer.....	1	2 for .10
1198-Std.	Woodruff Key No. 9 (On Cam Shaft Gear).....	1	
910-Std.	Hex. Castle Nut $\frac{5}{8}$ "-18 S. A. E.....	1	
1065-Std.	Cotter Pin $\frac{1}{8}$ "x $\frac{1}{4}$ ".....	1	
10118	Cam Shaft Front Bearing.....	1	1.75
12119	Cam Shaft Center Bearing.....	1	1.50
12120	Cam Shaft Rear Bearing.....	1	2.50
12121	Cam Shaft Front and Center Bearing Lock Screw.....	2	.10
18121	Cam Shaft Rear Bearing Lock Screw (Little Six).....	1	2 for .10
20526	Cam Shaft Rear Bearing Lock Screw (Light Six).....	1	.10
4093	Cam Shaft Set Screw (Little Six and Model C).....	1	.25
2112	Set Screw Lock Nut $\frac{3}{8}$ " (Little Six and Model C).....	1	.10
<b>Top Plugs and Water Heads</b>			
12013	Cylinder Top Plug.....	6	.45
13010	Cylinder Top Plug Gasket.....	6	2 for .10
12009	Front Cylinder Water Head (Little Six)....	1	2.25
20009	Front Cylinder Water Head (Light Six)....	1	2.75
12010	Rear Cylinder Water Head.....	1	2.60
12012	Cylinder Water Head Gasket.....	2	2 for .10
12057	Cylinder Water Head Stud Gasket.....	6	2 for .10
13049	Cylinder Water Head Stud (For Cylinder No. 1).....	1	.15
12049	Cylinder Water Head Stud (For Cylinder No. 2).....	1	.15
13048	Cylinder Water Head Stud (For Cylinder No. 3).....	1	.15
12048	Cylinder Water Head Stud (For Cylinder No. 4).....	1	.15
13011	Cylinder Water Head Stud (For Cylinder No. 5).....	1	.15
12011	Cylinder Water Head Stud (For Cylinder No. 6).....	1	.15
12017	Cylinder Water Head Stud Nut.....	6	.15

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
12516	Cylinder Water Head Hose.....	1	.30
897-Std.	Hose Clamp 1 1/2"-5 ply (For Cylinder Water Head Hose).....	2	
<b>Piston</b>			
13015	Piston.....	6	2.80
12016	Piston Ring.....	24	.45
6018	Piston Pin.....	6	.65
12019	Piston Pin Set Screw.....	6	.15
905-Std.	Cotter Pin 5/8"x1".....	6	
<b>Connecting Rod</b>			
2953	CONNECTING ROD ASSEMBLY (Little Six).....	6	7.50
4382	CONNECTING ROD ASSEMBLY (Light Six).....	6	7.50
12021	Connecting Rod (With Cap; Cap not sold separately) (Little Six).....	6	4.00
20021	Connecting Rod (With Cap; Cap not sold separately) (Light Six).....	6	4.00
2954	Connecting Rod Bearing Complete (Crank End) (Includes upper and lower halves; halves not sold separately) (Little Six)...	6	2.00
4394	Connecting Rod Bearing Complete (Crank End) (Includes upper and lower halves; halves not sold separately) (Light Six)...	6	2.00
10024	Connecting Rod Bolt.....	12	.40
907-Std.	Hex. Castle Nut 3/8"-24 S. A. E.....	12	
1058-Std.	Cotter Pin 3/8"x3/4".....	12	
6023	Connecting Rod Bushing (Piston End).....	6	.75
20025	Connecting Rod Shim (Light Six).....		.10
21025	Connecting Rod Shim (Light Six).....		.10
<b>Crank Shaft</b>			
12026	Crank Shaft (Little Six).....	1	75.00
20026	Crank Shaft (Light Six).....	1	75.00
10143	Crank Shaft Gear (Little Six).....	1	4.00
20143	Crank Shaft Gear (Light Six).....	1	4.00
1168-Std.	Woodruff Key No. 15.....	1	
168	Starting Crank Pin (On Crank Shaft).....	1	.20
2957	Crank Shaft Front Bearing, Complete (Includes upper and lower halves; halves not sold separately).....	1	3.00

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
2956	Crank Shaft Center Bearing Complete (Includes upper and lower halves; halves not sold separately) (Little Six).....	1	3.55
4393	Crank Shaft Center Bearing, Complete (Includes upper and lower halves; halves not sold separately) (Light Six).....	1	4.50
2955	Crank Shaft Rear Bearing, Complete (Includes upper and lower halves; halves not sold separately).....	1	3.85
12040	Crank Shaft Front Bearing Cap.....	1	1.15
10042	Front Bearing Cap Bolt (Little Six).....	2	.90
20042	Front Bearing Cap Bolt (Light Six).....	2	.90
903-Std.	Hex. Nut $\frac{5}{8}$ "-18 S. A. E. (Top Nut	2	
1147-Std.	Hex. Castle Nut $\frac{1}{2}$ "-20 S. A. E. (Bottom Nut).....	2	
1150-Std.	Lock Washer $\frac{5}{8}$ ".....	2	
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ ".....	2	
12080	Crank Shaft Center Bearing Cap.....	1	1.00
10043	Crank Shaft Center Bearing Cap Bolt (Little Six).....	2	.90
20043	Crank Shaft Center Bearing Cap Bolt (Light Six).....	2	.90
64	Center Bearing Cap Bolt Pin (Also Used on Model C).....	2	2 for .10
1147-Std.	Hex. Castle Nut $\frac{1}{2}$ "-20 S. A. E.....	2	
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ ".....	2	
12038	Crank Shaft Rear Bearing Cap.....	1	1.35
10045	Crank Shaft Rear Bearing Cap Bolt (Little Six).....	2	.90
20045	Crank Shaft Rear Bearing Cap Bolt (Light Six).....	2	.90
910-Std.	Hex. Castle Nut $\frac{5}{8}$ "-18 S. A. E. (Top Nut).....	2	
1142-Std.	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E. (Bottom Nut).....	2	
1053-Std.	Cotter Pin $\frac{1}{4}$ "x1 $\frac{1}{2}$ ".....	4	
2284	Rear Bearing Cap Plug (Little Six).....	1	.10
3284	Rear Bearing Cap Plug (Light Six).....	1	.20
<b>Crank Case</b>			
12036	Upper Crank Case (Little Six).....	1	56.25
20036	Upper Crank Case (Light Six).....	1	56.25
12037	Lower Crank Case (Little Six).....	1	45.00
22037	Lower Crank Case (Light Six).....	1	45.00
12238	Crank Case Gasket, Right (Little Six).....	1	.20

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
20238	Crank Case Gasket, Right (Light Six).....	1	.20
12237	Crank Case Gasket, Left (Little Six).....	1	.20
20237	Crank Case Gasket, Left (Light Six).....	1	.20
12047	Crank Case Front Stud.....	2	.10
12076	Crank Case Bolt.....	16	.10
1050-Std.	Hex Nut $\frac{3}{8}$ "-24 S. A. E.....	18	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	18	
12198	Lower Crank Case Front Felt Washer.....	1	.15
12197	Lower Crank Case Rear Felt Washer.....	1	.15
<b>Crank Case Front Cover</b>			
12041	Crank Case Front Cover (Little Six).....	1	10.00
20041	Crank Case Front Cover (Light Six).....	1	10.65
12236	Crank Case Front Cover Gasket (Little Six)	1	.10
20236	Crank Case Front Cover Gasket (Light Six)	1	.10
10013	Crank Case Front Cover Stud.....	7	.10
1232-Std.	Hex. Nut $\frac{5}{16}$ "-24 S. A. E.....	7	
885-Std.	Hex. Cap Screw $\frac{5}{16}$ "-24x1 $\frac{3}{8}$ " S. A. E.	3	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	10	
1002-Std.	Taper Pin No. 3x1 $\frac{1}{4}$ ".....	2	
<b>Starting Crank</b>			
2952	STARTING CRANK ASSEMBLY (Little Six).....	1	3.50
4391	STARTING CRANK ASSEMBLY (Light Six).....	1	3.50
12167	Starting Crank Lever (Little Six).....	1	2.25
4392	Starting Crank Lever (Light Six).....	1	2.25
170	Starting Crank Handle (Also Used on Model C).....	1	.45
171	Starting Crank Handle Tube (Also Used on Model C).....	1	.50
2172	Starting Crank Bolt (Also Used on Model C)	1	.15
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	1	
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E.....	1	
933-Std.	Taper Pin No. 4 x 1 $\frac{1}{2}$ " (On Starting Crank Shaft) (Little Six).....	1	
645-Std.	Taper Pin No. 5x1 $\frac{3}{4}$ " (Light Six).....	1	
* * * *			
10166	Starting Crank Shaft.....	1	2.50
3416	Starting Crank Clutch (Light Six).....	1	.75

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
169	Starting Crank Spring (Also used on Model C).....	1	.35
173	Starting Crank Felt Washer (Also Used on Model C).....	1	.10
2307	Starting Crank Plunger (Also Used on Model C).....	1	.25
2308	Starting Crank Plunger Spring (Also Used on Model C).....	1	.15
1129-Std.	Pipe Plug $\frac{3}{8}$ ".....	1	
3433	Starting Crank Hole Cap (Light Six).....	1	.80
<b>Oil Tank</b>			
(For Little Six)			
12176	Oil Tank (With Removable Cover) (Replaced by 12176-A).....	1	5.60
12177	Oil Tank Cover.....	1	1.70
882-Std.	1" Pipe Plug (Oil Tank Cover Cap).....	1	
12178	Oil Tank Cover Gasket.....	1	
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1" U. S. S..	4	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	4	
886-Std.	Hex. Cap Screw $\frac{5}{8}$ "-18x1 $\frac{1}{8}$ " U. S. S. (To fasten to Crank Case).....	4	
1005-Std.	Lock Washer $\frac{1}{16}$ ".....	4	
12185	Oil Tank Elbow (On Tank).....	1	.95
10184	Oil Tank Elbow Nipple.....	1	.40
10189	Oil Tank Elbow Nipple.....	1	.20
10186	Oil Tank Feed Pipe.....	1	1.15
12396	Float Valve Elbow Nipple.....	1	.20
12393	Float Valve Elbow Nipple Nut.....	1	.20
12180	Oil Float Valve Elbow.....	1	.10
12301	Oil Float Valve Seat.....	1	1.15
12308	Oil Float Gasket.....	1	2 for .10
12309	Oil Float Lock Nut.....	1	.20
12310	Oil Float Valve Seat Screw (To fasten to Crank Case).....	1	2 for .10
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	1	
1118-Std.	Pipe Plug $\frac{1}{8}$ ".....	1	
12305	Oil Float Valve Ball.....	1	2 for .10
13302	Oil Float Valve Ball Stem.....	1	
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{2}$ ".....	1	
1131-Std.	Round Head Rivet $\frac{1}{4}$ "x $\frac{3}{4}$ " (Oil Float Valve Arm Pin).....	1	
888-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{1}{2}$ ".....	1	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
13400	OIL FLOAT VALVE ASSEMBLY (Little Six).....	1	1.50
12306	Oil Float Valve Arm (Not sold separately) (See 13400) (Little Six).....	1	
12307	Oil Float (Not sold separately) (See 13400) (Little Six).....	1	
* * * *			
12176-A	Oil Tank (With Integral Cover) (Replaces 12176) (Little Six).....	1	
10174	Oil Tank Cap (Little Six).....	1	.10
10177	Oil Tank Cap Gasket (Little Six).....	1	.10
12175	Oil Tank Feeding Pocket (Little Six).....	1	
10178	Oil Tank Feeding Pocket Gasket (Little Six)	1	
1137-Std.	Fillister Head Screw $\frac{1}{4}$ "-20x $\frac{1}{4}$ " U.S.S	3	

### Oil Pump and Connections

(For Light Six)

4396	OIL PUMP ASSEMBLY.....	1	5.50
21425	Oil Pump Plunger.....	1	.15
21431	Oil Pump Plunger Washer.....	1	2 for .10
20348	Oil Pump Plunger Spring.....	1	.10
648-Std.	Cotter Pin $\frac{5}{16}$ "x1".....	1	
20500	Oil Pump Body.....	1	3.00
854-Std.	Steel Ball $\frac{5}{16}$ ".....	3	
20538	Oil Pump Valve Spring.....	2	.15
20533	Oil Pump Outlet Pipe Check Valve Spring..	1	.10
21432	Oil Pump Valve Spring Retainer.....	2	.25
1183-Std.	Pipe Plug $\frac{1}{4}$ ".....	1	
20442	Oil Pump Strainer.....	1	.50
* * * *			
21441	Oil Pump Gasket.....	1	2 for .10
21427	Oil Pump Push Rod.....	1	1.50
20341	Oil Pump Cam Lever.....	1	1.90
21500	Oil Pump Cam Lever Shaft.....	1	.75
1075	Oil Pump Cam Lever Spring Washer.....	2	for .10
21433	Oil Pump Outlet Pipe.....	1	.45
21434	Oil Pipe Stuffing Nut.....	2	.30
20510	Oil Pipe Packing.....		
1192-Std.	Lever Handle Pet Cock $\frac{1}{8}$ ".....	1	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
21502-B	Oil Sight.....	1	1.25
3604	Oil Sight Inlet Union.....	1	.40
3499	Oil Sight Outlet Union.....	1	.20
3451	OIL SIGHT INLET PIPE ASSEMBLY...	1	1.00
3501	Oil Sight Inlet Pipe (Pipe Only).....	1	.20
2396	Union Nipple.....	2	.20
2393	Union Nut.....	2	.20
* * * *			
3452	OIL SIGHT OUTLET PIPE ASSEMBLY	1	1.15
3500	Oil Sight Outlet Pipe (Pipe Only).....	1	.35
2396	Union Nipple.....	2	.20
2393	Union Nut.....	2	.20
* * * *			
966-Std.	Oil Pipe Clip.....	2	
934-Std.	Round Head Bright Wood Screw No. 4x 1/4".....	4	
<b>Air Pump (On Motor) (For Light Six)</b>			
3385-A	AIR PUMP ASSEMBLY.....	1	6.50
3385	Air Pump Body.....	1	4.00
4390	Air Pump Plunger Cap.....	1	.40
1206-Std.	Steel Ball 3/4".....	2	
21424	Air Pump Valve Spring.....	2	.10
1118-Std.	Pipe Plug 3/8".....	1	
3386	Air Pump Plunger.....	1	1.50
3387	Air Pump Plunger Spring.....	1	.15
* * * *			
20511	Air Pump Gasket..... (For other Air Pressure Parts see "Air Pressure System.")	1	2 for .10
<b>Water Inlet Pipe</b>			
12153	Water Inlet Pipe.....	1	5.00
12154	Water Inlet Pipe Gasket.....	2	.20
10014	Water Inlet Pipe Stud.....	4	.10
1050-Std.	Hex. Nut 3/8"-24 S. A. E.....	4	
1007-Std.	Lock Washer 3/8".....	4	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>Intake Manifold and Carburetor</b>			
3168	Intake Manifold (for Marvel Carburetor) (Little Six).....	1	7.50
3341	Intake Manifold (For Zenith Carburetor) (Little Six).....	1	7.50
13033	Intake Manifold (Light Six).....	1	3.00
13013	Intake Manifold Top Flange Stud.....	4	2 for .10
12034	Intake Manifold Top Flange Gasket.....	2	2 for .10
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	4	
1232-Std.	Hex. Nut $\frac{5}{16}$ "-24 S. A. E.....	4	
12035	Intake Manifold Carburetor Flange Gasket (Little Six).....	1	2 for .10
4395	Intake Manifold Carburetor Flange Gasket (Light Six).....	1	2 for .10
12239	Intake Manifold to Carburetor Flange Screw (Little Six).....	2	.10
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	2	
12302	Carburetor (Marvel S-H-3) (Little Six)....	1	20.00
4388	Carburetor Warm Air Tube Sleeve (Little Six).....	1	1.00
3262	Carburetor Warm Air Tube (Tube Only) (Little Six).....	1	.25
3265	Carburetor (Zenith H-5-A) (Little Six)....	1	35.00
3286	Carburetor Warm Air Tube (Little Six)....	1	.80
3264	Intake Manifold Warm Air Tube (Little Six)	1	.25
3169	Intake Manifold Warm Air Tube Nipple (For Zenith and Marvel Carburetors) (Little Six).....	1	.25
3486	Carburetor (Zenith Horizontal H-L-5) (Light Six).....	1	35.00
3484	CARBURETOR WARM AIR TUBE AS- SEMBLY (Light Six).....	1	2.05
3482	Carburetor Warm Air Tube (Light Six)....	1	.80
4387	Carburetor Warm Air Tube Sleeve (Light Six)	1	1.20
1049-Std.	Cotter Pin $\frac{1}{16}$ "x2 $\frac{3}{4}$ ".....	1	
* * * *			
<b>Exhaust Manifold</b>			
12142	Exhaust Manifold (Little Six).....	1	7.85
20142	Exhaust Manifold (Light Six).....	1	8.90



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
12054	Exhaust Manifold Gasket.....	2	.20
10014	Stud.....	4	.10
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	3	
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E.....	4	
<b>Electrical Parts</b>			
12314	Magneto Gear Shaft (Little Six).....	1	1.50
20314	Magneto Gear Shaft (Light Six).....	1	3.50
10108	Magneto Gear (Little Six).....	1	2.40
20108	Magneto Gear (Light Six).....	1	2.40
1198-Std.	Woodruff Key No. 9.....	1	
12315	Magneto Shaft Front Bushing (Little Six)..	1	1.00
20315	Magneto Shaft Front Bushing (Light Six)..	1	.50
12312	Magneto Shaft Rear Bushing.....	1	1.35
10813	Magneto Shaft Rear Bushing Stuffing Nut	1	.75
887-Std.	Headless Set Screw $\frac{1}{4}$ "x $\frac{3}{8}$ " Cup Point.....	2	
20542	Magneto Shaft Thrust Plunger (Light Six)..	1	.40
20543	Magneto Shaft Thrust Plunger Spring (Light Six).....	1	.20
12157	Magneto Gear Shaft Coupling.....	1	.80
14157	Dynamo Front Coupling (Little Six).....	1	1.15
13157	Dynamo Rear Coupling (Little Six).....	1	1.15
883-Std.	Taper Pin 1"x1".....	3	
2157	Magneto Coupling (Little Six).....	1	1.15
20525	Magneto and Generator Coupling (Light Six).....	1	.80
884-Std.	Woodruff Key No. 3.....	1	
354	Dyneto Long Hub Coupling (Little Six)....	1	1.15
2158	Magneto and Dynamo Coupling Leather (Also used on Model C).....	2	.30
6150	Magneto and Dynamo Coupling Washer (Little Six).....	8	4 for .10
2159	Magneto and Generator Coupling Washer (Light Six).....	8	2 for .10
A-160	Magneto and Generator Coupling Bolt (Also Used on Model C).....	8	.10
1171-Std.	Hex. Castle Nut $\frac{1}{4}$ "-28 S. A. E....	8	
1221-Std.	Cotter Pin $\frac{1}{8}$ "x $\frac{3}{4}$ ".....	8	
1084-Std.	Plain Washer $\frac{1}{4}$ ".....	8	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	8	
12301	Dynamo Shaft Front Spacer (Little Six)...	1	.10
4397	Dyneto (Replaced by 11300) (Little Six)...	1	55.00

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
11300	Generator (Deaco Type S-L) (Replaces 4897) (Little Six).....	1	55.00
4383	Generator (Auto-Lite G, Type D-R-6) (Light Six).....	1	55.00
10239	Generator Cap Screw.....	4	.10
1005-Std.	Lock Washer $\frac{1}{8}$ ".....	4	
11301	Dyneto Base Plate (Little Six).....	1	1.15
12300	Magneto (Remy R-L-Six) (Little Six).....	1	54.00
12300	Magneto (Remy R-L-Six) (Light Six, Replaced by 4385).....	1	54.00
4385	Magneto (Simms S-U-6-S) (Light Six, Replaces 12300).....	1	75.00
13239	Magneto Base Bolt (Brass Hex. Cap $\frac{3}{8}$ "-16 x $\frac{7}{8}$ " U. S. S.).....	4	.15
1022	Magneto Base Bolt (Brass Hex. Cap $\frac{3}{8}$ "-16 x 1" U. S. S. (Light Six).....	4	.15
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	4	
12325	Wire Guide.....	1	.35
649-Std.	Fillister Head Cap Screw $\frac{1}{4}$ "-20x $\frac{3}{8}$ "	2	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	2	
12320	Magneto Wire Tube.....	1	.15
12316	Magneto Wire Tube Support (Little Six)...	1	.60
12082	Magneto Shim (.010").....	2 for	.10
12084	Magneto Shim (.002").....	2 for	.10
12083	Magneto Shim (.005").....	2 for	.10
	(For other Electrical Items, see "Ignition," "Lighting," and "Electric Starter.")		
	<b>Breather Tube</b>		
12262	Breather Tube (Little Six).....	2	.55
20262	Breather Tube (Light Six).....	2	.55
12263	Breather Tube Cap.....	2	.45
	<b>Fly Wheel</b>		
12125	Fly Wheel (With Starter Gear Ring).....	1	20.00
12126	Fly Wheel Bolt $\frac{1}{8}$ "-20x1 $\frac{1}{2}$ " S. A. E.....	6	.20
902-Std.	Hex. Nut $\frac{1}{8}$ "-20 S. A. E.....	6	
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	6	
13125	Fly Wheel Self Starter Gear.....	1	10.00
	<b>Motor Hanger</b>		
12617	Motor Cross Bar, Front (Little Six).....	1	7.50
20617	Motor Cross Bar, Front (Light Six).....	1	7.50
12611	Front Motor Hanger.....	1	2.20

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1041-Std.	Bowen Grease Cup No. 00.....	1	
12618	Motor Cross Bar, Rear (Little Six).....	1	7.50
20618	Motor Cross Bar, Rear (Light Six).....	1	8.90
12621	Motor Rear Cross Bar Wood Liner.....	2	.15
12619	Motor Front Cross Bar Wood Liner, Right (Little Six).....	1	.25
3422	Motor Front Cross Bar Wood Liner, Right (Light Six).....	1	.20
3285	Motor Front Cross Bar Wood Liner, Left (Little Six).....	1	.25
3421	Motor Front Cross Bar Wood Liner, Left (Light Six).....	1	.20
1037-Std.	Hex. Cap Screw $\frac{3}{8}$ "-13x $\frac{3}{4}$ " U. S. S. (For Cross Bars) (Little Six).....	8	
642-Std.	Hex. Cap Screw $\frac{3}{8}$ "-20x3" S. A. E. (Light Six).....	8	
1039-Std.	Hex. Nut $\frac{3}{8}$ "-13 U. S. S. (Little Six)	8	
1147-Std.	Hex. Nut $\frac{3}{8}$ "-20 S. A. E. (Light Six)	8	
1038-Std.	Lock Washer $\frac{1}{2}$ ".....	8	

### CLUTCH

12127-A	CLUTCH CONE ASSEMBLY (Little Six)	1	23.00
13127-A	CLUTCH CONE ASSEMBLY (Light Six)	1	23.00
12127	Clutch Cone (Little Six).....	1	18.00
13127	Clutch Cone (Light Six).....	1	18.00
12130	Clutch Bushing.....	1	2.00
2350	Clutch Leather Expander (Also Used on Model C).....	6	.25
12266	Clutch Leather Expander Spring (Little Six)	6	.15
20266	Clutch Leather Expander Spring (Light Six)	6	.10
1078-Std.	Plain Washer $\frac{1}{8}$ " (Clutch Leather Expander Washer).....	6	
1232-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	6	
1136-Std.	Cotter Pin $\frac{1}{8}$ "x1".....	6	
12138	Clutch Leather.....	1	3.00
2233	Clutch Leather Rivet (Copper No. 7x $\frac{11}{16}$ " (Also Used on Model C).....	14 per doz.	.30

\* \* \* \*

1041-Std.	Bowen Grease Cup No. 00.....	1	
13128	Clutch Hub (Little Six).....	1	9.00
13128	Clutch Hub (Light Six).....	1	9.00

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
12136	Clutch Hub Bolt.....	6	.10
1232-Std.	Hex. Nut $\frac{1}{8}$ "-24 S. A. E.....	6	
1005-Std.	Lock Washer $\frac{1}{8}$ ".....	6	
12131	Clutch Spring (Little Six).....	1	.55
20131	Clutch Spring (Light Six).....	1	.55
133	Clutch Ball Race (Also Used on Model C).....	1	2.00
132	Clutch Thrust Washer (Also Used on Model C).....	2	1.00
854-Std.	Steel Ball $\frac{5}{16}$ " (Clutch Thrust Ball).....	17	
134	Clutch Ball Thrust Retaining Bolt (Also used on Model C).....	1	1.80
135	Clutch Ball Thrust Lock Bolt (Also used on Model C).....	1	.25
907-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	1	
1100-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{1}{4}$ ".....	1	
3256	CLUTCH COLLAR ASSEMBLY (Replaces 12533 and 13533 after first fifty cars) (Little Six).....	1	5.50
3324	Clutch Collar Half, Upper (Little Six).....	1	2.70
3268	Clutch Collar Half, Lower (Little Six).....	1	2.70
3311	Clutch Collar Felt (Replaces 535 after first fifty cars) (Little Six).....	2	.10
1188-Std.	Hex. Cap Screw $\frac{1}{4}$ "-20x $\frac{1}{4}$ " U. S. S.....	2	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	2	
1040-Std.	Bowen Grease Cup No. 0.....	1	
* * * *			
12533	Clutch Collar Half, Right (Used on first fifty cars; Replaced by 3256) (Little Six).....	1	2.70
13533	Clutch Collar Half, Left (Replaced by 3256) (Little Six).....	1	2.70
535	Clutch Collar Wick (For 12533; Replaced by 3311) (Little Six).....	1	2 for .10
880-Std.	Fillister Head Screw $\frac{3}{8}$ "-16x $1\frac{5}{8}$ " (For 12533 and 13533).....	2	
1007-Std.	Lock Washer $\frac{3}{8}$ " (For 12533 and 13533).....	2	
21304-B	CLUTCH COLLAR ASSEMBLY (Light Six H-2 and H-4).....	1	2.65
21639-B	Clutch Collar (Light Six, H-2 and H-4).....	1	2.35
21207-B	Clutch Collar Oiling Pin, Long (Soft Maple) (Light Six, H-2 and H-4).....	4	4 for .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
21282-B	Clutch Collar Oiling Pin, Short (Soft Maple) (Light Six, H-2 and H-4).....	2	4 for .10
21206-B	Clutch Collar Plate (Light Six, H-2 and H-4)	1	.10
959-Std.	Round Head Machine Screw No. 8- 32x $\frac{1}{4}$ ".....	2	

\* \* \* \*

### UNIVERSAL JOINT

12200	UNIVERSAL JOINT ASSEMBLY (Spicer Double Joint, Type 336 $\frac{1}{2}$ ).....	1	20.00
941-SF	Flange Yoke, Front.....	1	4.20
868-Std.	Hex. Cap Screw $\frac{7}{16}$ "-24x1" S. A. E....	6	
1232-Std.	Hex. Nut $\frac{7}{16}$ "-24 S. A. E.....	6	
1005-Std.	Lock Washer $\frac{7}{16}$ ".....	6	
336 $\frac{1}{2}$ -X	Journal.....	2	1.75
425-SB	Journal Steel Bushing.....	8	.25
425-BR	Journal Bushing Retainer.....	4	2 for .10
336 $\frac{1}{2}$ -Y	Sleeve Yoke.....	1	5.00
336 $\frac{1}{2}$ -Z	Stub Ball Yoke.....	1	4.35
328 $\frac{1}{2}$ -V	Flange Yoke, Rear.....	1	3.60
328 $\frac{1}{2}$ -F	Companion Flange.....	1	3.20
332 $\frac{1}{2}$ -IC	Inside Casing, Front.....	1	1.25
325 $\frac{1}{2}$ -IC	Inside Casing, Rear.....	1	1.10
56-M	Inside Casing Oil Plug.....	2	.10
869-Std.	Cotter Pin $\frac{7}{16}$ "x $\frac{3}{8}$ ".....	2	
336 $\frac{1}{2}$ -OC	Outside Casing, Male.....	1	1.00
337 $\frac{1}{2}$ -OC	Outside Casing, Female.....	1	1.00
336 $\frac{1}{2}$ -P	Casing Packing.....	2	.25
336 $\frac{1}{2}$ -PS	Casing Packing Spring.....	2	2 for .10
337 $\frac{1}{2}$ -P	Casing Packing, Center.....	1	.25
336-S	Casing Spring.....	1	.85
1095-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1 $\frac{1}{4}$ " U. S. S. (Used as Flange Bolt, Front).....	6	
1004-Std.	Hex. Nut $\frac{5}{16}$ "-18 U. S. S.....	6	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	6	

\* \* \* \*

20175-B	Universal Joint Flange Retaining Washer (Light Six, H-2 and H-4).....	2	6 for .10
2652	Universal Joint Flange Retaining Nut.....	2	2 for .10
4376	UNIVERSAL JOINT ASSEMBLY (Stan- dard) (Light Six).....	1	15.00

\* \* \* \*

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>EXHAUST PIPE</b>			
12879	Exhaust Pipe (For Marvel Carburetor) (Little Six).....	1	3.85
1020-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S. (For Upper Flange on 12879).....	3	
3230	Exhaust Pipe (For Zenith Carburetor).....	1	4.60
1022-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1" U. S. S. (For Upper Flange on 3230).....	3	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. ....	3	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	3	
12882	Exhaust Pipe Upper Flange Gasket.....	1	.15
12881	Exhaust Pipe Lower Flange Gasket.....	1	.15
1020-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S. (For Lower Flange).....	3	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. ....	3	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	3	
<b>MUFFLER AND MUFFLER HANGER</b>			
12875	MUFFLER ASSEMBLY.....	1	4.95
3283	Muffler Head, Front.....	1	1.65
3282	Muffler Head, Rear.....	1	1.35
3280	Muffler Shell, Inner.....	1	.35
3279	Muffler Shell, Middle.....	1	.50
3278	Muffler Shell, Outer.....	1	1.00
1181-Std.	Muffler Center Bolt and Nut, Square Head Machine Bolt and Nut $\frac{1}{4}$ " 13x14".....	1	
1038-Std.	Lock Washer $\frac{1}{2}$ ".....	1	
* * * *			
12876	Muffler Hanger.....	2	.40
1022-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1" U. S. S. (Muffler Hanger to Frame).....	2	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. ....	2	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	2	
1022-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1" U. S. S. (Muffler Rear End to Hanger).....	2	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	4	
1017-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{4}$ " U. S. S. (Muffler Front End to Hanger).....	2	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>Muffler Cutout Valve</b>			
3271	MUFFLER CUTOUT VALVE BODY ASSEMBLY.....	1	2.00
3272	Muffler Cutout Valve Body.....	1	1.00
3273	Cutout Valve (Also used on Model C).....	1	.35
3274	Cutout Valve Stem.....	1	.35
3276	Cutout Valve Stem Spring (Also used on Model C).....	1	.15
1134-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.....	2	
* * * *			
3277	Cutout Valve Body Gasket (Muffler End)...	1	.15
1180-Std.	Hex. Cap Screw $\frac{7}{16}$ "-14x1" U. S. S. (Valve Body to Muffler).....	2	
<b>MUFFLER CUTOUT PEDAL AND CONNECTIONS TO MUFFLER</b>			
3099	Muffler Cutout Pedal Pad.....	1	.20
3110	Cutout Plunger.....	1	.25
1176-Std.	Yoke End Pin $\frac{1}{4}$ "x $\frac{1}{8}$ ".....	1	
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{2}$ ".....	1	
12828	Muffler Cutout Bell Crank (Also used on H-2 and H-4).....	1	.20
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1" U. S. S. (Drilled for Cotter Pin).....	1	
1136-Std.	Cotter Pin $\frac{1}{16}$ "x1".....	1	
3100	Cutout Bell Crank Bracket (Also used on H-2 and H-4).....	1	.20
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1" U. S. S....	2	
1004-Std.	Hex. Nut $\frac{5}{16}$ "-18 U. S. S.....	2	
1005-Std.	Lock Washer $\frac{5}{16}$ " U. S. S.....	2	
3970	Adjustable Yoke End (Bell Crank End)...	1	.20
1177-Std.	Yoke End Pin $\frac{1}{4}$ "x $\frac{1}{4}$ ".....	1	
3147	Cutout Rod Release Spring.....	1	.15
3101	Cutout Rod.....	1	.20
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{2}$ ".....	1	
3008	Muffler Cutout Lever.....	1	.20
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1" U. S. S. (Drilled for Cotter Pin).....	1	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1136-Std.	Cotter Pin $\frac{1}{16}$ "x1".....	1	
12884	Muffler Cutout Lever Bracket.....	1	.50
<b>GASOLINE TANK AND FEED PIPE</b>			
(For Little Six)			
3047	Gasoline Tank Complete.....	1	11.50
3037	Filler Base.....	1	.65
3038	Filler Flange Gasket.....	1	2 for .10
3036	Filler Cap.....	1	.60
3023	Gasoline Tank Outlet Flange.....	1	.60
A-1208	Outlet Flange Strainer.....	1	.10
A-1221	Outlet Gasket.....	1	2 for .10
A-1005	Outlet Cap.....	1	.60
1110-Std.	Lever Handle Drain Cock $\frac{1}{8}$ ".....	1	
A-1170	Shut Off Cock $\frac{1}{8}$ "x $\frac{1}{4}$ ".....	1	.60
2932	Gasoline Feed Pipe Complete (Including Union Nipples and Nuts).....	1	1.25
	Union Nipple and Nut $\frac{1}{8}$ ".....	2	
A-575	Gasoline Feed Pipe Union Nipple $\frac{1}{8}$ ".....	2	.10
A-574	Gasoline Feed Pipe Union Nut $\frac{1}{8}$ ".....	2	.10

### GASOLINE TANK AND FEED PIPE (For Light Six)

3252	Gasoline Tank, Complete.....	1	20.00
3247	Filler Base.....	1	2.50
21504-B	Filler Cap (Also used on H-2 and H-4).....	1	1.00
21575-B	Filler Cap Gasket (Also used on H-4).....	1	2 for .10
3251	Drain Flange.....	1	.15
1183-Std.	Pipe Plug $\frac{1}{4}$ ".....	1	
3267	Gasoline Tank Strap, Complete.....	2	.50
1036-Std.	Hex. Nut $\frac{1}{16}$ "-14 U. S. S.....	4	
1035-Std.	Lock Washer $\frac{1}{8}$ ".....	4	
3259	Tank Outer Tube (Complete with Outlet Flange and Clip) (Inside of the Tank).....	1	.50
3446	Gasoline Feed Pipe, Complete.....	1	1.50
3447	Gasoline Feed Pipe (Pipe Only).....	1	.60
A-575	Union Nipple (Also used on H-2 and H-4)....	2	.10
A-574	Union Nut (Also used on H-2 and H-4).....	2	.10
3488	Pipe Tee.....	1	.35
A-1157	Gasoline Feed Pipe Clip.....	4	3 for .10



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>AIR PRESSURE SYSTEM</b>			
(For Light Six)			
(For Air Pump on Motor, see Motor Parts)			
<b>Hand Air Pump</b>			
21676-B	HAND AIR PUMP ASSEMBLY (Also used on H-4).....	1	2.00
21754-B	Hand Air Pump Barrel, Complete (Also used on H-4).....	1	1.50
22160-B	Hand Air Pump Plunger, Complete (Also used on H-4).....	1	.50
(For other minor parts of this pump, send directly to Bridgeport Brass Co., Bridgeport, Conn.)			
* * * * *			
1122-Std.	Round Head Wood Screw No. 5x $\frac{1}{4}$ " (Nickel Plated).....	3	
<b>Air Pressure Pipes and Gauge</b>			
3450	Hand Air Pump Pipe (Pipe only).....	1	.15
1238-Std.	Connector, $\frac{1}{4}$ " Tubing x $\frac{1}{8}$ " Pipe Thread.....	1	
638-Std.	Brass Tee $\frac{1}{8}$ ".....	1	
637-Std.	Close Pipe Nipple $\frac{1}{8}$ ".....	2	
4454	AIR CHECK VALVE ASSEMBLY.....	1	.90
4455	Air Check Valve Body (Not sold without the Plug).....	1	
636-Std.	Brass Ball $\frac{1}{8}$ " (Not Sold Separately)	1	
4456	Air Check Valve Spring.....	1	.15
4457	Air Check Valve Plug (Not sold without the Valve Body).....	1	
* * * * *			
1240-Std.	Connector, $\frac{3}{8}$ " Tubing x $\frac{1}{8}$ " Pipe Thread.....	2	
3449	Air Pump Pipe, Long (Pipe only).....	2	.60
3448	AIR PRESSURE GAUGE PIPE ASSEMBLY.....	1	1.20

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3497	Air Pressure Gauge Pipe (Pipe only).....	1	.30
2385	Union Nipple.....	1	.20
2386	Union Nut.....	1	.20
2381	Union Nipple.....	1	.20
2380	Union Nut.....	1	.20

\* \* \* \*

A-1157	Pipe Clip.....	4	3 for .10
21579-B	Air Pressure Gauge (Also used on H-4).....	1	2.80
3395-C	Gauge Elbow.....	1	.10

### STEERING GEAR

(For Little Six)

3347	STEERING GEAR ASSEMBLY.....	1	37.50
3360	SPARK ROD ASSEMBLY.....	1	3.00
3361	Sector Spark Lever.....	1	1.45
3359	Spark Rod.....	1	.60
1200-Std.	Taper Pin No. 1x $\frac{5}{8}$ ".....	1	

\* \* \* \*

3364	Sector Throttle Lever.....	1	1.45
1201-Std.	Fillister Head Screw No. 14-32x $\frac{1}{2}$ " Nickel Plated.....	1	
3362	Sector Spark and Throttle Lever Spring.....	2	2 for .10
3363	Sector Spark and Throttle Lever Friction Pin.....	2	.10
3357	Throttle Tube (Brass Tube).....	1	1.45
3087	Lower Spark Lever.....	1	.40
3086	Lower Throttle Lever.....	1	.40
1195-Std.	Fillister Head Screw No. 14-20x1".....	2	
1092-Std.	Hex. Nut No. 14-20.....	2	
3365	Spark and Throttle Sector.....	1	1.65
1202-Std.	Round Head Brass Screw No. 14- 20x $\frac{3}{8}$ " U. S. S. Nickel Plated (On Sector).....	2	
1203-Std.	Hex. Nut No. 14-20 Nickel Plated....	2	
3366	Sector Bracket.....	1	1.80
860-Std.	Sector Bracket Clamp Screw—Fil- lister Head Machine Screw No. 10- 32x $\frac{1}{2}$ " Nickel Plated.....	1	
3356	Sector Tube (Or Stationary Tube).....	1	2.50

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3353	Main or Steering Tube Bushing (Bronze).....	1	.30
3351	Main Tube Nut $\frac{3}{8}$ "-20 U. S. S.....	1	.40
3348	Steering Wheel Spider.....	1	4.00
866-Std.	Bowen Oiler No. 1-G.....	1	
3349	Steering Wheel Rim.....	1	2.70
1197-Std.	Oval Head Wood Screw No. 10x1" Nickel Plated.....	4	
1198-Std.	Woodruff Key No. 9.....	2	
3350	Main, or Steering Tube (Also known as Worm Tube).....	1	5.00
3354	Jacket Tube.....	1	1.95
3355	Jacket Tube Bushing.....	1	.90
3378	Dash Bracket.....	1	4.00
1196-Std.	Hex. Cap Screw No. 14 20x1" Nickel Plated (Clamp Bolt).....	1	
1149-Std.	Lock Washer $\frac{1}{4}$ " Nickel Plated.....	1	
1083-Std.	Carriage Bolt $\frac{1}{4}$ "x1 $\frac{1}{2}$ ".....	4	
1084-Std.	Plain Washer $\frac{1}{4}$ ".....	4	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	4	
3370	Gear Housing Adjusting Nut.....	1	2.50
3352	Worm.....	1	5.00
1199-Std.	Square Key $\frac{3}{8}$ " Square x1 $\frac{3}{8}$ ".....	1	
3371	Ball Bearing Cone.....	2	1.30
1206-Std.	Bearing Balls $\frac{1}{4}$ ".....	38	
3372	Ball Bearing Cup.....	2	1.00
3373	Ball Retaining Ring.....	2	.20
3367	Gear Housing.....	1	9.90
3376	Thrust Block (Fiber).....	1	.10
1204-Std.	Hex. Cap Screw $\frac{3}{8}$ " 18x2 $\frac{1}{4}$ " U. S. S. (Gear Housing Bolt).....	1	
1004-Std.	Hex. Nut $\frac{3}{8}$ "-18 U. S. S.....	1	
1005-Std.	Lock Washer $\frac{3}{8}$ ".....	1	
1118-Std.	Pipe Plug $\frac{1}{8}$ " (On Gear Housing).....	1	
1205-Std.	Set Screw $\frac{3}{16}$ "-18x $\frac{1}{2}$ " V Thread (On Gear Housing).....	1	
3374	Worm Wheel.....	1	8.00
3377	Thrust Washer (Fibre).....	1	.10
3368	Gear Housing Cover.....	1	3.00
3375	Eccentric Bushing.....	1	2.50
3369	Gear Housing Cover Bolt.....	3	.20
1005-Std.	Lock Washer $\frac{3}{8}$ ".....	3	
1063-Std.	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.....	3	
3057	Pitman Arm.....	1	4.50

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1208-Std.	Woodruff Key No. 12.....	1	
1207-Std.	Hex. Castle Nut $\frac{3}{4}$ "-16 S. A. E.....	1	
1053-Std.	Cotter Pin $\frac{3}{8}$ "x $1\frac{1}{2}$ ".....	1	
<b>STEERING GEAR</b>			
(For Light Six)			
3481	STEERING GEAR ASSEMBLY.....	1	37.50
31527	Sector Spark Lever.....	1	1.45
31580	Spark Rod.....	1	.60
31525	Sector Throttle Lever.....	1	1.45
644-Std.	Fillister Head Machine Screw No. 10- 24x $\frac{3}{4}$ ".....	1	
31531	Sector Spark and Throttle Lever Spring.....	2	2 for .10
31532	Sector Spark and Throttle Lever Friction Pin.....	2	.10
31529	Throttle Tube.....	1	1.80
31584	Lower Spark Lever.....	1	.40
31583	Lower Throttle Lever.....	1	.40
31555	Spark and Throttle Sector.....	1	1.25
891-Std.	Round Head Machine Screw No. 14- 20x $\frac{3}{4}$ " Nickel Plated.....	2	
31522	Sector Bracket.....	1	1.50
644-Std.	Fillister Head Machine Screw No. 10- 24x $\frac{3}{4}$ " (Nickel Plated).....	1	
31528	Sector Tube (or Stationary Tube).....	1	2.25
31518	Main or Steering Tube Bushing.....	1	.80
31515	Main Tube Nut.....	1	.40
31519	Steering Wheel Spider.....	1	4.00
31516	Spider Key.....	1	.10
31521	Steering Wheel Rim.....	1	2.70
890-Std.	Flat Head Wood Screw No. 12x $\frac{7}{8}$ ".....	4	
31514	Main or Stereing Tube.....	1	4.00
31517	Jacket Tube.....	1	4.50
3024	Dash Bracket.....	1	1.50
31506	Gear Housing Adjusting Nut.....	1	2.50
31510	Adjusting Nut Bushing.....	1	1.50
31503	Worm.....	1	4.00
31505	End Thrust.....	4	.35
31504	Ball Thrust (With Balls).....	2	.75
31553	Steering Gear Bottom Bushing.....	1	1.00
31501	Gear Housing.....	1	9.90

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
31502	Worm Wheel.....	1	6.00
31507	Gear Housing Cover.....	1	3.00
31509	Worm Wheel Shaft Bushing.....	3	1.25
31511	Pitman Arm.....	1	3.60
31512	Pitman Arm Clamp Bolt.....	1	.30
31513	Clamp Bolt Nut.....	1	2 for .10

### STEERING CONNECTING ROD

3028	STEERING CONNECTING ROD ASSEMBLY (For Little Six).....	1	3.50
3176	Steering Connecting Rod Tube (With Welded Ends).....	1	2.35
3032	Slide Bearing (Also used on H-2 and H-4) ..	2	.25
3033	Steering Connecting Rod Spring (Also used on H-2 and H-4).....	2	.15
3035	Adjusting Nut, Front (Also used on H-2 and H-4).....	1	.25
3034	Adjusting Nut, Rear (Also used on H-2 and H-4).....	1	.25
1057-Std.	Cotter Pin $\frac{3}{8}$ "x $1\frac{3}{4}$ ".....	2	

\* \* \* \*

3346	Steering Connecting Rod Boot, Front.....	1	.55
3345	Steering Connecting Rod Boot, Rear.....	1	.30

2626	STEERING CONNECTING ROD ASSEMBLY (For Light Six) (Also used on Classic).....	1	4.70
4150	Steering Connecting Rod Tube (With Welded Ends).....	1	3.00
4160	Steering Connecting Rod Slide Bearing....	2	.55
4161	Steering Connecting Rod Spring.....	2	.25
4162	Adjusting Nut, Front.....	1	.40
4164	Adjusting Nut, Rear.....	1	.40
1057-Std.	Cotter Pin $\frac{3}{8}$ "x $1\frac{3}{4}$ ".....	2	

\* \* \* \*

2736	Steering Connecting Rod Boot, Front.....	1	.55
2735	Steering Connecting Rod Boot, Rear.....	1	.55

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>LOWER SPARK CONNECTIONS</b>			
12864	Spark Rod, Long.....	1	.70
1074-Std.	Ball Joint.....	1	
1138-Std.	Hex. Nut $\frac{1}{4}$ "-28 S. A. E.....	1	
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{4}$ ".....	1	
12862	Spark Cross Rod Lever, Long, Left.....	1	.90
20862	Spark Cross Rod Lever, Long, Right (Light Six).....	1	.90
1137-Std.	Fillister Head Screw $\frac{1}{4}$ "-20x $\frac{3}{4}$ " U. S. S.....	1	
12865	Spark Cross Rod Bracket.....	1	1.80
12860	Spark Cross Rod.....	1	.35
821	Spark Cross Rod Collar (Little Six and Model C).....	1	.15
1221-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{4}$ ".....	1	
861	Spark Cross Rod Lever, Short (Little Six and Model C).....	1	.60
1137-Std.	Fillister Head Screw $\frac{1}{4}$ "-20x $\frac{3}{4}$ " U. S. S.....	1	
12863	Spark Rod, Short.....	1	.70
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{4}$ ".....	1	
1074-Std.	Ball Joint $\frac{1}{4}$ "-28 S. A. E.....	1	
1138-Std.	Hex. Nut $\frac{1}{4}$ "-28 S. A. E.....	1	
<b>LOWER THROTTLE CONNECTIONS</b>			
3092	Throttle Control Tube (Complete with Ball Joint) (Little Six).....	1	.40
4424	Throttle Control Rod (Complete with Ball Joint) (Light Six).....	1	.35
1074-Std.	Ball Joint $\frac{1}{4}$ "-28 S. A. E.....	1	
1138-Std.	Hex. Nut $\frac{1}{4}$ "-28 S. A. E.....	1	
1014-Std.	Lock Washer $\frac{1}{4}$ ".....	1	
3287	Throttle Control Rod, Long (For Zenith Carburetor) (Little Six).....	1	.15
3177	Carburetor Auxiliary Lever (For Zenith Carburetor) (Little Six).....	1	.60
3184	Throttle Control Rod, Short (For Zenith Carburetor) (Little Six).....	1	.15
3094	Throttle Control Rod, Long (For Marvel Carburetor) (Little Six).....	1	.15

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
12866	Carburetor Auxiliary Lever (For Marvel Carburetor) (Little Six).....	1	1.15
3095	Throttle Control Rod, Short (For Marvel Carburetor) (Little Six).....	1	.15
1054-Std.	Cotter Pin $\frac{1}{8}$ " x $\frac{1}{2}$ ".....	2	
12868	Carburetor Auxiliary Lever Screw (Little Six).....	1	.20
<b>ACCELERATOR</b>			
12825	Accelerator Pedal.....	1	.65
12826	Accelerator Pedal Bracket.....	1	.15
1067-Std.	Flat Head Bright Wood Screw No. 9 x $\frac{3}{4}$ ".....	2	
3162	Accelerator Pedal Bracket Pin.....	1	2 for .10
1054-Std.	Cotter Pin $\frac{1}{8}$ " x $\frac{1}{2}$ ".....	1	
3185	ACCELERATOR ROD ASSEMBLY (For Marvel Carburetor) (Includes 12831 Rod and 3970 Adjusting Yoke) (Little Six)...	1	.30
12831	Accelerator Rod (For Marvel Carburetor) (Little Six).....	1	.10
* * * *			
3284	ACCELERATOR ROD ASSEMBLY (For Zenith Carburetor) (Little Six).....	1	.35
3266	Accelerator Rod (For Zenith Carburetor)....	1	.15
3970	Adjustable Yoke.....	1	.20
* * * *			
3443	ACCELERATOR ROD ASSEMBLY (Light Six).....	1	.50
* * * *			
3096	Accelerator Rod Release Spring.....	1	.35
<b>CARBURETOR CHOKE ROD</b> (For Light Six)			
3462	CARBURETOR CHOKE ROD ASSEMBLY.....	1	.60

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3461-L	Carburetor Choke Rod.....	1	.20
3382	Carburetor Choke Rod Handle.....	1	.20
1074-Std.	Ball Joint $\frac{3}{4}$ "-28 S. A. E.....	1	
* * * *			
1149-Std.	Lock Washer $\frac{1}{4}$ " Nickel Plated.....	1	
2494	Carburetor Choke Rod Guide.....	1	.20
1260-Std.	Round Head Machine Screw No. 10- 21x1" Nickel Plated.....	2	
1210-Std.	Plain Washer $\frac{1}{16}$ ".....	2	
1032-Std.	Hex. Machine Nut No. 10-24.....	2	

### HAND CONTROL

#### Hand Control Lever

13580	Hand Control Lever.....	1	2.60
1169-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x2".....	1	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	1	
1178-Std.	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ ".....	1	
3129	Hand Control Lever Shifter.....	1	1.20
3138	Hand Control Lever Shifter Spring.....	2	.10
3139	Hand Control Lever Shaft Spacer, Short....	1	.10
3140	Hand Control Lever Shaft Spacer, Long....	1	.15
12583	Hand Control Lever Shaft.....	1	.50
3130	Hand Control Lever Sector.....	1	.70
1003-Std.	Hex. Cap Screw $\frac{1}{16}$ "-18x1" U. S. S....	3	
1004-Std.	Hex. Nut $\frac{1}{16}$ "-18 U. S. S.....	3	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	3	

#### Emergency Brake

3058	EMERGENCY BRAKE LEVER AS- SEMBLY.....	1	12.90
3010	Brake Lever Handle (Also used on Model C)	1	4.50
3925	Brake Lever Auxiliary Handle (Also used on Model C).....	1	.60
3932	Brake Lever Handle Screw (Also used on Model C).....	1	.25
3934	Brake Lever Handle Nut (Also used on Model C).....	1	.15
13901	Emergency Brake Lever.....	1	7.80
3926	Brake Lever Spring (Flat Spring Steel) (Also used on Model C).....	1	.45



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3928	Brake Lever Spring Screw (Also used on Model C).....	2	.10
3927	Brake Lever Plunger (Also used on Model C).....	1	.25
3929	Plunger Nut (Also used on Model C).....	1	.10
3930	Brake Lever Rod Spring (Spring Steel Coil) (Also used on Model C).....	1	.20
1170-Std.	Plain Washer $\frac{1}{16}$ " (Nickel Plated).....	1	
3909	Brake Lever Rod.....	1	.20
3929	Brake Lever Rod Lower Nut (Also used on Model C).....	1	.10
3907	Brake Lever Latch (Also used on Model C).....	1	.25
2906	Brake Lever Latch Screw (Also used on Model C).....	2	.25
1171-Std.	Hex. Castle Nut $\frac{1}{4}$ "-28 S. A. E.....	2	
1054-Std.	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{2}$ ".....	2	
3931	Brake Lever Plate (Also used on Model C).....	1	.35
3933	Brake Lever Plate Rivet (Also used on Model C).....	2	
1168-Std.	Woodruff Key No. 15.....	1	
1169-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x2" U. S. S. (Clamp Screw).....	1	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	1	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.....	1	
* * * *			
2904	Emergency Brake Lever Sector (Also used on Model C).....	1	.25
3074	Brake Lever Sector Spacer.....	2	2 for .10
1020-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S.....	2	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.....	2	
1007-Std.	Lock Washer $\frac{3}{8}$ ".....	2	
1016-Std.	Bowen Grease Cup No. 000.....	1	
3220	<b>EMERGENCY BRAKE LEVER SHAFT ASSEMBLY (Short Shaft).....</b>	1	.95
12902	Emergency Brake Lever Shaft (Short Shaft).....	1	.45
12908	Emergency Brake Lever (On Short Shaft).....	1	.45
1127-Std.	Woodruff Key No. 11 (Little Six).....	1	
1168-Std.	Woodruff Key No. 15 (Light Six).....	1	
1006-Std.	Taper Pin No. 2x1 $\frac{1}{4}$ ".....	1	
1169-Std.	Hex Cap Screw $\frac{3}{8}$ "-16x2 U. S. S.....	1	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
<b>FOOT CONTROL</b>			
12704	Clutch Pedal.....	1	2.70
1130-Std.	Taper Pin No. 3x1 1/4".....	2	
12711	Brake Pedal.....	1	3.70
12536	Clutch Shifter Yoke (The Pedal Shaft is one forging with this yoke).....	1	2.50
3541	Clutch Shifter Yoke Screw (Also used on Model C, H-2 and H-4).....	2	.20
3540	Clutch Shifter Yoke Screw Lock Nut (Also used on Model C, H-2 and H-4).....	2	.10
13700	Pedal Shaft Bracket, Right.....	1	.80
12705	Pedal Shaft Bracket, Left.....	1	.80
1022-Std.	Hex. Cap Screw 3/8"-16x1" U. S. S. ...	5	
1008-Std.	Hex. Nut 3/8"-16 U. S. S. ....	5	
1007-Std.	Lock Washer 3/8".....	5	
1016-Std.	Bowen Grease Cup No. 000.....	2	

### BRAKE PULL RODS

12677	EMERGENCY BRAKE PULL ROD ASSEMBLY, Front.....	1	1.35
12673	Brake Pull Rod (L. H. Thread) (4 3/8" long)	1	.40
1126-Std.	Hex. Nut 3/8"-16 U. S. S. L. H. ....	1	
12670-B	Turn Buckle.....	1	.25
1008-Std.	Hex. Nut 3/8"-16 U. S. S. ....	1	
12674	Brake Pull Rod (R. H. Thread).....	1	.35

\* \* \* \*

1173-Std.	Round Head Rivet 3/8"x1 1/8" (Pull Rod Pin).....	1	
1174-Std.	Round Head Rivet 3/8"x1" (Pull Rod Pin).....	1	
1058-Std.	Cotter Pin 3/2"x3/4".....	2	

12678	SERVICE BRAKE PULL ROD ASSEMBLY, Front.....	1	1.40
12671	Brake Pull Rod, (12" long).....	1	.45
1126-Std.	Hex. Nut 3/8"-16 U. S. S., L. H. ....	1	
12670-B	Turn Buckle.....	1	.25

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. ....	1	
12678	Brake Pull Rod $4\frac{3}{8}$ " long. ....	1	.40
* * * *			
3112	Brake Pull Rod Spacer. ....	1	.15
1174-Std.	Round Head Rivet $\frac{3}{8}$ "x1" (Clevis Pin).....	1	
1058-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{4}$ ".....	1	
1175-Std.	Round Head Rivet $\frac{3}{8}$ "x1 $\frac{1}{8}$ " (Clevis Pin).....	1	
12726	Service Brake Pull Rod Release Spring (Coil $8\frac{1}{2}$ " long).....	1	.20
3222	Brake Pull Rod Release Spring Hook.....	1	2 for .10
3224	EMERGENCY BRAKE PULL ROD AS- SEMBLY, Rear (Little Six).....	2	.75
12675	Brake Pull Rod, Rear (Little Six).....	2	.50
3059	Adjustable Clevis.....	2	.25
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E. (Check Nut)	2	
* * * *			
3503	EMERGENCY BRAKE PULL ROD AS- SEMBLY, Rear (Light Six).....	2	.75
3502	Brake Pull Rod, Rear (Light Six).....	2	.50
3059	Adjustable Clevis.....	2	.25
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E. ....	2	
* * * *			
1173-Std.	Round Head Rivet $\frac{3}{8}$ "x1 $\frac{1}{4}$ " (Clevis Pin, Right).....	1	
1058-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{4}$ " (On Right Clevis).....	1	
1175-Std.	Round Head Rivet $\frac{3}{8}$ "x1 $\frac{1}{4}$ " (Clevis Pin, Left).....	1	
3223	Emergency Brake Pull Rod Release Spring	1	.15
3222	Brake Pull Rod Release Spring Hook.....	1	2 for .10
1174-Std.	Round Head Rivet $\frac{3}{8}$ "x1".....	2	
1058-Std.	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{4}$ ".....	2	
3224	SERVICE BRAKE PULL ROD AS- SEMBLY, Rear.....	2	.75

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
12675	Brake Pull Rod, Rear.....	2	.50
3059	Adjustable Clevis.....	2	.25
1050-Std.	Hex. Nut $\frac{3}{8}$ "-24 S. A. E.....	2	
* * * *			
1173-Std.	Round Head Rivet $\frac{3}{8}$ "x $1\frac{1}{8}$ " (Clevis Pin).....	2	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	2	
1174-Std.	Round Head Rivet $\frac{3}{8}$ "x1" (Yoke End Pin).....	2	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ ".....	2	
<b>BRAKE EQUALIZER</b>			
3044	BRAKE EQUALIZER SHAFT ASSEM- BLY.....	1	6.95
3045	BRAKE TUBE BRAZING ASSEMBLY	1	2.65
12691-B	Emergency Brake Single Lever (On Brake Tube) (Also used on H-2 and H-4).....	1	.25
3116	Brake Tube.....	1	.80
3159	Brake Tube Bridge.....	1	.75
3160	Brake Tube, Short.....	1	.20
3143	Brake Tube, Double Lever (Also used on H-2 and H-4).....	1	.35
1001-Std.	Brazing Pin $\frac{3}{16}$ "x $1\frac{1}{8}$ ".....	4	
* * * *			
12693	Brake Equalizer Shaft (Long Shaft).....	1	.55
A-1082	Brake Shaft Spring.....	1	.10
3010	Foot Brake Single Lever.....	1	.30
1001-Std.	Brazing Pin $\frac{3}{16}$ "x $1\frac{1}{8}$ ".....	1	
1127-Std.	Woodruff Key No. 11.....	1	
3115	Brake Equalizer Lever (Under Bridge) (Also used on H-2 and H-4).....	1	.40
1077-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x $1\frac{1}{4}$ " U. S. S.	1	
1127-Std.	Woodruff Key No. 11.....	1	
3114	Brake Equalizer Double Lever (At extreme left) (Also used on H-2 and H-4).....	1	.40
3046	Brake Shaft Spacer.....	1	.10
3113	Brake Equalizer Bar.....	1	.35

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
A-1102	Brake Shaft Bearing.....	2	.20
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1" U. S. S....	4	
1004-Std.	Hex. Nut $\frac{5}{16}$ "-18 U. S. S.....	4	
1005-Std.	Lock Washer $\frac{5}{16}$ ".....	4	
<b>FRONT WHEELS</b>			
3174	Front Wheel Complete 32"x4" (Includes Wood Parts, Hub, Baker Demountable Straight Side Rim, Bearings less Cone, Flange and Felloe Bands) (Specify Color) (Little Six).....	2	20.50
3175	Front Wheel Complete 32"x4" (Includes Wood Parts, Hub, Detroit Demountable Straight Side Rim and Bearings, less Cone, Flange and Felloe Bands) (Specify Color) (Little Six).....	2	22.70
3430	Front Wheel Complete 34"x4" (Includes Wood Parts, Hub, Firestone Demountable Rim, Bearings less Cones, Flange and Felloe Bands) (Specify Color) (Light Six).....	2	20.50
3217	Baker Demountable Rim 32"x4" (Little Six)	2	4.35
3240	Baker Demountable Rim Lug (4" Rim) (Little Six).....	10	.15
3239	Baker Demountable Rim Lug Bolt (Little Six).....	10	2 for 10.
3218	Detroit Demountable Rim 32"x4" (Little Six).....	2	3.30
4450	Detroit Rim Locking Ring (Little Six)....	2	1.25
3242	Lug and Nut (For Detroit Demountable Rim) (Little Six).....	12	.10
3241	Detroit Demountable Rim Lug Bolt (Little Six).....	12	2 for .10
3427	Firestone Demountable Rim 34"x4" (Light Six).....	2	3.75
4452	Firestone Rim Locking Ring (Light Six)...	2	1.25
4425	Firestone Demountable Rim Lug (Light Six).....	12	.10
4426	Firestone Demountable Rim Lug Bolt (Light Six).....	12	.10
3236	Front Hub Complete with Ball Cups and Flange (Little Six).....	2	5.30
4427	Front Hub, with ball Cups and Flange (Light Six).....	2	7.70
460	Front Hub with Ball Cups (No Flange) (Little Six).....	2	4.40

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
4428	Front Hub with Ball Cups, (No Flange) (Light Six).....	2	6.70
1970	Hub Flange (Little Six).....	2	.90
4429	Hub Flange (Light Six).....	2	1.00
69	Ball Cup, Inner (Little Six).....	2	.75
4430	Ball Cup, Inner (Light Six).....	2	.95
1133-Std.	Steel Ball $\frac{5}{8}$ ".....	22	
71	Inner Ball Retainer (Little Six).....	2	.15
1496-S	Inner Ball Retainer (Light Six).....	2	.15
73	Ball Cup Felt (Little Six).....	2	.15
1409-S	Ball Cup Felt (Light Six).....	2	.20
74	Felt Retainer (Little Six).....	2	.20
1224-S	Felt Retainer (Light Six).....	2	.20
70	Ball Cup, Outer (Little Six).....	2	.50
4431	Ball Cup, Outer (Light Six).....	2	.80
1098-Std.	Outer Bearing Balls $\frac{1}{2}$ " (Little Six).....	20	
1133-Std.	Outer Bearing Balls $\frac{5}{8}$ " (Light Six).....		
72	Outer Ball Retainer (Little Six).....	2	.10
1625-S	Outer Ball Retainer (Light Six).....	2	.15
1943	Hub Flange Cover (Little Six).....	2	1.25
1926	Hub Cap (Little Six).....	2	1.65
5059-K	Hub Cap (Light Six).....	2	1.85

### REAR WHEELS

2941	Rear Wheel Complete 32"x4" (Includes Wood Parts, Hub, Baker Demountable Straight Side Rim, Flange, Felloe Band and Brake Drum) (Specify Color) (Little Six).....	2	25.50
2912	Rear Wheel Complete 32"x4" (Includes Wood Parts, Hub, Hub Cap and Detroit Demountable Straight Side Rim, Felloe Band, Flange and Brake Drum) (Specify Color) (Little Six).....	2	27.60
3429	Rear Wheel Complete 34"x4" (Includes Wood Parts, Hub, Firestone Demountable Rim, Flange, Felloe Band and Brake Drum) (Light Six).....	2	25.50
3217	Baker Demountable Rim 32"x4" (Little Six)	2	4.85
3240	Baker Demountable Rim Lug (4" Rim) (Little Six).....	10	.15
3239	Baker Demountable Rim Lug Bolt (Little Six).....	10	2 for .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3218	Detroit Demountable Rim 32"x4" (Little Six).....	2	3.30
4450	Detroit Rim Locking Ring (Little Six)....	2	1.25
3427	Firestone Demountable Rim 34"x4" (Light Six).....	2	3.75
4452	Firestone Rim Locking Ring (Light Six) ...	2	1.25
4425	Firestone Demountable Rim Lug (Light Six)	12	.10
4426	Firestone Demountable Rim Lug Bolt and Nut (Light Six).....	12	.10
3242	Lug and Nut (For Detroit Demountable Rim) (Little Six) .....	12	.10
3241	Detroit Demountable Rim Lug Bolt (Little Six).....	12	2 for .10
2933	Rear Hub Complete with Flange (Little Six)	2	3.90
2015	Rear Hub (No Flange) (Little Six) .....	2	3.00
1970	Hub Flange (Little Six).....	2	.90
4432	Rear Hub (With Hub Bearing Outer Race) (Light Six).....	2	10.00
4951-K	Rear Hub Bearing Retainer (Light Six)....	2	2.00
1943	Hub Flange Cover (Little Six).....	2	1.25
1926	Hub Cap (Little Six).....	2	1.65
5059-K	Hub Cap (Light Six).....	2	1.85
436	Brake Drum (Little Six).....	2	4.25
4433	Brake Drum (Light Six).....	2	4.75

### BODY AND BODY PARTS

2978	Body, Complete with Cushions, Painted, Trimmed and with all Hardware (Little Six).....	1	300.00
4401	Body, Complete with Cushions, Painted, Trimmed and with all Hardware (Light Six).....	1	375.00
2986	Front Seat Cushion (Little Six).....	1	20.55
4435	Front Seat Cushion (Light Six).....	1	20.55
2988	Rear Seat Cushion (Little Six).....	1	22.50
4436	Rear Seat Cushion (Light Six).....	1	22.50
2980	Rear Seat Cushion Retainer (Little Six)...	1	.35
3460	Rear Seat Cushion Retainer (Light Six)...	1	.25
3464	Door Hinge, Upper, Right (Light Six)....	2	.25
3463	Door Hinge, Upper, Left (Light Six).....	2	.25
3466	Door Hinge, Lower, Right (Light Six)....	2	.25
3465	Door Hinge, Lower, Left (Light Six).....	2	.25

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3012	Front Door Hinge, Upper, Right (Little Six)	1	.25
3014	Front Door Hinge Lower, Right (Little Six)	1	.30
3013	Front Door Hinge, Upper, Left (Little Six)	1	.25
3015	Front Door Hinge, Lower Left (Little Six)	1	.30
3016	Rear Door Hinge, Upper, Right (Little Six)	1	.25
3018	Rear Door Hinge, Lower, Right (Little Six)	1	.30
3017	Rear Door Hinge, Upper Left (Little Six)	1	.25
3019	Rear Door Hinge, Lower, Left (Little Six)	1	.30
21278-B	Door Lock, Right (Front and Rear on Little Six).....	2	.35
21278-B	Door Lock, Right (Front only on Light Six)	1	.35
21279-B	Door Lock, Left (Front and Rear on Little Six).....	2	.35
21279-B	Door Lock, Left (Front only on Light Six)	1	.35
3464	Rear Door Lock, Right (Light Six).....	1	.70
3468	Rear Door Lock, Left (Light Six).....	1	.70
21281-B	Door Lock Knob (Also used on H-2 and H-4).....	4	.15
21280-B	Door Latch Plate (Little Six).....	4	.15
21498-B	Door Latch Plate (Light Six, H-2 and H-4)	4	.10
21332-B	Door Rubber Bumper (Also used on H-2 and H-4).....	4	4 for .15
2976	Front Door Check Strap (Little Six)	2	.15
2975	Rear Door Check Strap	2	.20
2974	Door Check Strap Clip	8	2 for .10
2905	Toe Board Complete, Upper (Little Six)...	1	2.00
3470	Tow Board Complete, Upper (Light Six)...	1	1.25
3493	Toe Board Linoleum (Light Six).....	1	.25
3490	Toe Board, Upper, Moulding (Light Six)...	1	.40
2907	Toe Board Complete, Lower (Little Six)...	1	1.45
3471	Toe Board Complete, Lower (Light Six)...	1	1.20
3494	Toe Board Linoleum (Lower Board) (Light Six).....	1	.20
3496	Toe Board Moulding (Lower Board) (Light Six).....	1	.35
2908	Floor Board Complete (Little Six).....	1	2.70
3469	Floor Board Complete (Light Six).....	1	2.25
870-Std.	Gray Linoleum 72" wide (Little Six) per ft.....		
3495	Floor Board Linoleum (Light Six).....	1	.40
871-Std.	J. Brass Moulding 3/4" Nickel Plated (Little Six) per ft.....		
3489	Floor Board Moulding (Light Six).....	1	.45
3088	Speedometer Shaft Hole Plate (Little Six)	1	.15



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3085	Clutch and Brake Pedal Hole Plate (Little Six).....	2	.30
3492	Clutch and Brake Pedal Hole Plate (Light Six).....	2	.10
3491	Starting Pedal Hole Plate (Light Six).....	1	.10
21059-B	Accelerator Pedal Hole Plate.....	1	.10
3084	Hand Control Lever Hole Plate (Little Six)	1	.45
3520	Hand Control Lever Hole Plate (Light Six)	1	.45
21059-B	Muffler Cutout Plunger Hole Plate.....	1	.10
995-Std.	Oval Head Wood Screw No. 5x $\frac{1}{4}$ " (Nickel Plated).....	19	
2982	Front Door Sill Plate, Right (Little Six)....	1	.55
3440	Front Door Sill Plate, Right (Light Six)...	1	.30
2981	Front Door Sill Plate, Left (Little Six)....	1	.55
3439	Front Door Sill Plate, Left (Light Six)....	1	.30
2984	Rear Door Sill Plate, Right (Little Six)...	1	.40
3442	Rear Door Sill Plate, Right (Light Six)....	1	.30
2983	Rear Door Sill Plate, Left (Little Six)....	1	.40
3441	Rear Door Sill Plate, Left (Light Six)....	1	.30
2419	Floor Board Lifter Plate (also used on Model C).....	1	.30
3103	Rohe Rail, Complete (Also used on H-2 and H-4).....	1	1.35
973-Std.	Round Head Wood Screw No. 10x $1\frac{1}{4}$ " Nickel Plated.....	4	
3102	Foot Rail Complete (Little Six).....	1	1.50
3468	Foot Rail Complete (Light Six).....	1	1.80
3331	Cocoa Mat (Little Six).....	1	4.60
3070	Dash Lamp Bracket, Left (Little Six)....	1	1.30
3069	Dash Lamp Bracket, Right (Little Six)....	1	1.30
872-Std.	Carriage Bolt $\frac{3}{8}$ "x $1\frac{1}{4}$ ".....	6	
1230-Std.	Acorn Nut $\frac{3}{8}$ "-16 Nickel Plated....	6	
896-Std.	Plain Washer $\frac{3}{8}$ " Nickel Plated....	6	
1003-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x $1\frac{1}{2}$ " U. S. S... 2	2	
21146-B	Dash Lamp Wire Hole Plate (Little Six)...	2	.10
971-Std.	Round Head Wood Screw No. 8x $\frac{3}{4}$ "	2	
859-Std.	Round Head Machine Screw and Nut No. 8-32x $\frac{1}{2}$ " Nickel Plated.....	2	
1033-Std.	Lock Washer $\frac{3}{16}$ ".....	2	
3054	Body Iron, Right Front (Little Six).....	1	.65
3404	Body Iron, Right Front (Light Six).....	1	.55
3055	Body Iron, Left Front (Little Six).....	1	.65
3405	Body Iron, Left Front (Light Six).....	1	.55

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3042	Body Iron, Right Center (Little Six).....	1	.65
3043	Body Iron, Left Center (Little Six).....	1	.65
3403	Body Iron, Center (Light Six).....	2	.55
3040	Body Iron, Right Rear (Little Six).....	1	.80
3402	Body Iron, Right Rear (Light Six).....	1	.70
3041	Body Iron, Left Rear (Little Six).....	1	.80
3401	Body Iron, Left Rear (Light Six).....	1	.70

### HOOD AND HOOD PARTS

3225	Hood Complete (Little Six).....	1	10.60
3393-L	Hood Complete (Light Six).....	1	13.95
3380	Hood Handle.....	2	.10
3388	HOOD FASTENER ASSEMBLY (Little Six).....	4	1.00
2804	HOOD FASTENER ASSEMBLY (Light Six and Model C).....	4	1.00
* * * *			
3022	Hood Ledge (On Dash) (Little Six).....	1	1.25
1090-Std.	Round Head Wood Screw No. 8x5/8" (Nickel Plated).....	12	
1227-Std.	Hood Ledge Lace.....	2	
3232	Hood Sill, Right (Little Six).....	1	.65
3410	Hood Sill, Right (Light Six).....	1	1.00
3231	Hood Sill, Left (Little Six).....	1	.65
3409	Hood Sill, Left (Light Six).....	1	1.00
1091-Std.	Round Head Machine Screw No. 14-20x1 3/4" Nickel Plated.....	6	
21570-B	Hood Sill Shim (Also used on H-2 and H-4).....	6	6 for .10

### FENDERS, RUNNING BOARDS AND RUNNING BOARD APRONS 56" TREAD

3201	Front Fender, Right.....	1	8.50
3202	Front Fender, Left.....	1	8.50
3158	Front Fender, Iron (Little Six).....	2	1.50
3394	Front Fender Iron, Right (Light Six).....	1	1.50
3395	Front Fender Iron, Left (Light Six).....	1	1.50

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3203	Rear Fender, Right (Little Six).....	1	6.40
3396	Rear Fender, Right (Light Six).....	1	6.40
3204	Rear Fender, Left (Little Six).....	1	6.40
3397	Rear Fender, Left (Light Six).....	1	6.40
3164	Rear Fender Iron, Right (Little Six).....	1	1.00
3165	Rear Fender Iron, Left (Little Six).....	1	1.00
3205	Running Board Apron, Right (Little Six)...	1	5.00
3315	Running Board Apron, Right (Light Six)...	1	5.00
3206	Running Board Apron, Left (Little Six)....	1	5.00
3316	Running Board Apron, Left (Light Six)....	1	5.00
2930	Running Board, Right (Little Six).....	1	.70
2929	Running Board, Left (Little Six).....	1	.70
	(Linoleum and Moulding listed above.)		
3438	RUNNING BOARD ASSEMBLY (Light Six).....	2	2.50
3434	Running Board (Light Six) .....	2	.75
3435	Running Board Linoleum (Light Six).....	2	.55
3436	Running Board Moulding (Light Six).....	2	.80
	* * * *		
	<b>60" Tread</b>		
	(Little Six)		
3148	Front Fender, Right.....	1	10.50
3149	Front Fender, Left.....	1	10.50
3154	Front Fender Iron.....	2	1.65
903-Std.	Front Fender Iron Nut— $\frac{5}{8}$ "—18 S. A. E.....	2	
3150	Rear Fender, Right.....	1	9.50
3151	Rear Fender, Left.....	1	9.50
3155	Rear Fender Iron, Right.....	1	1.00
3156	Rear Fender Iron, Left.....	1	1.00
1245-Std.	Hex. Cap Screw $\frac{1}{8}$ "—18x1 $\frac{1}{2}$ " (Rear Fender to Body).....	6	
1252-Std.	Plain Washer $\frac{1}{8}$ ".....	6	
3152	Running Board Apron, Right.....	1	6.25
3153	Running Board Apron, Left.....	1	6.25
1101-Std.	Oval Head, Blued Machine Screw No. 10—24x $\frac{3}{4}$ ".....	32	
1032-Std.	Hex. Nut No. 10 24.....	32	
1033-Std.	Lock Washer $\frac{3}{8}$ ".....	32	
2930	Running Board, Right 56" and 60".....	1	.70

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
2929	Running Board, Left 56" and 60" ..... (Linoleum and Moulding listed above.)	1	.70

### EQUIPMENT

#### Top

(For Little Six)

2989	Top, Complete with Side Curtains.....	1	65.00
2990	Top, Less Side Curtains.....	1	53.00
2994	Side Curtain, Right Front.....	1	2.55
2995-L	Side Curtain, Left Front.....	1	2.55
2996	Side Curtain, Right Center.....	1	2.60
2997	Side Curtain, Left Center.....	1	2.60
2998	Side Curtain, Right Rear.....	1	1.55
2999	Side Curtain, Left Rear.....	1	1.55
3072	Front Top Strap, Complete.....	2	.70
3073	Rear Top Strap, Complete.....	2	.60
21629-B	Rear Top Strap Ring.....	2	2 for .10
2991	Dust Cover.....	1	6.50

#### Top

(For Light Six)

4402	Top, Complete with Side Curtains.....	1	72.00
4403	Top, Less Side Curtains.....	1	55.00
4406	Side Curtain, Right Front.....	1	2.75
4407	Side Curtain, Left Front.....	1	2.75
4408	Side Curtain, Right Center.....	1	3.45
4409	Side Curtain, Left Center.....	1	3.45
4410	Side Curtain, Right Rear.....	1	2.50
4411	Side Curtain, Left Rear.....	1	2.50
3519	Front Top Strap, Complete.....	2	.50
3517	Rear Top Strap, Complete.....	2	.70
4412	Dust Cover.....	1	6.50

#### Top Rest and Goose Neck Irons

2910	TOP REST ASSEMBLY, Right (Little Six)	1	1.00
3456	TOP REST ASSEMBLY, Right (Light Six)	1	1.00
2911	TOP REST ASSEMBLY, Left (Little Six)..	1	1.00
3457	TOP FRONT ASSEMBLY, Left (Light Six)	1	1.00

\* \* \* \*

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
3078	Goose Neck Iron and Nut, Front (Little Six)	2	.25
3455	Goose Neck Iron and Nut, Front (Light Six)	2	.25
3077	Goose Neck Iron and Nut, Center (Also used on H-2 and H-4)	2	.20
2992	Top Prop Nut (Round Nut on Center Goose Neck) (Little Six)	2	.10
4405	Top Prop Nut (Light Six)	2	.10
<b>Windshield</b>			
2979	Windshield, Complete (Little Six)	1	21.75
4434	Windshield, Complete (Light Six)	1	19.80
3048	Anchor Clip, Right (Little Six)	2	.65
3049	Anchor Clip, Left (Little Six)	2	.65
875-Std.	Round Head Machine Screw $\frac{5}{16}$ "-18x1 $\frac{1}{4}$ " U. S. S. Nickel Plated	2	
1005-Std.	Lock Washer $\frac{5}{16}$ "	6	
864-Std.	Hex. Cap Screw $\frac{5}{16}$ "-18x1 $\frac{1}{2}$ " U. S. S. Nickel Plated	2	
3142	Anchor Bolt Washer	2	2 for .10
991-Std.	Acorn Nut $\frac{5}{8}$ "-18 Nickel Plated	4	
3089	Brace Rod, Right (Little Six)	1	.65
3090	Brace Rod, Left (Little Six)	1	.65
3098	Channel Rubber (Little Six)	1	.30
2909	Adjusting Nut, Large (Little Six)	2	.65
2902	Adjusting Nut (Small) (Little Six)	2	.25
4453	Windshield Top Strap Spool (Light Six)	2	.20
3390	Windshield Bracket, Right (Light Six)	1	1.00
3389-L	Windshield Bracket, Left (Light Six)	1	1.00
<b>Speedometer</b>			
(For Little Six)			
2973	Speedometer Complete	1	25.00
4437	Swivel Joint	1	4.95
4438	Swivel Joint Grease Cup	1	.30
4439	Flexible Shaft	1	6.20
4440	Flexible Shaft Casing	1	3.70
4441	Flexible Shaft Chain with End Connections	1	2.45
4442	Flexible Shaft Chain without End Connections	1	1.85
4443	Clutch on Chain (Speedometer End)	1	.25
4444	Chain Sliding Bar Fitting (Swivel Joint End)	1	.35
4445	Road Wheel Sprocket (With Washers and Screws)	1	1.85
4446	Swivel Small Gear	1	.90

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
4447	Swivel Bracket.....	1	
4448	Swivel Post .....	1	
4449	Swivel Post Clamp.....	1	
<b>Speedometer</b>			
(For Light Six)			
21089-B	Speedometer Complete 60" Tube (Also used on H-2 and H-4).....	1	20.00
22801-B	Flexible Shaft (Also used on H-2 and H-4).....	1	7.50
22802-B	Swivel Joint, Complete (Also used on H-2 and H-4).....	1	9.00
22803-B	Swivel Joint Bracket (Also used on H-2 and H-4).....	1	3.00
22804-B	Joint Bracket Clamp (Also used on H-2 and H-4).....	1	2.25
4379	Road Wheel Sprocket (Complete with Screws and Spacers).....	1	2.50
<b>Horn</b>			
(For Little Six)			
2971	Electric Horn.....	1	7.90
2891	Horn Bracket.....	1	.35
1030-Std.	Round Head Machine Screw No. 10-24x $\frac{1}{2}$ " (Nickel Plated).....	4	
2896	Horn Wire Short (21").....	1	.10
2897	Horn Wire Long (44").....	1	.20
2895	Wire Terminal.....	2	2 for .10
2890	Electric Horn Button.....	1	.50
2894	Wire Tube.....	1	.40
2893	Wire Tube Clamp.....	2	.15
1030-Std.	Round Head Machine Screw No. 10-24x $\frac{1}{2}$ ".....	2	
1032-Std.	Hex. Nut No. 10-24.....	2	
2892	Wire Tube Bushing.....	2	.15
<b>Horn</b>			
(For Light Six)			
21093-B	Electric Horn, Complete (Also used on H-2 and H-4, 1914).....	1	3.00
22505-B	Horn only (Also used on H-2 and H-4, 1914).....	1	2.25
21580-B	Horn Bracket (Also used on H-2 and H-4, 1914 and 1915).....	1	.20
	Electric Horn Wire, Short (Also used on H-2 and H-4, 1914 and 1915).....	1	.25

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
	Electric Horn Wire, Long (Also used on H-2 and H-4, 1914 and 1915).....	1	.40
22774-B	Electric Horn Button (Also used on H-2 and H-4, 1914) .....	1	.45
22508-B	Electric Horn Wire Tube (Also used on H-2 and H-4, 1914 and 1915).....	1	.40
22509-B	Electric Horn Wire Tube Clip (Also used on H-2 and H-4, 1914 and 1915).....	1	.15
<b>ELECTRIC LIGHTS</b>			
2962	Electric Light Switch (Little Six).....	1	3.00
21153-B	Electric Light Switch (Light Six and H-2 and H-4, 1914).....	1	2.50
2964	Connecting Wire to Dash Lamps 10" (In Conduit) (Little Six).....	2	1.10
2963	Connecting Wire to Tail and Head Lamps 18" (In Conduit) (Little Six).....	3	1.25
2970	Wire Harness, Complete (Little Six).....	1	15.00
4415	Wire Harness Complete (Light Six).....	1	15.00
21151-B	Circuit Breaker (Also used on H-2 and H-4)	1	7.35
22359-B	Ammeter.....	1	3.50
21154-B	Ammeter.....	1	3.50
2958	Electric Head Light (Little Six).....	2	10.55
4413	Electric Head Light (Light Six).....	2	12.00
2960	Combination Electric-Oil Dash Lamp, Right (Little Six).....	1	6.60
2959	Combination Electric-Oil Dash Lamp, Left (Little Six).....	1	6.60
2961	Combination Electric-Oil Tail Lamp (Little Six).....	1	6.60
4414	Electric Tail Lamp (Light Six).....	1	4.00
21381-B	Willard Storage Battery (Also used on H-2 and H-4, 1914).....	1	25.00
<b>ELECTRIC STARTER</b>			
3298	Electric Starter Bracket (Bronze) (Little Six).....	1	7.00
3384	Electric Starter Bracket (Steel) (Light Six)	1	2.60
1164-Std.	Hex. Cap Screw $\frac{1}{8}$ "-14x1 $\frac{1}{4}$ " U. S. S. (Little Six).....	4	
1191-Std.	Hex. Cap Screw $\frac{1}{2}$ "-13x1 $\frac{1}{4}$ " U. S. S. (Light Six).....	3	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1085-Std.	Lock Washer $\frac{1}{8}$ "	4	
1088-Std.	Lock Washer $\frac{1}{4}$ "	4	
3842	Starting Motor, Complete with Gearing (Deaco GP) (Little Six)	1	75.00
3531	Starting Motor, no Gear Reduction (Deaco- GF) (Little Six)	1	50.00
3532	Starting Motor Gearing Complete (Deaco- GP) (Little Six)	1	30.00
4398	Starting Motor, Complete with Gearing (Auto-Lite Type "Light Six") (Light Six)	1	75.00
4399	Starting Motor, No Gear Reduction (Auto- Lite, Type "Light Six") (Light Six)	1	50.00
4400	Starting Motor Gearing, Complete (Auto- Lite, Type "Light Six") (Light Six)	1	30.00
3338	Electric Starter Connecting Rod Yoke (Little Six)	1	.55
1174-Std.	Yoke Pin $\frac{3}{8}$ "x1"	1	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ "	1	
3386	Self Starter Connecting Rod Link (Little Six)	1	.60
3337	Connecting Rod Link Screw (Little Six)	1	.10
1007-Std.	Lock Washer $\frac{3}{8}$ "	1	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	2	
3327	Electric Starter Shifting Lever (Bronze) (Little Six)	1	1.40
3411	Electric Starter Shifting Lever (Light Six)	1	.50
1127-Std.	Woodruff Key No. 11 (Little Six)	1	
938-Std.	Taper Pin No. 4x1 $\frac{1}{2}$ " (Light Six)	1	
1214-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{4}$ " U. S. S. (Little Six)	1	
1020-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S. (Light Six)	1	
1007-Std.	Lock Washer $\frac{3}{8}$ "	1	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	1	
3328	Electric Starter Pedal Shaft Bracket (Also used on Model C)	2	1.50
1042-Std.	Bowen Oiler No. 4-B	2	
1008-Std.	Hex. Cap Screw $\frac{5}{8}$ "-18x1" U. S. S.	6	
1004-Std.	Hex. Nut $\frac{5}{8}$ "-18 U. S. S.	6	
1005-Std.	Lock Washer $\frac{5}{8}$ "	6	
3330	Electric Starter Pedal (Also used on Model C)	1	2.40
3400	Pedal Pad	1	.75
1127-Std.	Woodruff Key No. 11 (Little Six)	1	
933-Std.	Taper Pin No. 4x1 $\frac{1}{2}$ " (Light Six)	1	



## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
1020-Std.	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S.	1	
1007-Std.	Lock Washer $\frac{3}{8}$ "	1	
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	1	
3329	Electric Starter Pedal Shaft (Also used on Model C)	1	.60
A-839	Reverse Rod Collar (Little Six)	1	.10
1100-Std.	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ "	1	
3413	Pedal Shaft Collar (Light Six)	1	.10
1053-Std.	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{2}$ "	1	
3340	Electric Starter Switch, with Resistance (Deaco) (Little Six)	1	7.50
4386	Electric Starter Switch (Auto-Lite Type A) (Light Six)	1	7.50
1008-Std.	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	1	
3344	Switch Connecting Rod Adjusting Yoke (Little Six)	1	.35
3339	Switch Connectig Rod (Little Six)	1	.80
1175-Std.	Yoke Pin $\frac{3}{8}$ "x1 $\frac{1}{8}$ "	2	
3059	Adjusting Yoke $\frac{3}{8}$ "-24 (Light Six)	1	.25
1174-Std.	Yoke End Pin $\frac{3}{8}$ "x1" (Light Six)	1	
1058-Std.	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ "	1	
3223	Electric Starter Spring (Little Six)	1	.15
3485	Electric Starter Release Spring (Used Also on Model C)	1	.20
3483	Electric Starter Release Spring Hook	1	.10
3332	Switch Bracket (Little Six)	1	2.35
1014-Std.	Lock Washer $\frac{1}{4}$ "	4	
1165-Std.	Round Head Machine Screw No. 14-20x $\frac{5}{8}$ "	4	
1213-Std.	Round Head Machine Screw No. 14-20x1"	3	
1014-Std.	Lock Washer $\frac{1}{4}$ "	3	
1092-Std.	Hex. Nut 14-20	3	

### IGNITION

2067	Ignition Switch Complete with Wires (Remy Type D, used with RL Magneto, Replaced by 4384) (Little Six)	1	6.00
2008	Coil (Type Remy LC Replaced by 4384) (Little Six)	1	14.00
2969	Coil Strap (Little Six)	2	.15
971-Std.	Round Head Wood Screw No. 8x $\frac{3}{4}$ "	4	

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	No. Used	Price Each
4384	Coil and Switch Combined (Remy Type LE)	1	20.00
333	Ignition Switch (Simms No. 1 Independent (Light Six and Model C).....	1	2.45
893-Std.	High Tension Wire (From Coil to Magneto, and from Magneto to Spark Plugs) .....		per ft.
892-Std.	Duplex Wire No. 14 (From Switch to Dry Cells).....		per ft.
984-Std.	Small Copper Terminal.....	6	
2965	Magneto Terminal.....	6	.85
2269	Spark Plug Terminal.....	6	.25
4380	Spark Plug Wire Plate.....	1	.35
988-Std.	Columbia Dry Cells No. 6.....	4	.25
987-Std.	Dry Cell Connections.....	3	6 for .10

### TOOLS

	Tool Kit, Complete.....	1	3.00
901-Std.	Auto Jack.....	1	.85
22144-B	Tire Pump.....	1	2.75
2972	Tire Repair Kit Complete.....	1	1.30
1974	Hub Cap Wrench (Little Six).....	1	.45
5097-K	Hub Cap Wrench (Light Six).....	1	.45
22775-B	Gasoline Tank Wrench (Also used as Hub Cap Wrench on H-2-4).....	1	.30
	Rim Wrench (Little Six)	1	.45
Y-1091	Rim Wrench (Light Six).....	1	.45
2903	Carburetor Wrench (With Zenith).....	1	.30
982-Std.	Copper Oil Can.....	1	.20

# STANDARD PARTS

---

The following is a list of the smaller parts such as Bolts, Screws, Nuts, etc., used in this Model, and which we call "Standard Parts."

These may be obtained at the regular hardware stores or we will fill orders for them, but as the sale of these small parts entails the same amount of clerical work as that of the larger or regular parts, we have had to establish Ten Cents as a minimum charge.

In ordering Bolts, Screws, or Nuts, it will be necessary to either specify the number of threads to the inch, or else to state whether they are S. A. E. (Society of Automobile Engineers) or U. S. S. (United States Standard).

The following table may be found convenient in this case.

BOLTS, SCREWS AND NUTS			TABLE OF NUMBERED SCREWS		
Diam. of Bolt	Threads per Inch		No.	Diam.	Threads Per Inch
	S. A. E.	U. S. S.			
1/4"	28	20			
5/16"	24	18			
3/8"	24	16	6	.1368"	32
7/16"	20	14	8	.1631"	32
1/2"	20	13 or 12	10	.1894"	24
5/8"	18	12	12	.2158"	24
3/4"	18	11	14	.2421"	20
7/8"	16	not made			
1"	16	10			
	14	9			
	14	8			

(NOTE: Prices are per dozen, except where otherwise indicated.)

Part No.	NAME	Price per Doz.
637	Close Pipe Nipple 3/8".....	.10
638	Brass T 3/8".....	.20
644	Fillister Head Machine Screw (Nickel Plated) No. 10- 24x3/4".....	.20

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	Price per Doz.
648	Cotter Pin $\frac{5}{32}$ "x1".....	.10
649	Fillister Head Cap Screw $\frac{1}{4}$ "-20x $\frac{3}{8}$ ".....	.25
652	Hex. Cap Screw $\frac{5}{16}$ "-20x1 $\frac{1}{4}$ " S. A. E.....	.40
654	Plain Washer $\frac{3}{4}$ "..... 2 doz. for	.10
655	Cotter Pin $\frac{1}{16}$ "x2".....	.10
656	Square Head Machine Bolt $\frac{1}{16}$ "-14 x $3\frac{1}{16}$ " U. S. S.....	.30
886	Round Point Set Screw $\frac{5}{16}$ "-18x $\frac{3}{4}$ ".....	.15
887	Hex. Cap Screw $\frac{3}{8}$ "-24x1" S. A. E.....	.35
853	Woodruff Key No. D.....	each .10
854	Steel Balls $\frac{1}{8}$ ".....	.15
859	Round Head Machine Screw and Nut No. 8-32x $\frac{1}{2}$ " (Nickel Plated).....	.20
860	Fillister Head Machine Screw No. 10-32x $\frac{1}{2}$ " (Nickel Plated).....	.20
863	Hex. Nut $\frac{5}{8}$ "-18 S. A. E. (Left Hand Thread).....	.35
864	Hex. Cap Screw $\frac{5}{16}$ "-18x1 $\frac{1}{2}$ " U. S. S. (Nickel Plated).....	.40
866	Bowen Oil Cup No. 1-G.....	each .15
868	Hex. Cap Screw $\frac{5}{16}$ "-24x1" S. A. E.....	.30
869	Cotter Pin $\frac{7}{32}$ "x $\frac{5}{8}$ ".....	.10
870	Gray Linoleum 72" wide.....	sq. yd. 1.00
871	J. Brass Moulding (Nickel Plated) $\frac{3}{4}$ ".....	per ft. .15
872	Carriage Bolt $\frac{3}{8}$ "x1 $\frac{1}{4}$ ".....	.15
875	Round Head Machine Screw (Nickel Plated) $\frac{1}{8}$ "-18x1 $\frac{1}{4}$ " U. S. S.....	.30
877	Fillister Head Machine Screw (Nickel Plated) No. 10-32"x $\frac{3}{4}$ ".....	.25
878	Fillister Head Screw $\frac{1}{8}$ "-18x1" U. S. S.....	.30
879	Fillister Head Screw $\frac{1}{8}$ "-18x1 $\frac{1}{2}$ " U. S. S.....	.35
882	Pipe Plug 1".....	.60
883	Taper Pin No. 1x1".....	.15
884	Woodruff Key No. 3..... 2 for	.10
885	Hex. Cap Screw $\frac{1}{8}$ "-24x1 $\frac{3}{8}$ " S. A. E.....	.30
886	Hex. Cap Screw $\frac{1}{8}$ "-18x1 $\frac{1}{8}$ " U. S. S.....	.30
887	Cup Point Set Screw $\frac{1}{4}$ "x $\frac{3}{8}$ ".....	.15
888	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{4}$ ".....	.10
890	Flat Head Wood Screw No. 12x $\frac{3}{8}$ ".....	.10
891	Round Head Machine Screw (Nickel Plated) No. 14-20x $\frac{3}{8}$ ".....	.20
892	Duplex Wire No. 14.....	per ft. .10
893	High Tension Wire.....	per ft. .10
896	Plain Washer (Nickel Plated) $\frac{1}{16}$ ".....	.10
897	Hose Clamp 1 $\frac{1}{2}$ "-5 ply.....	each .10
899	Hose Clamp 2 $\frac{1}{4}$ "-5 ply.....	each .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	Price per Doz.
900	Square Nut $\frac{1}{4}$ "-20 U. S. S.	.10
901	Round Head Machine Screw (Bright) $\frac{1}{4}$ "-20x $\frac{3}{4}$ " U. S. S.	.15
902	Hex. Nut $\frac{1}{16}$ "-20 S. A. E.	.20
908	Hex. Nut $\frac{5}{16}$ "-18 S. A. E.	.30
904	Hex. Cap Screw $\frac{3}{8}$ "-24x1 $\frac{1}{4}$ " S. A. E.	.35
905	Cotter Pin $\frac{1}{2}$ "x1"	.10
906	Hex. Cap Screw $\frac{3}{8}$ "-24x1 $\frac{3}{8}$ " S. A. E.	.40
907	Hex. Castle Nut $\frac{3}{8}$ "-24 S. A. E.	.15
909	Hex. Castle Nut $\frac{1}{2}$ "-20 S. A. E.	.35
910	Hex. Castle Nut $\frac{5}{8}$ "-18 S. A. E.	.50
918	Hex. Cap Screw $\frac{3}{8}$ "-24x2 $\frac{1}{2}$ " S. A. E.	.50
919	Hex. Cap Screw $\frac{3}{8}$ "-24x2" S. A. E.	.40
920	Fillister Head Screw $\frac{5}{8}$ "-24x1 $\frac{1}{2}$ " S. A. E.	.40
923	Fillister Head Screw $\frac{1}{2}$ "-24x $\frac{1}{2}$ " S. A. E.	.30
924	Woodruff Key No. C	each .10
925	Hex. Cap Screw $\frac{1}{8}$ "-20x1 $\frac{3}{8}$ " S. A. E.	.40
926	Hex. Cap Screw $\frac{1}{8}$ "-24x $\frac{11}{16}$ " S. A. E.	.30
927	Hex. Cap Screw $\frac{1}{8}$ "-24x $\frac{13}{16}$ " S. A. E.	.20
933	Taper Pin No. 4x1 $\frac{1}{2}$ "	.20
934	Round Head Wood Screw No. 4x $\frac{1}{2}$ "	.10
956	Round Head Machine Screw No. 10-24x $\frac{5}{8}$ "	.10
958	Pet Cook (Lever Handle) $\frac{1}{4}$ "	each .30
959	Round Head Machine Screw No. 8-32"x $\frac{1}{4}$ "	.10
966	Wire Clip	.25
971	Round Head Wood Screw No. 8x $\frac{3}{4}$ "	.10
973	Round Head Wood Screw (Nickel Plated) No. 10x1 $\frac{1}{4}$ "	.15
984	Small Copper Terminal	.10
988	Columbia Dry Cells No. 6	each .25
991	Acorn Nut (Nickel Plated) $\frac{1}{8}$ "-18	.70
995	Oval Head Wood Screw (Nickel Plated) No. 5x $\frac{3}{4}$ "	.15
1002	Taper Pin No. 3x1 $\frac{1}{4}$ "	.15
1003	Hex. Cap Screw $\frac{1}{8}$ "-18x1" U. S. S.	.35
1004	Hex. Nut $\frac{1}{8}$ "-18 U. S. S.	.15
1005	Lock Washer $\frac{1}{8}$ "	2 doz. for .10
1007	Lock Washer $\frac{3}{8}$ "	2 doz. for .10
1008	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.	.15
1014	Lock Washer $\frac{1}{4}$ "	2 doz. for .10
1016	Bowen Grease Cup No. 000	each .15
1017	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{4}$ " U. S. S.	.35
1019	Cotter Pin $\frac{3}{16}$ "x $\frac{3}{8}$ "	.10
1020	Hex. Cap Screw $\frac{3}{8}$ "-16x1 $\frac{1}{2}$ " U. S. S.	.40
1022	Hex. Cap Screw $\frac{3}{8}$ "-16x1" U. S. S.	.35

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	Price per Doz.
1030	Round Head Machine Screw (Nickel Plated) No. 10-24x $\frac{1}{2}$ "	.20
1032	Hex. Nut No. 10-24	.10
1033	Lock Washer $\frac{1}{8}$ "	.10
1035	Lock Washer $\frac{1}{16}$ "	.10
1036	Hex. Nut $\frac{1}{8}$ "-24 U. S. S.	.20
1037	Hex. Cap Screw $\frac{1}{2}$ "-13x $\frac{3}{4}$ " U. S. S.	.85
1038	Lock Washer $\frac{1}{4}$ "	.10
1039	Hex. Nut $\frac{1}{4}$ "-13 U. S. S.	.20
1040	Bowen Grease Cup No. 0	.30
1041	Bowen Grease Cup No. 00	.20
1042	Bowen Oiler No. 4-B	.25
1043	Cotter Pin $\frac{3}{32}$ "x1"	.10
1044	Pipe Plug $\frac{1}{4}$ "	.25
1049	Cotter Pin $\frac{3}{16}$ "x $2\frac{3}{4}$ "	.10
1050	Hex. Nut $\frac{3}{8}$ "-24 S. A. E.	.15
1053	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{2}$ "	.10
1054	Cotter Pin $\frac{1}{16}$ "x $\frac{1}{4}$ "	.10
1057	Cotter Pin $\frac{3}{8}$ "x1 $\frac{1}{4}$ "	.10
1058	Cotter Pin $\frac{3}{32}$ "x $\frac{3}{4}$ "	.10
1059	Cup Point Set Screw $\frac{1}{4}$ "x $\frac{1}{2}$ "	.15
1063	Hex. Castle Nut $\frac{1}{8}$ "-24 S. A. E.	.20
1065	Cotter Pin $\frac{1}{8}$ "x1 $\frac{1}{4}$ "	.10
1067	Fillister Head Bright Wood Screw No. 9x $\frac{3}{4}$ "	.10
1074	Ball Joint $\frac{1}{4}$ "-28 S. A. E.	.20
1078	Plain Washer $\frac{3}{16}$ "	.10
1079	Square Head Machine Bolt $\frac{1}{8}$ "-18x $2\frac{1}{4}$ "	.25
1083	Carriage Bolt $\frac{1}{4}$ "x1 $\frac{1}{2}$ "	.10
1084	Plain Washer $\frac{1}{4}$ "	.10
1090	Round Head Wood Screw No. 8x $\frac{3}{8}$ ", Nickel Plated	.15
1091	Round Head Machine Screw No. 14-20x1 $\frac{1}{4}$ ", Nickel Plated	.25
1092	Hex. Nut No. 14 20	.10
1094	Hex. Nut $\frac{1}{4}$ "-20 U. S. S.	.10
1095	Hex. Cap Screw $\frac{3}{16}$ "-18x1 $\frac{1}{4}$ " U. S. S.	.35
1098	Steel Ball $\frac{1}{2}$ "	.35
1099	Steel Ball $\frac{3}{4}$ "	.15
1100	Cotter Pin $\frac{3}{32}$ "x1 $\frac{1}{4}$ "	.10
1101	Oval Head Blued Machine Screw No. 10-24x $\frac{3}{4}$ "	.10
1110	Drain Cock (Lever Handle) $\frac{1}{4}$ "	.30
1116	Cotter Pin $\frac{1}{8}$ "x1"	.10
1118	Pipe Plug $\frac{1}{8}$ "	.25
1122	Round Head Wood Screw No. 5x $\frac{3}{4}$ " (Nickel Plated)	.15

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	Price er Doz.
1126	Hex. Nut $\frac{3}{8}$ "-16 U. S. S. Left Hand.....	.20
1127	Woodruff Key No. 11.....	each .10
1129	Pipe Plug $\frac{3}{8}$ ".....	.25
1130	Taper Pin No. 3x1 $\frac{1}{4}$ ".....	.15
1133	Steel Ball $\frac{3}{8}$ ".....	.60
1134	Hex. Nut $\frac{3}{8}$ "-16 U. S. S.....	.15
1136	Cotter Pin $\frac{1}{8}$ "x1".....	.10
1137	Fillister Head Cap Screw $\frac{1}{4}$ "-20x $\frac{3}{4}$ " U. S. S.....	.30
1138	Hex. Nut $\frac{3}{4}$ "-28 S. A. E.....	.15
1142	Hex. Castle Nut $\frac{3}{8}$ "-18 S. A. E.....	.45
1143	Hex. Nut $\frac{1}{16}$ "-14 U. S. S.....	.20
1144	Button Head Machine Bolt $\frac{1}{4}$ "-20x $2\frac{1}{4}$ " and Square Nut $\frac{1}{4}$ "-20 U. S. S.....	.20
1145	Cotter Pin $\frac{3}{8}$ "x1".....	.10
1147	Hex. Nut $\frac{1}{2}$ "-20 S. A. E.....	.20
1149	Lock Washer (Nickel Plated) $\frac{1}{4}$ ".....	2 doz. for .10
1159	Lock Washer $\frac{3}{8}$ ".....	2 doz. for .10
1160	Lock Washer $\frac{3}{4}$ ".....	2 doz. for .10
1163	Hex. Nut (Nickel Plated) $\frac{3}{8}$ "-16 U. S. S.....	.45
1164	Hex. Cap Screw $\frac{1}{16}$ "-14x1 $\frac{1}{4}$ " U. S. S.....	.45
1165	Round Head Machine Screw No. 14-20x $\frac{3}{8}$ ".....	.10
1166	Hex. Nut $\frac{3}{4}$ "-16 S. A. E.....	.40
1167	Hex. Nut $\frac{3}{8}$ "-11 U. S. S.....	.25
1168	Woodruff Key No. 15.....	each .10
1169	Hex. Cap Screw $\frac{3}{8}$ "-16x2" U. S. S.....	.45
1170	Plain Washer $\frac{1}{8}$ " (Nickel Plated).....	2 doz. for .10
1171	Hex. Castle Nut $\frac{1}{4}$ "-28 S. A. E.....	.20
1173	Yoke End Pin $\frac{3}{8}$ "x $1\frac{1}{2}$ ".....	.30
1174	Yoke End Pin $\frac{3}{8}$ "x1".....	.40
1175	Yoke End Pin $\frac{3}{8}$ "x1 $\frac{1}{16}$ ".....	.40
1177	Yoke End Pin $\frac{1}{4}$ "x $\frac{3}{4}$ ".....	.30
1178	Cotter Pin $\frac{1}{16}$ "x1 $\frac{1}{4}$ ".....	.10
1180	Hex. Cap Screw $\frac{3}{8}$ "-14x1" U. S. S.....	.40
1181	Square Head Machine Bolt and Nut $\frac{1}{2}$ "-13x14" U. S. S.....	each .50
1183	Pipe Plug $\frac{1}{4}$ ".....	.25
1188	Hex. Cap Screw $\frac{1}{4}$ "-20x1 $\frac{1}{4}$ " U. S. S.....	.30
1191	Hex. Cap Screw $\frac{1}{2}$ "-13x1 $\frac{1}{2}$ " U. S. S.....	.55
1192	T Handle Pet Cock $\frac{3}{8}$ ".....	each .20
1195	Fillister Head Screw No. 14-20x1".....	.10
1196	Hex. Cap Screw (Nickel Plated) $\frac{1}{4}$ "-20x1".....	.60
1197	Oval Head Wood Screw (Nickel Plated) No. 10x1".....	.15
1198	Woodruff Key No. 9.....	each .10

## Chevrolet Motor Company, Flint, Michigan

Part No.	NAME	Price per Doz.
1199	Square Key $\frac{3}{8}$ " sq. x $1\frac{3}{8}$ "	.15
1200	Taper Pin No. 1x $\frac{3}{8}$ "	.15
1201	Fillister Head Screw No. 14-32x $\frac{1}{2}$ " (Nickel Plated)	.25
1202	Round Head Brass Screw No. 14-20x $\frac{3}{8}$ " (Nickel Plated)	.20
1203	Hex. Nut No. 14-20 (Nickel Plated)	.20
1204	Hex. Cap Screw $\frac{5}{8}$ "-18x $2\frac{1}{4}$ " U. S. S.	.40
1205	Cup Point Set Screw $\frac{5}{8}$ "-18x $\frac{1}{2}$ "	.15
1206	Steel Ball $\frac{1}{4}$ "	.15
1207	Hex. Castle Nut $\frac{3}{4}$ "-16 S. A. E.	.60
1208	Woodruff Key No. 12	each .10
1210	Plain Washer $\frac{3}{8}$ "	3 doz. for .10
1213	Round Head Machine Screw No. 14-20x1"	.15
1214	Hex. Cap Screw $\frac{3}{8}$ "-16x $1\frac{3}{4}$ " U. S. S.	.45
1221	Cotter Pin $\frac{1}{8}$ "x $\frac{3}{4}$ "	.10
1227	Hood Ledge Lace	.3 ft. for .10
1230	Acorn Nut (Nickel Plated) $\frac{3}{4}$ "-16 U. S. S.	.90
1232	Hex. Nut $\frac{5}{8}$ "-24 S. A. E.	.15
1234	Hex. Cap Screw $\frac{5}{8}$ "-18x $\frac{3}{4}$ " U. S. S.	.30
1245	Hex. Cap Screw $\frac{5}{8}$ "-18x $1\frac{1}{2}$ " U. S. S.	.40
1252	Plain Washer $\frac{3}{8}$ "	2 doz. for .10
1257	Socket Plug $\frac{3}{4}$ "	each .10
1260	Round Head Machine Screw No. 10-24x1" (Nickel Plated)	.20