

NEW CHEVY PICKUPS. For 1981, an important step ahead. New optional V8 with Electronic Spark Control. Improved Six. New, trimmer body, but with the same big full-size payloads. New colors. New, leaner looks, cleaner aerodynamic styling, new fuel efficiency*—plus Chevy's traditional tough truck features, like: Massive Girder Beam suspension on 2-wheel-drive models. Doublewall construction. Strong, ladder-type frame. New Chevy Pickups. An important step ahead. For Chevy and you. *See your Chevrolet dealer to obtain EPA fuel economy estimates for Chevy Pickups.



NEW SHAPE CUTS AIR DRAG.

New aerodynamically de-signed front-end sheet metal cuts power-robbing wind drag. An exciting new look for the eightles that also contributes to operating efficiency.



NEW OPTIONAL V8 WITH ELECTRONIC SPARK CONTROL

New optional 5.0 Liter (305 Cu. In.] V8 with ESC offers an impressive combination of performance and fuel economy. See page 10.



shown or described throughout this catalog We have tried to make are available factorythis catalog as cominstalled options, prehensive and factual dealer accessories and as possible and we hope specialized equipment you find it helpful. from various indepen-However, since the dent suppliers at extra time of printing, some cost. Your dealer has of the information you details and, before orwill find here may have dering, you should ask been updated. Also, him to bring you up to

date.

some of the equipment

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.





A TOUGH RECORD TO BEAT.

94.4% of all Chevy Light, Medium-, Heavy-Duty trucks and commercial vans in the ten most recent years recorded were still on the job.

(Based on R. L. Polk & Co. model year registrations through July 1, 1979. Statis-tics for 1980 not available at time of printing.)



DOUBLE-WALL CONSTRUCTION.

Many important areas in the new Chevy Pickups are constructed with both an inner and an outer steel wall. See page 12.



STRONG STEEL FRAME.

New Chevy Pickups have rigid, ladder-type frames with side ralls of highstrength steel. See page 12.



MASSIVE GIRDER BEAM FRONT SUSPENSION.

A rigid steel beam with in-dependent front suspen-sion helps smooth the ride on 2-wheel-drive models. See page 16.



NEW ANTI-CORROSION TREATMENTS.

Use of more corrosionresistant steels, new urethane stone shields ahead of wheel openings on Fleetside cargo boxes and more. See page 13.



NEW LOW-DRAG FRONT DISC BRAKES.

Designed to help contribute to fuel economy. Reduces rolling resistance from the front brakes. See page 16.



NEW 4-WHEEL-DRIVE SYSTEM.

Features new front hubs on K10-20 models that let you shift into and out of 4wheel drive without leaving the cab. See page 7.



LEAN WEIGHT.

Weight has been frimmed without affecting toughness. Lighter Chevy Pickups still carry as much as last year. See page 16.




NEW REAR SPRINGS.

New base rear springs for K10-20 models and new optional heavy-duty springs for C10-20 models. See page 16.

Tires supplied by various manufacturers:





NEW 4-WHEEL-DRIVE SYSTEM. NEW OPTIONAL V8 PUNCH.

A Chevy 4-wheeler is a versatile way to get to a job. Or get far away from it. In 2-wheel drive, it's a hardworking highway pickup. In 4-wheel drive, it's a hardcharger in mud, snow or when the road gets rough. And the new 4-wheel-drive system for K10-20 models offers extra convenience in 4-wheeling.

WIDE CHOICE OF MODELS.

Chevy offers a wide lineup of 4-wheelers, half-ton, %-ton and one-ton models with single or dual rear wheels. Depending on the wheelbase, you can order a 61/2-ft. or 8-ft. pickup box. See model chart on page 9.

NEW OPTIONAL V8 WITH ELECTRONIC SPARK CONTROL.

For K10 models, the new optional 5.0 Liter (305 Cu. In.) V8 with Electronic Spark Control offers surprising acceleration and horsepower for an engine of its size. The 5.0 Liter V8 is not available. in California. See page 10 for



NEW 4 WD SYSTEM.

The new 4-wheel-drive system for K10-20 models features automatic locking front hubs. When you shift from 2WD to 4WD, the front hubs automatically lock up, eliminating the need to get out of the cab to set them. To revert to 2WD, simply stop the vehicle, shift into 2WD, reverse direction slowly about ten feet and go your way. K10 and K20 models also have a new lightweight aluminum transfer case with synchronized gears that allow you to shift from 2WD to 4WD at speeds under 25 MPH. The console is floormounted with lighted indicator. In 2-wheel drive, the transfer case and frontaxle prop shaft don't turn to reduce wear and contribute to fuel economy.

LEAN WEIGHT.

Weight has been trimmed for all 4x4 models. Payloads are still full size. On single-rearwheel models, payloads range from 2010 to 4394 lbs. On one-ton Big Dooley dualrear-wheel models, they range from 4378 to 4846 lbs. (See model chart on page 9.)

EASY ENTRY AND EXIT.

Chevy 4-wheelers have a low silhouette for easy entry and exit. Yet they still allow slightly over 7 inches of ground clearance.


NEW REAR SPRINGS.

New rear springs are shotpeened for strength on K10 and K20 models under 8500 Ibs. GVWR.



NEW OPTIONAL FRONT QUAD SHOCKS.

For K10 and K20 models, a new optional Front Quad Shocks package is available. It includes four shock absorbers for the front axle, two heavy-duty rear shock absorbers, and a nose snubber to limit front axle windup.



STANDARD FEATURES ON CHEVY 4-WHEELERS.

- Power steering.
 New automatic locking front hubs on K10-20 models.
- 3. Front stabilizer bar.
- 4. Power-assisted front disc brokes and finned rear drum brakes, with new low-drag front disc brakes on models under 8500 lbs. GVWR.
- 5. Multi-leaf springs front and rear.
- 6. Drop-center frame design for low cab floor height.
- 7. Two-piece drive shaft for rugged simplicity.
- 8. One-piece front air deflector on models under 8500 lbs. GVWR.

THERE'S A STRONG CHEVY HERE TO MATCH

FLEETSIDE 2-WHEEL DRIVE.

Shown as C10 Diesel Pickup. Fleetside styling is available in all six series with an 8-ft. box and GVWRs to 10,000 lbs. GVWR is combined weight of vehicle, equipment, fuel, driver, passenger and payload. A 6½-ft. box is available on C and K10 models only.



FLEETSIDE 4-WHEEL DRIVE.

Some jobs demand 4-wheel drive. Versatile Chevy K20 Fleetside delivers it with full-size payloads from 2373 to 4218 lbs. Also available as K10 and K30 models. Shown with optional Sport Package described on the back cover.






CREW CAB/BONUS CAB.

Both available in 2- and 4-wheel-drive models. Crew Cab is a 4-door pickup with front and rear bench seats. Bonus Cab does not have a rear seat, so it offers 55.8 cubic feet of lockable cab load space. Both models are also available with Big Dooley.

CHASSIS-CAB AND NEW C30 HD CHASSIS-CAB.

2- and 4-wheel-drive Chassis-Cab models are available in four wheelbases to accept bodies from 7 to 13 ft. long. A new C30 heavy-duty Chassis-Cab has a 10,500-lb. GVWR and includes optional heavy-duty suspension components and dual rear wheels. See your Chevy dealer for details.



STEPSIDE 2-WHEEL DRIVE.

A convenient step between the door and extended rear fender helps you get at cargo. Available in 6½- or 8-ft, cargo box length. Also available as a C10 Diesel Pickup with a wide range of equipment included as standard. See page 11.



STEPSIDE 4-WHEEL DRIVE.

K10 Stepside is available with a 6½- or 8-ft. box. K20 Stepside is available with an 8-ft. box only. Sporty styling eliminates pickup box wheelhousings so the inside walls are smooth. Shown with optional Sport Package described on the back cover.





BIG DOOLEY.

Available in 2- and 4-wheel drive. Big Dooley models have dual rear wheels (4 total) for extra carrying capacity. Chevy's Big Dooley can tow large fifth wheel trailers when properly equipped. See your Chevy dealer for details.

TRAILERING.

Strong Chevy Pickups can be equipped for a wide range of trailering jobs. Ask your Chevy dealer for details and the 1981 RV/Trailering Guide which lists the Chevrolet required and/or recommended optional equipment to meet your trailering needs.

Tires supplied by various manufacturers.

Chevy offers the engines you need for tough jobs in a varied lineup of gasoline engine pickups and the C10 Diesel Pickup. Before deciding on an engine, consider your driving habits, operating conditions and payloads. Talk to your Chevy dealer.

He'll help you order the engine you want. Chevy offers these engines with built-in power and value to help meet your needs in the eighties.

SMOOTH-RUNNING, HIGH-EFFICIENCY SIX.

The 4.1 Liter (250 Cu. In.) Six has a recalibrated carburetor and redesigned camshaft for smooth operation.

This budget-minded powerhouse features a staged, two-barrel carburetor



that uses only one barrel for normal operation. When more power is needed, the second, larger barrel is activated.

The emissions control system uses engine vacuum pulses instead of an air pump, pulley, and belt and saves about 15 lbs, in weight over previous designs.

Other features combine to help provide good response and cold weather operation.

NEW **OPTIONAL 5.0 LITER** (305 CU. IN.) V8 WITH ELECTRONIC SPARK CONTROL

This new 5.0 Liter V8 offers surprising acceleration and horsepower for an engine



All radiators have more cooling fins in their cores than last year. This exposes water to more surfaces for improved cooling efficiency.



its size. It has a substantial 9.2-to-1 compression ratio. Yet this engine operates on low octane, unleaded fuel! The engine is designed to run most efficiently at maximum spark advance. An Electronic Spark Control senses a "knock" condition and automatically retards the spark. A new staged 4-barrel carburetor, camshaft and free-flow exhaust system are other improvements that add to smoothness and operating efficiency. Not available in California.

An optional 5.0 Liter (305 Cu. In.) V8 with a 2-barrel carburetor is also available without the Electronic Spark Control system. Not available in California. A 4-barrel version of this engine without Electronic Spark Control is optional in California.

A WORD ABOUT ENGINES.

Chevrolet trucks are equipped with GM-built engines produced by various divisions. See your dealer for details.

Please refer to Chevy Pickup power-train engine information below.

*For light-duty Chevrolet truck EPA mileage estimates, check the wall poster displayed at your Chevrolet dealer's showroom, or ask for an EPA mileage sheet to take home with you.



A 5.7 Liter V8 diesel engine model may be ordered as a C10 Fleetside or Stepside. The 5.7 Liter V8 diesel has no points, spark plugs, coll, condenser or carburetor to adjust or replace.

included with the Chevy C10 Diesel Pickup are:

V8 DIESEL STANDARD

EQUIPMENT.

1. 5.7 Liter V8 diesel engine. 2. Power disc low-drag front brakes Hydraulic booster

- shown.
- 3. Thermostatic fan drive.

4. Engine block heater.

63-amp alternator.

6. Dual high-capacity Delco Freedom II batteries

7. Special insulation package.


8. Automatic transmission with new low-slip clutch plates.

9. Glow plug with start lights on instrument panel.

10. New water-in-fuel Indicator light on instrument panel.

44. Dual exhaust system (except California).

Plus: Engine oil cooler. Power steering. Diesel identification on hood. front fenders and Fleetside tallaate.





4.1 LITER SIX (250 CUBIC INCH)

Staged, 2-barrel carbure-tor is recalibrated for smooth operation.

(A) Produced by GM-Chevrolet Motor Division.



4.8 LITER SIX (292 CUBIC INCH)

Designed for hardworking value with a single-barrel carbu-



5.0 LITER V8 (305 CUBIC INCH)

Available in versions with and without new Electronic Spark Control and 2-barrel or staged 4-barrel



5.7 LITER V8 (350 CUBIC INCH)

A V8 engine for all-around performance. Four-barrel carburetor.



7.4 LITER V8 (454 CUBIC INCH)

Extra displacement and torque for extra-heavyduly jobs.



5.7 LITER V8 (DIESEL)

Built for the long haul with 3-Inch-diameter main bearings. Available only in the C10 Diesel Pickup.

Inal	 	-166	 -

N.A. Not available at time of publication.

sudine shecinculous					The second secon	100000000000000000000000000000000000000	100000000000000000000000000000000000000
ENGINES WITH LIGHT-DUTY EMISSIONS for mo	dels of 8500-lb. GVWR and below	Not Available	LG9(C)	LE9°+[C]	LS9(A)	Not Available	LP9(D)
All states except California		100000000000000000000000000000000000000	3.74 x 3.48	3.74 x 3.48	40 x 3.5	15,000,000,000,000,000,000,000,000,000,0	4.06 x 3.38
Engine ordering code	LE3(A)		8.5 to 1	9.2 to 1	8.2 to 1		22.5 to 1
Bore & stroke (in.)	3.9 x 3.5		130 @ 4000	160 @ 4400 ▲	NA.		125 @ 3600
Compression ratio	83 to 1	(240 @ 2000	235 @ 2000 ▲	NA.		225 @ 1600
SAE net horsepower @ RPM	115 @ 3600		De Versielle Die Greite des		100000		
SAE net torque (lbft.) @ RPM	200 @ 2000						
ENGINES WITH LIGHT-MEDIUM DUTY EMISSION	NS for models of 8500-lb. GVWR	Not Available	Not Available	LF3(C)	LS9(A)	Not Available	LF9(D)
and below for Collfornia				3.74 x 3.48	4.0 x 3.5		4.06 x 3.38
Engine ordering code	LE3(A)		10	8.6 to 1	8.2 to 1		22.5 to 1
Bore & stroke (in.)	3.9 x 3.5			150 @ 4200	NA.		NA.
Compression ratio	8.3 to 1			240 @ 2000	NA		NA.
SAE net horsepower @ RPM	105 @ 3600	in the second se		210 6 2000			
SAE net torque (lbft.) @ RPM	195 @ 1600	L25(B)	Not Available	Not Available	LT9(A)	LE8(A)	Not Available
MIGHES WITH HEAVY-DUTY EMISSIONS for me	odels of 8500-lb. GVWR and abo-	3.9 x 4.1	1401 ATGIRGOR	1401 AVGIIGINE	40×35	4.3 x 4.0	HOLAYGIGGIG
Engine ordering code	Not Available	7.8 to 1			8.3 to 1	7.9 to 1	
Bore & stroke (in.)		115@3400			NA.	210 @ 3800	
Compression ratio							
SAE net horsepower @ RPM		215@1600	The same of the sa	V-20-00-00-00-00-00-00-00-00-00-00-00-00-	N.A.	340 @ 2800	
SAE net forque (lbft.) @ RPM		(B) Produced by GM de Mexico.	(C) Produced by Git Motor Division a	A-Chevrolet	*Electronic Spark Control.	(D) Produced by GM-Oldsmo- bile Motor Division.	1 Not Available in California
OF SECTION AND ADDRESS OF THE PARTY OF THE P			motor Division a	no um of		DEE MOTOR LYMISION.	the state of the s

TWOSTEELHIDES

A. Double-Wall Construction. Chevy Pickups have two steel hides: both an inner and outer steel wall in the doors, front fenders, cab rear panel, hood, Fleetside pickup box side panels and the easily removable tailgate.

B. Strong Steel Frame. Rigid, ladder-type frames have strong steel side rails. New Chevy Pickups are as strong as ever.

C. Front Air Deflector. Helps reduce airdrag. Standard on C10, C20 and K models with GVWRs to 8500 lbs., except Chassis-Cabs and C20 Crew/Bonus Cabs.

D. New front door hinge reinforcements for added strength.

E. New cab mounts for isolation from road noise and vibration.

NEW ANTI-CORROSION DESIGN.

F. New front fender skirts to match new fender design.


G. New urethane stone shields added ahead of wheel openings on Fleetside cargo boxes.

H. New "hemmed" construction on Fleetside tailgates to help keep out corrosive elements.

I. New front-wheelhousing-to-frame seals to reduce underhood splash and to help fight corrosion. All Chevy trucks are designed with this kind of attention to detail.


EXTENSIVE ANTI-CORROSION TREATMENTS.

- 1. Increased use of corrosion-resistant steels. Zincrometal@galvanized steel, zinc alloy steel and zinc-plated parts used in many important areas.
- 2. Zinc-rich anti-corrosion primers. Hand-sprayed on critical areas before final priming.
- Final priming. Every Chevy Pickup body gets a dip or spray bath that leaves a thick primer coating.
- 4. Finish painting. That beautiful finish is baked-on acrylic enamel.



 Extensive weatherproofing, Yards of butyl rubber weather stripping around doors and windows. Sealing com-pounds and rubber gaskets at joints and light enclosures.

Chevrolet offers a Three-Year Perforation-From-Corrosion Limited Warranty. Exhaust system components not included. See your Chevrolet dealer for details on other limitations.



NEW INTERIORS, COMFORT. SAME ROOMY CAB.

STANDARD CUSTOM DELUXE TRIM.

includes all these standard comfort and appearance items:

New full foam front seat cushion.

Fold-forward seat back with new inertia-type latch for inside cab storage area (regular cab front seat, Crew Cab rear seat).

□New striped vinyl uphoistery in five color choices (new black plus doeskin, blue, green and carmine) with grained vinyl facings (Black and green not available on Crew/Bonus Cab.)

Single retractor lap and shoulder belt system. □Large padded armrests.

Padaed sunshades. □New color-keyed door frim panel with armrest.

□New die-cast metal dooropening and windowregulating handles. □Cab interior light.

□Prismatic inside rearview TTVITTO

□New foam-padded instrument panel pad with nameplate.

□New blower "Off" position added to heater fan.



Exterior Items Include:

Bright drip rails over doors. ■Bright rearview mirrors.

White painted front bumper (new) and wheels with bright hubcaps on single rear wheel models.

[]New front-end sheet metal. grille and single rectangular headlamps.

□New front side marker lights.

OPTIONAL SCOTTSDALE TRIM.

For regular cabs, includes items in Custom Deluxe Package plus these major additions or changes.

☐Choice of either new Custom cloth or Custom vinyl in five colors with grained viryl facings.

New black crackle insert and bright trim in door panels

□Color-keyed floor mat.

□Door or manually operated dome lamp.

□Extra insulation. □Cigarette lighter and ashtray lamp.

□New Scottsdale nameplate on instrument panel.



Exterior items include all Standard Custom Deluxe items plus these major additions or changes

□New front side marker lights with bright trim.

□New chromed front bumper. □Bright-trimmed Fleetside tail lamps and dual rear wheel clearance lamps.

■ New bright-trimmed black moldings on body sides and tailgate on Fleetside Pickup

□Bright windshield/rear window trim.

□New Scottsdale fendermounted nameplates. □Dual horns.

OPTIONAL CHEYENNE TRIM.

All Scottsdale items plus these major additions or changes:

□ New silver instrument cluster. bezel instrument panel pad applique and door trim panel.

Color-keyed vinyl insert on door frim panels.

Door storage pockets. Color-keved carpeting

□Perforated, color-keyed headliner. □Custom steering wheel.

Extra-thick floor insulation. □Headliner Insulation.

□New Cheyenne nameplate

on instrument panel.



Exterior Items (for regular cabs only) include all Scottsdale items plus these major additions or changes: □Bright front/rear wheel opening moldings with

Pickup only

black point frim on Fleetside

Shown in Scottsdale Interior. Optional high-back bucket seats and new lockable console in choice of doeskin or black Custom vinyl for all trim levels. New Custom cloth available in doeskin only for Scottsdale, Chevenne and Silverado. For 2-door cabs only

□Hood and cab-to-fender sound insulators.

□New bright cab-back panel moldings.

New bright tailgate panel

with Chevrolet lettering on Fleetside Pickup only. □Secondary door weather

□New Cheyenne fendermounted nameplates

OPTIONAL SILVERADO TRIM, CHEVY'S FINEST.

All items in Chevenne package for regular cabs and all items in Scottsdale package for Crew and Bonus Cabs, plus these major additions or changes

□Full cowl side frim panels. □New door-closing assist

strap. □New door area carpet trim below door panel.

□ New Silverado nameplate on instrument ponel. □ Bright brush-finished stainless

steel instrument cluster frame and matching Inset on instrument panel pad and door frim panels. Needle-type, full-gage

instrumentation. Crew Cabs/Bonus Cabs offer custom steering wheel, color-keyed carpeting (except Bonus Cab rear compartment), choice of Custom cloth or Custom


vinyl, extra-thick floor

insulation.

Exterior items include all Cheyenne items plus these major additions or changes: □New bright-frimmed grille, headlamp bezels and dual rectangular headlamps.

□New Silverado fendermounted nameplates.

OPTIONAL BUCKET SEATS.



THE TECHNOLOGY OF TOUGH.

Strong Chevy Pickups are built to give you the hard-working performance and value you need in the eighties. Here are more of the features that make them an important step ahead.

MASSIVE GIRDER BEAM INDEPENDENT FRONT SUSPENSION.

A massive, rigid steel beam (shown below) is the foundation for independent front suspension on 2-wheel-drive models.

On each end are two contoured steel control arms with coil springs. Each pair of arms flexes up and down, allowing the front wheels to take bumps independently and help smooth the ride.

NEW LEAN WEIGHT.

Weight was trimmed for better fuel economy without reducing strength and payload capacities.

The new Chevy Pickups are lighter than last year, but are just as strong, with fullsize payloads. See payload ranges listed on page 9.

ENGINE FAN CLUTCH.

An engine fan clutch is standard on all models up to



8500 lbs. GVWR to help reduce horsepower drain. The fan speed is thermostatically controlled and delivers more air only when the temperature of the coolant needs extra cooling.

NEW LOW-DRAG FRONT DISC BRAKES.


The front disc brakes on C10-20 and K10-20 models under 8500 lbs. GVWR have a new low-drag design and new quick take-up master cylinder. The brake calipers contact the brake rotor only when braking. This reduces rolling resistance from the front brakes.



COMPUTER-MATCHED BRAKE SYSTEM.

Front disc and finned rear drum brakes are computermatched to the vehicle's GVWR. A wear sensor on each front disc brake gives an

audible signal when the brake pads need replacing.



COUNTER-ANGLED REAR SHOCKS.

In the rear, one shock slants forward and the other aft to help control brake and power hop. Shocks have new valving and calibration for a smooth ride. Both front and rear shock absorbers are shielded against minor stone damage.

NEW REAR SPRINGS.

Base springs for K10-20 models and optional heavyduty springs for C10-20 models are new with shotpeening for strength. These also have new anti-corrosive paint. A two-stage multi-leaf design helps provide a good ride with light loads and progressively firmer support with heavier loads.

NEW SEMI-FLOATING REAR AXLE.

A new 6000-lb.-capacity. semi-floating rear axle is standard on all C20 and K20 models except Bonus/Crew Cabs and conventional cabs equipped with the optional 7.4 Liter (454 Cu. In.) V8. It features a 91/2" ring gear, lighter weight and is easier to service than the previous design.

NEW AUTOMATIC TRANSMISSION EFFICIENCY.

All optional automatic transmissions for models under 8500 lbs. GVWR have re-engineered clutch plates. Power delivery is more positive than last year.

WORK IN QUIET.

New exhaust systems in various applications give reduced noise and back pressure. Improved seating

of the speedometer cable and new dash mats for the passthrough of cables help reduce interior noise. New cab mounts help isolate you and the cab from road noise.



RADIAL TIRES.

Radial ply tires are standard on C10, C20, K10 and K20 pickups and chassis-cabs with GVWRs under 8500 lbs. They provide low rolling resistance.

TESTED, RETESTED.

Selected models were driven approximately 5000 miles over Belgian blocks. It's one of many testing procedures used to check out the new Chevy Pickups.

PERFORMANCE AND HEAVY-DUTY OPTIONS.

Listed here are options available for extra performance and heavy-duty needs. Appearance and convenience options are presented on pages 18 and 19. See your Chevy dealer for details.

OPTIONS AVAILABLE ON ALL MODELS

Auxiliary Fuel Tank *Auxiliary Battery

*Generator: 55-amp

Axle, Rear Locking Differential *Cold Climate Package Cruise Control *Engine Oil Cooler

"Generator: 63-amp

*Heavy-Duty Automatic Trans. Cooler

Heavy-Duty Battery Heavy-Duty Front and Rear Shocks

Heavy-Duty Radiator *Trailering Special

*Except Diesel Pickup


	2-WHEEL DRIVE						WHE	EL DRI	Bonus/ Crew Cab			
OPTIONS AVAILABLE ONLY ON MODELS AS LISTED AT RIGHT.	010	C10 DIESEL	020	C20 HD	0230	K10	K20	K20 HD	K30	020	030	K30
Brakes, Vacuum Power	X	-	-			-	-	_	_	-		
Brakes, Heavy-Duty Power	X	X	х									
Camper Body Wiring Harness			X	X	X		X	X	X	X	X	X
Duck Exhaust System									X		7	X
Dual Rear Wheels					X	W	350		X		×	X
Front Yow Hooks			-		-20	X	X	X	X		1000	X
Front Quad Shocks		200			700	X	X	X	X		- 0	X
Front Stabilizer Bar	X	X	X		X						X	
Fuel lank Stone Shield		-000	170	10.00	-	X	X	X	X	Orear	10.00	
Heavy-Duty Front Stabilizer Bar	32.7		X	X	X	10000	700			X	X	
Heavy-Duty Front Springs	X		X				X					
Rear Springs	100											
Extra Capacity Rear Springs	X	X	X				X					X
Extra High Capacity Rear Springs							100				X	X
Heavy-Duty Rear Springs	X	X	X									
Main and Aux. Rear Springs			1		X				X		×	X
Power Sleering	X		X	X-	X					X	X	
Special Camper Chassis Equipment—Basic				X	X	15		X	X	X	X	X
Special Camper Chassis Equipment—Deluxe				X	X			X	X	X	X	X
Special Commercial Chassis Equipment				10-01	X		-	-		-440	X	

NEW DELCO FREEDOM II BATTERY.

Standard battery has improved lighter weight case material. Never needs water added. Has lead-calcium



grids that virtually eliminate overcharge and selfdischarge. With built-in test hydrometer and corrosionprotected terminals



Illustrated at left and listed below is a selection of popular appearance and convenience options.

- A. Delco AM/FM monaural CB radio.
- Fuel tank stone shield (K models regular cab only).
- C. Glide-out spare tire carrier.
- D. 9"x 6.5" Below Eyeline mirrors.
- Comfortilt steering wheel.
- E Stainless steel camper mirror.
- G. Styled wheels.*
- H. Cruise Control now includes a "resume speed" feature. Available for all engines teamed with automatic transmissions.
- New Halogen Hi-Beam Headlamps. Available only on models with Deluxe Front Appearance Packages.
- J. Front bumper guards.
- K. Sliding rear window.
- Power door locks (2-dr. models only).
- M. Power windows.
- N. Rally wheels."
- O. Wheel covers."
- P. Cast aluminum wheels." (C- and K10 models). Performance and heavyduty options are listed on page 17.

See your Chevy dealer for additional information. The supplied by various manufacturers.

OPTIONS AVAILABLE ON ALL MODELS

Air Conditioning †Bright Metal Wheel Covers Bright Metal Wheel Trim Rings

Bumpers:

Chromed Front Bumper Chromed Front Bumper Guards

Chromed Rear Bumper Chromed Rear Step Bumper Deluxe Front Bumper Deluxe Rear Bumper Painted Rear Step Bumper

Cargo Area Lamp Cigarette Lighter Color-Keyed Floor Mats Comfortilt Steering Wheel Custom Steering Wheel Deluxe Front Appearance Package

Deluxe Instrument Panel Dome Lamp Electric Clock

Gages:

Volfmeter, Temperature and Oil Pressure

Headlamp Warning Buzzer

Halogen Hi-Beam Headlamps
Intermittent Windshield
Wipers

APPEARANCE AND CONVENIENCE OPTIONS

Mirrors:

Painted Below Eyeline Mirror Stainless Steel Below Eyeline Mirror Stainless Steel Camper

Mirror Visor Mirror

Moldings: Body Moldings—Black Body Moldings—Bright Custom Molding Package— Black

Deluxe Molding Package— Bright Door Edge Guards Wheel Opening Moldings

Paint Options:

Conventional Two-Tone Paint Deluxe Two-Tone Paint Exterior Decor Package Special Two-Tone Paint

Pickup Box Side Rails Delco Radios &

Accessories: AM Radio AM/FM Radio AM/FM Radio W/CB & Antenna

Windshield Antenna

Roof Marker Lamps Sliding Rear Window Spare Tire Carrier/Glide-Out Spare Tire Carrier—Side

Mounted *Tachometer Tinted Glass

†Except K30 models

*Except Diesel Pickup

** Available with Deluxe Front Appearance Package only.

AM/FM Stereo Radio w/8-Track Tape Chevy Sport Package High-Back Bucket Seats Operating Convenience Package Power Door Locks Power Windows Painted West Coast Mirrors Rear Bench Seat	2-WHEEL DRIVE						4-WHEEL DRIVE				Bonus/ Crew Cab		
	010	C10 DIESEL	020	C20 HD	030	N10	K20	K20 HD	K30	020	030	K30	
AM/FM Stereo Radio	X	X	X	X	X	X	X	X	X				
AM/FM Stereo Radio w/Cassette Tape	X	X	X	X	X	X	X	X	Х				
AM/FM Stereo Radio w/8-Track Tape	X	X	X	X	X	X	X	X	X				
Chevy Sport Package	X					X		-100	-				
High-Back Bucket Seats	X	X	X	X	X	X	X	X	Х				
Operating Convenience Package	X	Х	X	X	Х	X	X	X	X				
Power Door Locks	X	X	X	X	X	X	X	X					
Power Windows	X	X	X	X	X	X	X	X	X				
Painted West Coast Mirrors					X				X		X	X	
Rear Bench Seaf	1000									X	X	X	
Wheels, Aluminum	X	X				X				- 00	200	1000	
Wheels, Rally	X	X				X							
Wheels, Styled	X	X				X							

The GM Continuous Protection Plan. It offers service protection in addition to that provided by GM's new vehicle limited warranty. Available only in the U.S. and Canada for the 1981 model year. Ask your dealer about it.

A WORD ABOUT ASSEMBLY, COMPONENTS AND OPTIONAL EQUIPMENT IN THESE CHEVROLET PRODUCTS.

The Chevy Pickups described in this brochure (Series C10, C20 and C30; K10, K20 and K30) are assembled at facilities of General Motors Corporation operated by Chevrolet Motor Division, GM Assembly Division and GM of Canada. These vehicles incorporate thousands of different components produced by

various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such

components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name.

With respect to extra cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your vehicle is built. Your dealer receives advice regarding current availability of options. You may ask your dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your vehicle includes the optional equipment you ordered or, if there are any changes, that they are acceptable to you.

These vehicles are also available from GMC dealers under the GMC nameplate (GMC Pickup Series C1500, C2500 and C3500; K1500, K2500 and K3500).

			TWO	-WHEEL DR	SVE				FOUR-WHE				
SERIES	C10	C10 DIESEL	C20	C20 HD(C6P)	C20	C30	C30	K10	K20	HD(CP6)	K30		
CAB TYPE	CONV	CONK	COMK	CONV.	BONUS/ CREW	CONV	BONUS/ CREW	CONV	CONV	OOM.	CONV. BONUS/ CIREW		
GVW RANGE (LB.)	4,700 TO 6.100	5,20010	7,20010 7,500	8,600	8,600	9,00010	9,000 TO 10,000	6,100	6,600	8,600	9,200 10		
and the same of th	4.1(250)L6 5.0(305)V8	57 VB	5.0(305)/48+	5.7(350)//8	5.7(350)V8	5.7(350)¥8	5.7(350)VB	41(250)16a 50(305)V8+a	5.7(350)//8	4.8(292)L6 5.7(350)V8	4.8(292)L6 57(350)V8		
	5 0(305)W8+		5.7(350)//8	7.4(454)//8	7.4(454)VB	7.4(454)V8	7.4(454)V8	-	200	-	-		
FRONT TYPE/SPRINGS SUSPENSION	COIL SP		INDEPE	NOENT COIL S	PRINCS		ENDENT PRINGS		HYPOID DRA LEAFS				
CAPACITY (LB.)	2.950	3,400	3,800	3,800	3,800	3,800	4,000	3,600	3,800	3,800	4,500		
STD. SPRING CAPACITY (LB.)	CP-PACTOR NO.	1,700	1,750	1,900	1,900	1,900	2,000	1,850	1,850	1,850	2,250		
OPT, SPRING CAPACITY (LB.)	1,625	-		-	_	2,000		_	2	-	_		
REAR AXLE TYPE		SEMI-FU	OATHNG**			FULL FLOATING	1	SEMI-FL	OATING	FULL FI	FULL FLOATING		
SUSPENSION AXLE CAPACITY (LB.)	3,750	3,750	6,000	6,000	7.500	7,500	7,500	3.750	6,000	6,000	7,500		
STD. RATIO		2.73	3.42	4.10	4.10	4.10	4.10	3.73	3.42	4.10	4.56		
OPT RATIO	2.56	3.08	3.23	3.21	3.21	3.21	3.21	2.56	3.23	3.73	3.73		
	3.08	4600000	3.73	3.42	3.73	3.73	3.73	2.73	3.73	-	4.10		
	3.73	-	_	3.56	4.56	4.56	4.56	3.08	-	-	-		
	-	-	-	-	_	-	-	3.42	-	-	-		
SPRINGS TYPE	TWO-STAGE	E MULTI-LEAF TWO-STAGE MULTI-LEAF TWO-ST				TWO-ST A	AULTI-LEAF	TWO STAGE MUUT-LEAF					
STO, SPRING CAPACITY (LB.) EA		1,550	2,000	3,000	3.000	3,500	3,500	1.875	2.000	3.000	3,500		
OPT SPRING CAPACITY (LB.) EA	100000	2,000	2,600	5,000	-	3.750	3,750		_	-	3,750		
OF CSPRING CAPACITY (LB.) EX	2.000	2,000	2,000	_	-	0.700	0,700	_	-	-	-		
BALLIE DES DES	-			POWER	POW			PON					
BRAKES DISC/DRUM	_	POWER		and the second second			370	315	370	370	370		
ELECTRICAL BATTERY (ODA)		(2) 550 ea		370	-	370		37	37	37	37		
GENERATOR (AMP		63	77.00	37		37	37				-		
FUEL TANK (GAL.) STD	*16:20	116/20	20	20			0	+16/20	20	20	20		
NOM. CAPACITY DPT. (AUX.	#16	#16	#16	20			0	#16	#16	20	20		
STEERING STD	MANUAL	POWER		MANUAL		MAX	17777	POWER	POWER	POWER	POWER		
OP	POWER	- Comp		POWER		PO	WER	_	-		- max		
TRANSMISSION STD	3-SP0	AUTOMATIC	3-SPD.	3-SPD.	4-SPD.	4-SPD	4-SPO.	3-SP0.	3-SPD.	3-590.	4-SPD.		
OP	The second second second	-	4-SP0.	4-SP0.	AUTO.	AUTO	MATIC	4-SP0	* 4-SP0	4-SP0	AUTOMATIC		
	AUTO- MATIC	_	MATIC:	AUTO- MATIC	-			AUTO- MATIC	MATIC MATIC	AUTO- MATIC	_		
TRANSFER CASE MAN, TRANS		-	-	-	-	-			CONVENTIONAL NP 208* CONVENTIONAL NP 208*		NP 205		
AUTO, TRANS	-	-	_	-	-	-					NP 205		
TIRE SIZE STO		FR78-158	8.75R-16.50	9.50-16.5	9.50-16.50	9.50-16.50	9.50-16.5E	P235/	8.75R-16.50	9.50-16.5D	9.50-16.50		
TUBELESS	12000000	THE PROPERTY.		(F)O: (RDE	(F)D	B(R)	STORY OF	758-15		(F)D; (R)E			
SUPPLICATION IN THE PROPERTY OF THE PROPERTY O				ALCOHOL MANAGEMENT	2,10	1.5.2	A STATE OF THE PARTY OF THE PARTY.						

¹⁶⁻gallon tank on 117.5" Will models and 20 gallons on all other models.

Tire load range -B (4PR), C (6PR), D (8PR), E (10PR), in Celfornie, see your Chevy dealer for engine availability.

•4-Bbl, carburetor with Electronic Spark Control.

•Cold Cranking Amps

© F *Includes Autome

*Includes Autometic Locking front hubs

COLORS





NEW SPECIAL TWO-TONE*

Includes new body side/ wheel opening moldings, bright trim for standard marker and taillights, second two-tone color below side and rear moldings. Shown on Fleetside with optional Scottsdale trim package.



NEW DELUXE TWO-TONE*

Includes Special Two-Tone paint option with the second two-tone color on roof and cab back panel down to the new bright beltine moldings. Shown on Fleetside with optional Chevenne trim package.



NEW EXTERIOR DECOR PKG.*

Includes Special Two-Tone paint option, new dual-tone body side/rear tape striping keyed to body color, new hood ornament, secondary color between decal stripes and moldings. Shown on Fleetside with optional Silverado trim package.



SPORT PACKAGE**

Requires optional Scottsdale trim. Includes new: Chevy Sport Two-Tone paint, striping, hood emblem, black painted grille and headlamp bezels, dual rectangular headlamps. Plus body-colored bumpers with black impact strips (no strips on Stepside), extra-thick floor insulation, color-keyed carpeting.

^{**} Full-Floating axle included with 7.4L (454) VII engine.

[▲] Not available in California. #2 16-gallon tanks.

^{*}Available on Fleetside with single rear wheats.
**Available on C and K10 Fleetside and Stepside models with 615-ft, box and optional Scottsdale trim. Shown on K10.